Index to Volume 5

HYPERTENSION JANUARY-DECEMBER 1983

AUTHOR INDEX

A

Ackermann U, 712
Adams RJ, 682
Alasoini A, 564
Alexander N, 3
Alicandri C, 147
Anderson DE, 286, 415
Anderson RJ, 235
Arbeit L, 603
Aristimuno GG, 41
Atarashi K, 545
Atwater DG, 211
Aurell M, 368
Aylward PE, 916

B

Bagby SP, 328
Baker CH, 927
Battarbee HD, 336
Baur GM, 328
Bayorh MA, 172, 908
Beck F-X, 642
Beierwaltes WH, 893
Beitz J, 968
Bentivoglio M, 837
Berecek KH, 689
Berenson GS, 41
Beretta-Piccoli C, 873
Berglund G, 368
Bernard DB, 603
Berne RM, 943
Bertinieri G, 573
Bertulla A, 140
Better WE, 286
Bianchetti MG, 873
Bing RF, 629, 951
Bishop SP, 427
Blaustein MP, 977
Boehringer K, 873
Bohlen HG, 739
Bohr DF, 292, 298
Bones PJ, 597
Bonfanti F, 529
Boomsma F, 244
Boon N, 746
Brandon TA, 226
Brann LR, 17
Braunstein ML, 56
Bravo EL, 147, 796, 858
Brayden JE, 17
Brentano J-LF, 128
Brignole M, 140
Brown RD, 615
Brugnara C, 529
Buñag RD, 34, 218, 460
Butterfield J, 460

C

Campbell WB, 235
Cannon PJ, 166
Carollo M, 615
Carretero OA, 893
Castle CH, 539
Chalmers JP, 916
Chernow B, 100
Chien S, 757
Chong CK, 672
Christensen NJ, 105
Christensen P, 105
Christian JC, 790
Chrysant ST, 615
Ciriello J, 468
Clarke WR, 71
Clifton GG, 579
Cloix J-F, 128
Cohen ML, 676
Coleman MD, 100
Condorelli M, 584
Conradi EC, 852
Conway J, 746
Cooper R, 135, 363
Cooper SP, 610
Corea L, 837
Corns-Hurwitz R, 852
Corrocher R, 529
Cottier C, 779
Curb D, 610
Cutter GR, 610

D

Dailey JW, 336
Dale SL, 385
Daniel EE, 436
Danisa K, 615
Daugherty SA, 790
Davis JO, 482
de Champlain J, 591
de Jong W, 185
De Marchi G, 140
De Sandre G, 529
Degenhart W, 852
Delfino G, 140
Derkx FHM, 244
Devynck M-A, 128
di Rienzo M, 264
Dibona G, 399
Dietz JR, 482
Dole WP, 390
Donker AJM, 514
Doussau M-P, 312
Duhm J, 642, 977
Dunn MJ, 446
Dusseau JW, 321
Dustan HP, 807, 976

E

Echtenkamp SF, 482
Egan BM, 779
Ekas RD Jr, 198
Elo J, 564
Ely SW, 943
Espiner EA, 597
Evan AP, 8
Ezar D, 172

F

Faden AI, 663
Fagan TC, 852
Falardeau P, 701
Farris RP, 41
Feldman MB, 226
Felix D, 935
Fennell WH, 226
Ferrari A, 573
Feuerstein GZ, 172, 663
Fink GD, 900
Fitzgerald D, 763
Flanagan PT, 828
Folkow B, 399
Fordis CM, 635
Foroni L, 529
Förster W, 968
Fouad FM, 147, 796, 858
Frank GC, 41
Freeman RH, 482
Fuller RW, 676
Furukawa Y, 26

G

Gaffney TE, 852
Galloway DC, 615
Galva MD, 584
Garcia-Robles R, 155
Gattone VH II, 8
Gidday JM, 943
Ginos JZ, 226
Girard A, 409
Göbel BO, 642
Godfrey N, 951
Goldberg MR, 772
Goldstein DS, 86, 100, 402, 552
Gonzalez ER, 346
Gordon DB, 353
Goto Y, 507
Granger HJ, 722
Grassi G, 264, 573
Greenstreet RL, 147
Gregorini L, 573
Griffing GT, 385
Grim CE, 790
Grover AK, 436
Guidicelli J-F, 312

H

Halpern W, 17
Halushka PV, 56
Hamilton CA, 958
Hara A, 240
Harder DR, 404
Harmon G, 852
Hartford M, 368
Hashimoto M, 240
Hassid A, 446
Hawkins CM, 610
Haynes RB, 828
Hendley ED, 211
Henningsen NC, 560
Hermsmeyer K, 404
Hilton PJ, 623
Hirata Y, 545
Hiwada K, 191
Hjemdahl P, 399
Hoffmann P, 968
Hohn AR, 56
Holbrook MM, 385
Holland OB, 235
Hollenberg NK, 307
Hollister AS, 772
Holstein P, 122
Horgan J, 763
Hough KL, 3
Hurtado A, 155
Hutchins PM, 321

I

Ibsen H, 779
Igari T, 545
Ikeda M, 507
Ikeda T, 545
Ikran H, 597
Ishii M, 545
Ito K, 112
Izzo J Jr, 787

J

Jackson J, 951
Janzon L, 560
Jesse MH, 54

Index to Volume 5

HYPERTENSION JANUARY-DECEMBER 1983

AUTHOR INDEX

A

Ackermann U, 712
Adams RJ, 682
Alasoini A, 564
Alexander N, 3
Alicandri C, 147
Anderson DE, 286, 415
Anderson RJ, 235
Arbeit L, 603
Aristimuno GG, 41
Atarashi K, 545
Atwater DG, 211
Aurell M, 368
Aylward PE, 916

B

Bagby SP, 328
Baker CH, 927
Battarbee HD, 336
Baur GM, 328
Bayorh MA, 172, 908
Beck F-X, 642
Beierwaltes WH, 893
Beitz J, 968
Bentivoglio M, 837
Berecek KH, 689
Berenson GS, 41
Beretta-Piccoli C, 873
Berglund G, 368
Bernard DB, 603
Berne RM, 943
Bertinieri G, 573
Bertulla A, 140
Better WE, 286
Bianchetti MG, 873
Bing RF, 629, 951
Bishop SP, 427
Blaustein MP, 977
Boehringer K, 873
Bohlen HG, 739
Bohr DF, 292, 298
Bones PJ, 597
Bonfanti F, 529
Boomsma F, 244
Boon N, 746
Brandon TA, 226
Brann LR, 17
Braunstein ML, 56
Bravo EL, 147, 796, 858
Brayden JE, 17
Brentano J-LF, 128
Brignole M, 140
Brown RD, 615
Brugnara C, 529
Buñag RD, 34, 218, 460
Butterfield J, 460

C

Campbell WB, 235
Cannon PJ, 166
Carollo M, 615
Carretero OA, 893
Castle CH, 539
Chalmers JP, 916
Chernow B, 100
Chien S, 757
Chong CK, 672
Christensen NJ, 105
Christensen P, 105
Christian JC, 790
Chrysant ST, 615
Ciriello J, 468
Clarke WR, 71
Clifton GG, 579
Cloix J-F, 128
Cohen ML, 676
Coleman MD, 100
Condorelli M, 584
Conradi EC, 852
Conway J, 746
Cooper R, 135, 363
Cooper SP, 610
Corea L, 837
Corns-Hurwitz R, 852
Corrocher R, 529
Cottier C, 779
Curb D, 610
Cutter GR, 610

D

Dailey JW, 336
Dale SL, 385
Daniel EE, 436
Danisa K, 615
Daugherty SA, 790
Davis JO, 482
de Champlain J, 591
de Jong W, 185
De Marchi G, 140
De Sandre G, 529
Degenhart W, 852
Delfino G, 140
Derkx FHM, 244
Devynck M-A, 128
di Rienzo M, 264
Dibona G, 399
Dietz JR, 482
Dole WP, 390
Donker AJM, 514
Doussau M-P, 312
Duhm J, 642, 977
Dunn MJ, 446
Dusseau JW, 321
Dustan HP, 807, 976

E

Echtenkamp SF, 482
Egan BM, 779
Ekas RD Jr, 198
Elo J, 564
Ely SW, 943
Espiner EA, 597
Evan AP, 8
Ezar D, 172

F

Faden AI, 663
Fagan TC, 852
Falardeau P, 701
Farris RP, 41
Feldman MB, 226
Felix D, 935
Fennell WH, 226
Ferrari A, 573
Feuerstein GZ, 172, 663
Fink GD, 900
Fitzgerald D, 763
Flanagan PT, 828
Folkow B, 399
Fordis CM, 635
Foroni L, 529
Förster W, 968
Fouad FM, 147, 796, 858
Frank GC, 41
Freeman RH, 482
Fuller RW, 676
Furukawa Y, 26

G

Gaffney TE, 852
Galloway DC, 615
Galva MD, 584
Garcia-Robles R, 155
Gattone VH II, 8
Gidday JM, 943
Ginos JZ, 226
Girard A, 409
Göbel BO, 642
Godfrey N, 951
Goldberg MR, 772
Goldstein DS, 86, 100, 402, 552
Gonzalez ER, 346
Gordon DB, 353
Goto Y, 507
Granger HJ, 722
Grassi G, 264, 573
Greenstreet RL, 147
Gregorini L, 573
Griffing GT, 385
Grim CE, 790
Grover AK, 436
Guidicelli J-F, 312

H

Halpern W, 17
Halushka PV, 56
Hamilton CA, 958
Hara A, 240
Harder DR, 404
Harmon G, 852
Hartford M, 368
Hashimoto M, 240
Hassid A, 446
Hawkins CM, 610
Haynes RB, 828
Hendley ED, 211
Henningsen NC, 560
Hermsmeyer K, 404
Hilton PJ, 623
Hirata Y, 545
Hiwada K, 191
Hjemdahl P, 399
Hoffmann P, 968
Hohn AR, 56
Holbrook MM, 385
Holland OB, 235
Hollenberg NK, 307
Hollister AS, 772
Holstein P, 122
Horgan J, 763
Hough KL, 3
Hurtado A, 155
Hutchins PM, 321

I

Ibsen H, 779
Igari T, 545
Ikeda M, 507
Ikeda T, 545
Ikran H, 597
Ishii M, 545
Ito K, 112
Izzo J Jr, 787

J

Jackson J, 951
Janzon L, 560
Jesse MH, 54

Johannesen P, 105
Johnson JA, 159, 453
Johnson JC, 298
Jones JV, 746
Josephs JA, 844
Julius S, 779

K

Kanbe T, 887
Kaneko Y, 270
Katholi RE, 427
Katz AI, 498
Kawai C, 240
Kearns WD, 286, 415
Keeton TK, 79, 257
Keil JE, 56
Keiser HR, 100, 635
Keller M, 476
Kem DC, 615
Keynan A, 821
Kher V, 893
Kimura K, 545
Kleinert HD, 421
Kline RL, 468
Knabb RM, 943
Koeppen BM, 498
Koivunen DG, 159, 453
Kokubu T, 191, 205
Konieczkowski M, 446
Konishi M, 881
Kopin IJ, 100, 172, 552, 908
Kornerup HJ, 105
Koutouzov S, 409
Krieger AJ, 346
Kristensen S, 105
Kumahara Y, 767
Kurz KD, 453, 676

L

Labarthe DR, 610
Laher M, 763
Laine GA, 722
Lake CR, 100
Lane LK, 682
Lang CL, 790
Laragh JH, 421, 757
Larsen B, 122
Lauer RM, 71
Lauritsen JG, 105
Lazarus Y, 951
LeDoux JE, 728
Lee S-W, 682
Lee TC, 706
Leslie BR, 421
Letcher RL, 757
Lever AF, 116
Levinsky NG, 603
Levy MN, 26
Levy R, 821
Leyssac PP, 105
Lieberthal W, 603
Lin M-S, 79, 257
Lindheimer MD, 498, 653
Link L, 873
Liu K, 135, 363
Livne A, 821
Ljungman S, 368
Loadholt CB, 56
Logan AG, 828
Lokhandwala MF, 198
Loudon M, 629
Luft FC, 8
Lutz LJ, 539
Lyons DF, 615

M

Maland LJ, 539
man in't Veld AJ, 244
Mancia G, 264, 573
Mann ME, 900
Marche P, 409
Margolius HS, 56
Markov CM, 968
Marquardt J, 363
Martineau A, 701
Maslowski AH, 597
Mason JC, 623
Masuo K, 767
Matsumoto C, 191
Matsunaga M, 240
Matsuoka H, 545
Maxwell MH, 706
McAreavey D, 116
McCarty R, 552
McGarry K, 763
McLean K, 535
McNay JL, 79, 257, 390
McRitchie RJ, 916
Medley ES, 56
Megorden JS, 635
Melby JC, 385
Meneely GR, 336
Mercer PF, 468
Meyer P, 128, 409
Miller JZ, 790
Miller W, 135
Milne BJ, 828
Milojevic S, 672
Min I, 514
Mitchell JR, 100, 226
Morimoto K, 240
Morris M, 476
Morton JJ, 873
Moser M, 808
Mueller SM, 489
Mujais SK, 796
Murao S, 545
Murray GD, 116
Musgrave GE, 79, 257
Myers MG, 591
Myers MM, 211

N

Naftilan AJ, 427
Nagahama S, 653, 689
Nakai M, 507
Nara Y, 887
Nerhed C, 749
Newman BL, 3
Nicholls MG, 597
Nichols WK, 159
Nielsen PE, 122
Nishimura K, 205
Nissinen A, 564
Novick A, 796

O

O'Brien E, 763
Odori T, 307
Ofstad J, 375
Ogawa K, 240
Ogihara T, 767
Ogino K, 507
Okonek A, 363
Okuno T, 653, 689
Oliver JA, 166
O'Malley K, 763
O'Neill WM Jr, 579
Oparil S, 427, 498, 653, 689, 807
Ordóñez NG, 498
Osmond DH, 277, 805
Osterziel KJ, 779
Ostrow D, 363
Overbeck HW, 807
Oza N, 603

P

Pak CH, 240
Palkovits M, 908
Palmer C, 521
Pantell RH, 56
Paran E, 821
Parati G, 573
Paskins-Hurlburt A, 307
Patel KP, 468
Payne CG, 159, 453
Pedersen EB, 105
Pedersen EB, 180
Pedotti A, 264
Petracca R, 584
Pickering TG, 757
Picotti GB, 584
Ploth D, 521, 864
Poleshuk WS, 968
Polinsky RJ, 552
Pomidossi G, 573
Poulsen HL, 122
Poulsen K, 180
Prewitt RL, 844
Privitera P, 852
Privitera PJ, 56
Puska P, 564

Q

Queirolo C, 140

R

Rainbolt MJ, 71
Rangachari PK, 436
Rasmussen A, 105
Ratts TE, 814
Reid JL, 535, 958
Reis DJ, 728
Rho JH, 3
Ricciardelli B, 584
Richer C, 312
Riopel DA, 56
Robertson D, 772
Robertson JIS, 116
Rodicio J, 155
Ropchak TG, 635
Ross R, 796
Rubin MI, 56
Rubin PC, 535
Rubio R, 943
Ruilope L, 155
Russell GI, 951

S

Saito I, 112
Sakaguchi A, 728
Sakamaki T, 453
Sancho J, 155
Sapru HN, 346
Saruta T, 112
Sasaki S, 34, 218, 460
Schalekamp ADH, 244
Schelling P, 935
Schieken RM, 71
Schuman SH, 56
Schwartz A, 682
Sciacca RR, 166
Scicli AG, 893
Scipione P, 26
Sealey JE, 421
Seto S, 893
Shepherd AMM, 79, 257
Shimizu H, 205
Shimoda K, 706
Simpson CF, 442
Siripaisarnpipat S, 159, 453
Sitsen JMA, 185
Sleight P, 746
Smith WB, 579
Song TS, 240
Sonnenberg H, 672
Sowers JR, 155, 275
Sparks S, 363
Stamler J, 135, 363
Steenberg ML, 198
Steinmayr M, 529
Stevens E, 363
Stork JE, 446
Streck WF, 615
Strömgren E, 749
Su C, 881
Sueta CA, 321
Sugimoto T, 545
Sullivan JM, 814, 844
Sun C-W, 943
Sundberg DK, 476
Sundlöf G, 749
Sutton ET, 927
Swales JD, 629, 951

T

Tagami M, 887
Takagi M, 545
Takeda T, 545
Tamori S, 240
Tan-Tjiong L, 244
Tarazi RC, 147, 796, 858
Tatemichi SR, 712
Taube C, 968
Taylor AA, 100, 226

Taylor WJ, 442
Textor SC, 796
Thomas J, 858
Thurston H, 629, 951
Tobian L, 41
Tochikubo O, 270
Tomita T, 218
Torén PH, 399
Treasure J, 521, 864
Trell E, 560
Trevisan M, 135, 363
Trimarco B, 584
Tuomilehto J, 564

U

Uehara Y, 545
Uneda S, 270

V

Varvikko P, 564
Vaughan ED Jr, 421
Venuto RC, 514
Verdecchia P, 140, 837
Veress AT, 672
Villarreal D, 482
Volpe M, 584
von Kuhnert L, 235
Voors AW, 41

W

Wada H, 767
Walle T, 852
Wallick ET, 682
Wallin BG, 399, 749
Wallin JD, 579
Webb JG, 56
Webb RC, 298
Webber LS, 41
Weidmann P, 873
Weinberger MH, 790
Wenting GJ, 244
West MJ, 916
Whitehorn D, 211
Whitmer K, 682
Wikstrand J, 368
Wilczynski EA, 277, 805
Willassen Y, 375
Williams GR, 615
Willis LR, 8
Wilmoth FR, 927
Winquist RJ, 292
Wohlert M, 105
Woods MS, 198
Worden TJ, 415
Work J, 521

Y

Yamamoto J, 507
Yamatodani A, 767
Yamori Y, 682, 887
Yoshida O, 240

Z

Zanchetti A, 573
Zeigler DW, 159, 453
Zerbe RL, 663, 908
Zicha J, 156
Ziegler MG, 100
Zukowska-Grojec Z, 172, 908

Index to Volume 5

HYPERTENSION JANUARY-DECEMBER 1983

SUBJECT INDEX

A

Accelerated hypertension
Antihypertensive effectiveness of intravenous labetalol in accelerated hypertension, 579
Acid proteases
Absence of renin-like activity in rat aorta and microvessels, 635
ACTH, *see* Adrenocorticotropic hormone
Actin
Biochemical and mechanical properties of resistance arteries from normotensive and hypertensive rats, 17
Acute sodium administration
Comparable effect of isotonic infusions on blood pressure in the anephric rat, 421
Adenosine
Adenosine and metabolic regulation of coronary blood flow in dogs with renal hypertension, 943
Adrenal adenoma
Similarity of idiopathic aldosteronism and essential hypertension. A statistical comparison, 116
Adrenal insufficiency
The role of renin substrate in hypertension, 353
Adrenal medulla
Sympathetic nerves and adrenal medulla: contributions to cardiovascular-conditioned emotional responses in spontaneously hypertensive rats, 728
Adrenergic agents
Adrenergic neurotransmission in tail arteries from two-kidney, one clip, renal hypertensive rats, 298
Evaluation of plasma catecholamines in humans. Correlation of resting levels with cardiac responses to beta-blocking and sympatholytic drugs, 859
Sympathetic contribution to the cardiac response to stress in hypertension, 147
Systolic time intervals as possible predictors of pressure response to sustained beta-adrenergic blockade in arterial hypertension. A within-patient, placebo-controlled study, 140
Adrenergic neurotransmission
Adrenergic neurotransmission in tail arteries from two-kidney, one clip, renal hypertensive rats, 298
Adrenergic receptors
Alpha adrenoceptors and autonomic mechanisms in perinephritis hypertension in the rabbit, 958
Effects of atenolol and hydrochlorothiazide on blood pressure and plasma catecholamines in essential hypertension, 591
Adrenocorticotropic hormone (ACTH)
Relationship of 19-nor-deoxycorticosterone to other mineralocorticoids in low-renin hypertension, 385
Afferent renal fibers
Effect of renal denervation on arterial pressure in rats with aortic nerve transection, 468
Age
Age-dependence of hypertensive-normotensive differences in plasma norepinephrine, 100
Baroreflex function in elderly hypertensives, 763
Influence of carboxyhemoglobin, gamma-glutamyl-transferase, body weight, and heart rate on blood pressure in middle-aged men, 560
Lithium-sodium countertransport in erythrocytes of normal and hypertensive subjects. Relationship with age and plasma renin activity, 529
Alcohol consumption
Influence of carboxyhemoglobin, gamma-glutamyl-transferase, body weight, and heart rate on blood pressure in middle-aged men, 560
Aldosterone
Asymptomatic normotensive primary aldosteronism. Case report, 240

Dietary potassium and the development of hypertension in two-kidney, one clip Goldblatt hypertensive rats, 521
Elevated plasma catecholamines in hypertensives with primary glomerular diseases, 545
Mechanisms in human renovascular hypertension, 597
Preeclampsia—a state of prostaglandin deficiency? Urinary prostaglandin excretion, the renin-aldosterone system, and circulating catecholamines in preeclampsia, 105
Relationship of 19-nor-deoxycorticosterone to other mineralocorticoids in low-renin hypertension, 385
Role of dietary potassium in the treatment of hypertension, 864
Similarity of idiopathic aldosteronism and essential hypertension. A statistical comparison, 116
Synergistic effect of captopril with hydrochlorothiazide for the treatment of low-renin hypertensive black patients, 235

Aldosteronism, primary
Asymptomatic normotensive primary aldosteronism. Case report, 240

Allied health personnel
Clinical effectiveness and cost-effectiveness of monitoring blood pressure of hypertensive employees at work, 828

Alpha adrenoceptor agonists
Alpha adrenoceptors and autonomic mechanisms in perinephritis hypertension in the rabbit, 958
Antihypertensive effectiveness of intravenous labetalol in accelerated hypertension, 579
Evidence that blood pressure reduction by serotonin antagonists is related to alpha receptor blockade in spontaneously hypertensive rats, 676
Influence of yohimbine on blood pressure, autonomic reflexes, and plasma catecholamines in humans, 772
Presynaptic α- and β-adrenoceptor stimulation and norepinephrine release in the spontaneously hypertensive rat, 198

Ambulatory blood pressure monitoring
Clinical effectiveness and cost-effectiveness of monitoring blood pressure of hypertensive employees at work, 828
Twenty-four-hour hemodynamic profile during treatment of essential hypertension by once-a-day nadolol, 573

Amiloride
Inhibition of furosemide-induced increases in plasma renin activity by amiloride, 706

Angiotensin
The effect of aprotinin (a serine protease inhibitor) on renal function and renin release, 893
Increase in collateral arterial endothelial cell proliferation induced by captopril after renal artery stenosis in the rat, 307
Mechanisms in human renovascular hypertension, 597

Angiotensin II
Arterial wall uptake of renal renin and blood pressure control, 629
Cardiovascular counterregulation during sympathetic inhibition in normal subjects and patients with mild hypertension, 873
Effects of angiotensin II on the cardiac responses to sympathetic nerve stimulation in dogs, 26
Effects of subpressor doses of angiotensin II on renal hemodynamics in relation to blood pressure, 368
Humoral factor in pressor hyperresponsiveness in renal prehypertensive rabbits, 453
Influence of captopril treatment on angiotensin II receptors and angiotensinogen in the brain of spontaneously hypertensive rats, 935
Pressor responses to norepinephrine during captopril in renal prehypertensive rabbits, 159

Angiotensin II antagonists
Humoral factor in pressor hyperresponsiveness in renal prehypertensive rabbits, 453
Responses of the stenosed and contralateral kidneys to [Sar^1, Thr^8] AII in human renovascular hypertension, 796

Angiotensinogen
Influence of captopril treatment on angiotensin II receptors and angiotensinogen in the brain of spontaneously hypertensive rats, 935
The role of renin substrate in hypertension, 353

Animal studies, dog
Activation of peripheral dopamine presynaptic receptors lowers blood pressure and heart rate in dogs, 226
Adenosine and metabolic regulation of coronary blood flow in dogs with renal hypertension, 943
Canine neonatally induced coarctation hypertension in the second year. Variably hyperresponsive plasma renin activity, 328
Effects of angiotensin II on the cardiac responses to sympathetic nerve stimulation in dogs, 26
Effects of intrarenal infusion of calcium entry blockers in anesthetized dogs, 482
Permeability of intestinal microvessels in chronic arterial hypertension, 722
Plasma prorenin in humans and dogs. Species differences and further evidence of a systemic activation cascade, 277
Potassium infusion attenuates avoidance-saline hypertension in dogs, 415
Progressive hypertension in dogs by avoidance conditioning and saline infusion, 286
Thallium uptake by canine iliac arteries, 436

Animal studies, rabbit
Alpha adrenoceptors and autonomic mechanisms in perinephritis hypertension in the rabbit, 958
Baroreflex control of myocardial contractility in conscious normotensive and renal hypertensive rabbits, 916
The conscious instrumented rabbit: a model for the study of mechanisms of blood pressure regulation during pregnancy, 514
Forebrain contributions to one-kidney renal hypertension in the rabbit, 900
Humoral factor in pressor hyperresponsiveness in renal prehypertensive rabbits, 453
Inhibition of furosemide-induced increases in plasma renin activity by amiloride, 706
Pressor responses to norepinephrine during captopril in renal prehypertensive rabbits, 159
Regional vascular capacitance in rabbit one-kidney, one clip hypertension, 712

Animal studies, rat
Absence of renin-like activity in rat aorta and microvessels, 635
Adrenergic neurotransmission in tail arteries from two-kidney, one clip, renal hypertensive rats, 298
The age factor and salt-induced hypertension in the Brattleboro rat. Letter, 156
Altered turnover of polyphosphoinositides in the erythrocyte membrane of the spontaneously hypertensive rat, 409
Altered vascular reactivity and baroreflex sensitivity induced by chronic central administration of captopril in the spontaneously hypertensive rat, 689
Arterial wall uptake of renal renin and blood pressure control, 629
Atrial natriuretic factor: reduced cardiac content in spontaneously hypertensive rats, 672
Attenuation of the development of spontaneous hypertension in rats by chronic central administration of captopril, 653
Biochemical and mechanical properties of resistance arteries from normotensive and hypertensive rats, 17
Cardiovascular and sympathetic responses to chronic arachidonate in SHR and WKY rats, 172
Central resetting of baroreflex in the spontaneously hypertensive rat, 346
Changes in paraventricular vasopressin and oxytocin during the development of spontaneous hypertension, 476
Chemical renal medullectomy. Effect on urinary prostaglandin E_2 and plasma renin in response to variations in sodium intake and in relation to blood pressure, 951
Chronic sucrose ingestion induces mild hypertension and tachycardia in rats, 218
Circulatory pressure-volume relationship and cardiac output in DOCA-salt rats, 507
Comparable effect of isotonic infusions on blood pressure in the anephric rat, 421
Decrease in NA^+, K^+-ATPase activity and [^{3}H]ouabain binding sites in sarcolemma prepared from hearts of spontaneously hypertensive rats, 682
Dietary potassium and the development of hypertension in two-kidney, one clip Goldblatt hypertensive rats, 521
Dietary sodium and potassium-induced transient changes in blood pressure and catecholamine excretion in the Sprague-Dawley rat, 336
Dissociation of genetic hyperactivity and hypertension in SHR, 211
The effect of aprotinin (a serine protease inhibitor) on renal function and renin release, 893

Effect of renal denervation on arterial pressure in rats with aortic nerve transection, 468
Effects of captopril and enalapril on regional vascular resistance and reactivity in spontaneously hypertensive rats, 312
Effects of vasodilation on plasma distribution in SHR cremaster muscle microvessels, 927
Enhanced NE uptake by isolated hypothalamic storage vesicles of hypertensive rats, 3
Evidence that blood pressure reduction by serotonin antagonists is related to alpha receptor blockade in spontaneously hypertensive rats, 676
Existence of prokallikrein in the kidney. Its biochemical properties compared to three active glandular kallikreins from the kidney, serum, and urine of the rat, 205
Glomerular synthesis of prostaglandins and thromboxane in spontaneously hypertensive rats, 446
Hypoalgesia in genetically hypertensive rats (SHR) is absent in rats with experimental hypertension, 185
Impaired catecholamine inactivation. A prohypertensive stimulus after dietary linoleate deficiency in salt-loaded rats? 968
In vivo production of prostaglandin I_2 in Dahl salt-sensitive and salt-resistant rats, 701
Increase in collateral arterial endothelial cell proliferation induced by captopril after renal artery stenosis in the rat, 307
Increase in plasma renin in aggressive mice originates from kidneys, submaxillary and other salivary glands, and bites, 180
Influence of captopril treatment on angiotensin II receptors and angiotensinogen in the brain of spontaneously hypertensive rats, 935
Insulin reverses hypertension and hypothalamic depression in streptozotocin diabetic rats, 34
Intestinal microvascular adaptation during maturation of spontaneously hypertensive rats, 739
Kidney function and sodium handling in the pregnant spontaneously hypertensive rat, 498
Longitudinal study of the hindquarter vasculature during development in spontaneously hypertensive and Dahl salt-sensitive rats, 489
Membrane mechanisms in arterial hypertension, 404
Norepinephrine-induced potentiation of arginine vasopressin reactivity in arterioles of the spontaneously hypertensive rat, 321
Opiate receptors and cardiovascular control in conscious SHR and WKY rats, 663
Plasma protein changes in primary hypertension in humans and rats, 128
Presynaptic α- and β-adrenoceptor stimulation and norepinephrine release in the spontaneously hypertensive rat, 198
Relationship between plasma norepinephrine and sympathetic neural activity, 552
Renal afferent arteriole in the spontaneously hypertensive rat, 8
Role of catecholamines and vasopressin in cardiovascular responses to bilateral dorsolateral transection of the medulla oblongata in the rat, 908
Role of endothelium in dilator responses of spontaneously hypertensive rat arteries, 881
Role of the renal nerves in the maintenance of DOCA-salt hypertension in the rat. Influence on the renal vasculature and sodium excretion, 427
Sodium and potassium ion transport accelerations in erythrocytes of DOC, DOC-salt, two-kidney, one clip, and spontaneously hypertensive rats. Role of hypokalemia and cell volume, 642
Structural and functional changes in cerebral arteries from spontaneously hypertensive rats, 292
Studies of hypertension-induced vascular hypertrophy in cultured smooth muscle cells from spontaneously hypertensive rats, 887
Sympathetic nerves and adrenal medulla: contributions to cardiovascular-conditioned emotional responses in spontaneously hypertensive rats, 728

Animal studies, turkey
Propranolol effects on hypertension and the arterial wall beyond the treatment period in turkeys, 442

Antikaliuresis
Inhibition of furosemide-induced increases in plasma renin activity by amiloride, 706

Aorta
Absence of renin-like activity in rat aorta and microvessels, 635
Adrenergic neurotransmission in tail arteries from two-kidney, one clip, renal hypertensive rats, 298
Canine neonatally induced coarctation hypertension in the second year. Variably hyperresponsive plasma renin activity, 328
Central resetting of baroreflex in the spontaneously hypertensive rat, 346
Effect of renal denervation on arterial pressure in rats with aortic nerve transection, 468
Propranolol effects on hypertension and the arterial wall beyond the treatment period in turkeys, 442

Aortic nerve transection
Effect of renal denervation on arterial pressure in rats with aortic nerve transection, 468

Aortic tensile strength
Propranolol effects on hypertension and the arterial wall beyond the treatment period in turkeys, 442

Aprotinin
The effect of aprotinin (a serine protease inhibitor) on renal function and renin release, 893

Arachidonic acid
Cardiovascular and sympathetic responses to chronic arachidonate in SHR and WKY rats, 172
Glomerular synthesis of prostaglandins and thromboxane in spontaneously hypertensive rats, 446

Arginine vasopressin
Norepinephrine-induced potentiation of arginine vasopressin reactivity in arterioles of the spontaneously hypertensive rat, 321

Arrhenius plots
Essential hypertension: improved differentiation by the temperature dependence of Li efflux in erythrocytes, 821

Arterial blood pressure
Acute effects of metoprolol on muscle sympathetic activity in hypertensive humans, 749
Circulatory pressure-volume relationship and cardiac output in DOCA-salt rats, 507
Echocardiographic left ventricular hypertrophy as related to arterial pressure and plasma norepinephrine concentration in arterial hypertension. Reversal by atenolol treatment, 837
Effect of renal denervation on arterial pressure in rats with aortic nerve transection, 468
Effects of angiotensin II on the cardiac responses to sympathetic nerve stimulation in dogs, 26
Impaired catecholamine inactivation. A prohypertensive stimulus after dietary linoleate deficiency in salt-loaded rats? 968
Membrane mechanisms in arterial hypertension, 404
Permeability of intestinal microvessels in chronic arterial hypertension, 722
Potassium infusion attenuates avoidance-saline hypertension in dogs, 415

Arterial compliance
Circulatory pressure-volume relationship and cardiac output in DOCA-salt rats, 507

Arterial distensibility
Biochemical and mechanical properties of resistance arteries from normotensive and hypertensive rats, 17

Arterial renin-like activity
Arterial wall uptake of renal renin and blood pressure control, 629

Arterial resistance
Biochemical and mechanical properties of resistance arteries from normotensive and hypertensive rats, 17
Membrane mechanisms in arterial hypertension, 404

Arterial stenosis
Reversible renal failure due to captopril in a patient with transplant artery stenosis. Case report, 623

Arterial wall
Arterial wall uptake of renal renin and blood pressure control, 629
Propranolol effects on hypertension and the arterial wall beyond the treatment period in turkeys, 442
Structural and functional changes in cerebral arteries from spontaneously hypertensive rats, 292

Arterioles
Effects of vasodilation on plasma distribution in SHR cremaster muscle microvessels, 927
Intestinal microvascular adaptation during maturation of spontaneously hypertensive rats, 739

Norepinephrine-induced potentiation of arginine vasopressin reactivity in arterioles of the spontaneously hypertensive rat, 321
Renal afferent arteriole in the spontaneously hypertensive rat, 8
Role of the renal nerves in the maintenance of DOCA-salt hypertension in the rat. Influence on the renal vasculature and sodium excretion, 427

Atenolol
Echocardiographic left ventricular hypertrophy as related to arterial pressure and plasma norepinephrine concentration in arterial hypertension. Reversal by atenolol treatment, 837
Effects of atenolol and hydrochlorothiazide on blood pressure and plasma catecholamines in essential hypertension, 591

Atrial natriuretic factor
Atrial natriuretic factor: reduced cardiac content in spontaneously hypertensive rats, 672

Auscultatory blood pressure recording
Accuracy of auscultatory blood pressure measurements in hypertensive and obese subjects, 122

Australian Therapeutic Trial in High Blood Pressure
A decade of progress in the management of hypertension, 808

Autocatalysis
Plasma prorenin in humans and dogs. Species differences and further evidence of a systemic activation cascade, 277

Autonomic nervous system
Alpha adrenoceptors and autonomic mechanisms in perinephritis hypertension in the rabbit, 958
Effects of angiotensin II on the cardiac responses to sympathetic nerve stimulation in dogs, 26
Influence of yohimbine on blood pressure, autonomic reflexes, and plasma catecholamines in humans, 772

Avoidance conditioning
Potassium infusion attenuates avoidance-saline hypertension in dogs, 415
Progressive hypertension in dogs by avoidance conditioning and saline infusion, 286

Avoidance saline hypertension
Potassium infusion attenuates avoidance-saline hypertension in dogs, 415

B

Baroreceptors
Central resetting of baroreflex in the spontaneously hypertensive rat, 346
Involvement of the baroreceptor reflexes in the changes in blood pressure with sleep and mental arousal, 746
Role of cardiovascular receptors on the neural regulation of renin release in normal men, 779

Baroreflex
Acute effects of metoprolol on muscle sympathetic activity in hypertensive humans, 749
Altered vascular reactivity and baroreflex sensitivity induced by chronic central administration of captopril in the spontaneously hypertensive rat, 689
Baroreflex control of myocardial contractility in conscious normotensive and renal hypertensive rabbits, 916
Baroreflex function in elderly hypertensives, 763
Central resetting of baroreflex in the spontaneously hypertensive rat, 346
Endogenous opioids and baroreflex control in humans, 535
Involvement of the baroreceptor reflexes in the changes in blood pressure with sleep and mental arousal, 746

Baroreflex sensitivity
Baroreflex sensitivity modulates vasodepressor response to nitroprusside, 79

Bartter's syndrome
The role of renin substrate in hypertension, 353

Behavioral factors
Progressive hypertension in dogs by avoidance conditioning and saline infusion, 286

Beta adrenoceptor agonists
Acute effects of metoprolol on muscle sympathetic activity in hypertensive humans, 749
Guidelines for the treatment of mild hypertension. Memorandum from a WHO/ISH meeting, 394
Presynaptic α- and β-adrenoceptor stimulation and norepinephrine release in the spontaneously hypertensive rat, 198
Studies of the mechanisms underlying impairment of beta-adrenoceptor-mediated effects in human hypertension, 584

Beta blockade
Antihypertensive effectiveness of intravenous labetalol in accelerated hypertension, 579
Baroreflex control of myocardial contractility in conscious normotensive and renal hypertensive rabbits, 916
Sympathetic contribution to the cardiac response to stress in hypertension, 147
Systolic time intervals as possible predictors of pressure response to sustained beta-adrenergic blockade in arterial hypertension. A within-patient, placebo-controlled study, 140
Time course of development of the antihypertensive effect of propranolol, 852
Twenty-four-hour hemodynamic profile during treatment of essential hypertension by once-a-day nadolol, 573

Biochemical factors
Childhood familial and racial differences in physiologic and biochemical factors related to hypertension, 56
Existence of prokallikrein in the kidney. Its biochemical properties compared to three active glandular kallikreins from the kidney, serum, and urine of the rat, 205

Black population
Synergistic effect of captopril with hydrochlorothiazide for the treatment of low-renin hypertensive black patients, 235

Blood cross-circulation
Humoral factor in pressor hyperresponsiveness in renal prehypertensive rabbits, 453

Blood flow
Adenosine and metabolic regulation of coronary blood flow in dogs with renal hypertension, 943
Commentary, 402

Blood pressure monitoring
Clinical effectiveness and cost-effectiveness of monitoring blood pressure of hypertensive employees at work, 828

Blood pressure recording
Accuracy of auscultatory blood pressure measurements in hypertensive and obese subjects, 122
Acute effects of metoprolol on muscle sympathetic activity in hypertensive humans, 749
Continuous vs intermittent blood pressure measurements in estimating 24-hour average blood pressure, 264
Guidelines for the treatment of mild hypertension. Memorandum from a WHO/ISH meeting, 394
Training and certification of blood pressure observers, 610

Blood pressure regulation
Acute effects of metoprolol on muscle sympathetic activity in hypertensive humans, 749
Adenosine and metabolic regulation of coronary blood flow in dogs with renal hypertension, 943
Arterial wall uptake of renal renin and blood pressure control, 629
Attenuation of the development of spontaneous hypertension in rats by chronic central administration of captopril, 653
Cardiovascular counterregulation during sympathetic inhibition in normal subjects and patients with mild hypertension, 873
The conscious instrumented rabbit: a model for the study of mechanisms of blood pressure regulation during pregnancy, 514
A decade of progress in the management of hypertension, 808
Evidence that blood pressure reduction by serotonin antagonists is related to alpha receptor blockade in spontaneously hypertensive rats, 676
Influence of yohimbine on blood pressure, autonomic reflexes, and plasma catecholamines in humans, 772
Membrane mechanisms in arterial hypertension, 404

Opiate receptors and cardiovascular control in conscious SHR and WKY rats, 663
Blood viscosity
Elevated blood viscosity in patients with borderline essential hypertension, 757
Blood volume
Circulatory pressure-volume relationship and cardiac output in DOCA-salt rats, 507
Body weight
Accuracy of auscultatory blood pressure measurements in hypertensive and obese subjects, 122
Blood pressure in obesity. Letter, 275
Influence of carboxyhemoglobin, gamma-glutamyl-transferase, body weight, and heart rate on blood pressure in middle-aged men, 560
Bogalusa Heart Study
A model of intervention for prevention of early essential hypertension in the 1980s, 41
Borderline hypertension
Attenuation of the microcirculation in young patients with high-output borderline hypertension, 844
Elevated blood viscosity in patients with borderline essential hypertension, 757
Sympathetic contribution to the cardiac response to stress in hypertension, 147
Brain
Enhanced NE uptake by isolated hypothalamic storage vesicles of hypertensive rats, 3
Forebrain contributions to one-kidney renal hypertension in the rabbit, 900
Influence of captopril treatment on angiotensin II receptors and angiotensinogen in the brain of spontaneously hypertensive rats, 935
Brattleboro rat
The age factor and salt-induced hypertension in the Brattleboro rat. Letter, 156
Role of catecholamines and vasopressin in cardiovascular responses to bilateral dorsolateral transection of the medulla oblongata in the rat, 908

C

Calcium channel blockade
Effects of intrarenal infusion of calcium entry blockers in anesthetized dogs, 482
Guidelines for the treatment of mild hypertension. Memorandum from a WHO/ISH meeting, 394
Calcium ionophore
Glomerular synthesis of prostaglandins and thromboxane in spontaneously hypertensive rats, 446
Capillaries
Effects of vasodilation on plasma distribution in SHR cremaster muscle microvessels, 927
Captopril
Altered vascular reactivity and baroreflex sensitivity induced by chronic central administration of captopril in the spontaneously hypertensive rat, 689
Attenuation of the development of spontaneous hypertension in rats by chronic central administration of captopril, 653
Captopril stimulation of differential renins in renovascular hypertension, 615
Effects of captopril and enalapril on regional vascular resistance and reactivity in spontaneously hypertensive rats, 312
Efficacy of captopril in relieving congestive heart failure developing during management of hypertension. Case report, 390
Glomerular synthesis of prostaglandins and thromboxane in spontaneously hypertensive rats, 446
Increase in collateral arterial endothelial cell proliferation induced by captopril after renal artery stenosis in the rat, 307
Influence of captopril treatment on angiotensin II receptors and angiotensinogen in the brain of spontaneously hypertensive rats, 935
Pressor responses to norepinephrine during captopril in renal prehypertensive rabbits, 159
Renal vasodilation by converting enzyme inhibition. Role of renal prostaglandins, 166
Reversible renal failure due to captopril in a patient with transplant artery stenosis. Case report, 623
The role of renin substrate in hypertension, 353
Synchronous changes in prorenin and renin secretion after captopril in patients with renal artery stenosis, 244
Synergistic effect of captopril with hydrochlorothiazide for the treatment of low-renin hypertensive black patients, 235
Carboxyhemoglobin
Influence of carboxyhemoglobin, gamma-glutamyl-transferase, body weight, and heart rate on blood pressure in middle-aged men, 560
Cardiac beta-receptor response
Cardiovascular counterregulation during sympathetic inhibition in normal subjects and patients with mild hypertension, 873
Cardiac hypertrophy
Echocardiographic left ventricular hypertrophy as related to arterial pressure and plasma norepinephrine concentration in arterial hypertension. Reversal by atenolol treatment, 837
Cardiopulmonary volume
Regional vascular capacitance in rabbit one-kidney, one clip hypertension, 712
Cardiovascular response
Blood pressure response to dietary sodium restriction in normotensive adults, 790
Cardiovascular counterregulation during sympathetic inhibition in normal subjects and patients with mild hypertension, 873
Cardiovascular hormonal effects of circulating norepinephrine, 787
The cardiovascular responses to exercise in children across the blood pressure distribution. The Muscatine study, 71
Circulatory pressure-volume relationship and cardiac output in DOCA-salt rats, 507
Effects of angiotensin II on the cardiac responses to sympathetic nerve stimulation in dogs, 26
Evaluation of plasma catecholamines in humans. Correlation of resting levels with cardiac responses to beta-blocking and sympatholytic drugs, 858
Insulin reverses hypertension and hypothalamic depression in streptozotocin diabetic rats, 34
Role of cardiovascular receptors on the neural regulation of renin release in normal men, 779
Role of catecholamines and vasopressin in cardiovascular responses to bilateral dorsolateral transection of the medulla oblongata in the rat, 908
Sympathetic contribution to the cardiac response to stress in hypertension, 147
Sympathetic nerves and adrenal medulla: contributions to cardiovascular-conditioned emotional responses in spontaneously hypertensive rats, 728
Catecholamines
Age-dependence of hypertensive-normotensive differences in plasma norepinephrine, 100
Alpha adrenoceptors and autonomic mechanisms in perinephritis hypertension in the rabbit, 958
Attenuation of the development of spontaneous hypertension in rats by chronic central administration of captopril, 653
Cardiovascular and sympathetic responses to chronic arachidonate in SHR and WKY rats, 172
Dietary sodium and potassium-induced transient changes in blood pressure and catecholamine excretion in the Sprague-Dawley rat, 336
Echocardiographic left ventricular hypertrophy as related to arterial pressure and plasma norepinephrine concentration in arterial hypertension. Reversal by atenolol treatment, 837
Effects of atenolol and hydrochlorothiazide on blood pressure and plasma catecholamines in essential hypertension, 591
Elevated plasma catecholamines in hypertensives with primary glomerular diseases, 545
Evaluation of plasma catecholamines in humans. Correlation of resting levels with cardiac responses to beta-blocking and sympatholytic drugs, 858

Impaired catecholamine inactivation. A prohypertensive stimulus after dietary linoleate deficiency in salt-loaded rats? 968
Influence of yohimbine on blood pressure, autonomic reflexes, and plasma catecholamines in humans, 772
Mechanisms in human renovascular hypertension, 597
Opiate receptors and cardiovascular control in conscious SHR and WKY rats, 663
Plasma catecholamines and essential hypertension. An analytical review, 86
Preeclampsia—a state of prostaglandin deficiency? Urinary prostaglandin excretion, the renin-aldosterone system, and circulating catecholamines in preeclampsia, 105
Role of catecholamines and vasopressin in cardiovascular responses to bilateral dorsolateral transection of the medulla oblongata in the rat, 908
Studies of hypertension-induced vascular hypertrophy in cultured smooth muscle cells from spontaneously hypertensive rats, 887
Studies of the mechanisms underlying impairment of beta-adrenoceptor-mediated effects in human hypertension, 584

Cathepsin D
Absence of renin-like activity in rat aorta and microvessels, 635

Cell volume
Sodium and potassium ion transport accelerations in erythrocytes of DOC, DOC-salt, two-kidney, one clip, and spontaneously hypertensive rats. Role of hypokalemia and cell volume, 642

Central nervous system
Central resetting of baroreflex in the spontaneously hypertensive rat, 346

Cerebral arteries
Structural and functional changes in cerebral arteries from spontaneously hypertensive rats, 292

Chemical renal medullectomy
Chemical renal medullectomy. Effect on urinary prostaglandin E_2 and plasma renin in response to variations in sodium intake and in relation to blood pressure, 951

Children
The cardiovascular responses to exercise in children across the blood pressure distribution. The Muscatine study, 71
Childhood familial and racial differences in physiologic and biochemical factors related to hypertension, 56
A model of intervention for prevention of early essential hypertension in the 1980s, 41
Urinary sodium excretion and blood pressure in children: absence of a reproducible association, 135

Chromatography
Existence of prokallikrein in the kidney. Its biochemical properties compared to three active glandular kallikreins from the kidney, serum, and urine of the rat, 205

Chronic central infusion
Altered vascular reactivity and baroreflex sensitivity induced by chronic central administration of captopril in the spontaneously hypertensive rat, 689
Attenuation of the development of spontaneous hypertension in rats by chronic central administration of captopril, 653

Circulation
Circulatory pressure-volume relationship and cardiac output in DOCA-salt rats, 507
Humoral factor in pressor hyperresponsiveness in renal prehypertensive rabbits, 453
Twenty-four-hour hemodynamic profile during treatment of essential hypertension by once-a-day nadolol, 573

Circulatory pressure-volume relationship
Circulatory pressure-volume relationship and cardiac output in DOCA-salt rats, 507

Clonidine
Evaluation of plasma catecholamines in humans. Correlation of resting levels with cardiac responses to beta-blocking and sympatholytic drugs, 858

Coarctation
Canine neonatally induced coarctation hypertension in the second year. Variably hyperresponsive plasma renin activity, 328

Cocaine
Adrenergic neurotransmission in tail arteries from two-kidney, one clip, renal hypertensive rats, 298

Collagen
Biochemical and mechanical properties of resistance arteries from normotensive and hypertensive rats, 17

Compliance
Clinical effectiveness and cost-effectiveness of monitoring blood pressure of hypertensive employees at work, 828

Computerized tomography
Asymptomatic normotensive primary aldosteronism. Case report, 240

Conditioned response
Sympathetic nerves and adrenal medulla: contributions to cardiovascular-conditioned emotional responses in spontaneously hypertensive rats, 728

Congestive heart failure
Efficacy of captopril in relieving congestive heart failure developing during management of hypertension. Case report, 390

Conscious rabbits
Baroreflex control of myocardial contractility in conscious normotensive and renal hypertensive rabbits, 916
The conscious instrumented rabbit: a model for the study of mechanisms of blood pressure regulation during pregnancy, 514
Inhibition of furosemide-induced increases in plasma renin activity by amiloride, 706

Contractility
Structural and functional changes in cerebral arteries from spontaneously hypertensive rats, 292

Converting-enzyme inhibition
Captopril stimulation of differential renins in renovascular hypertension, 615
Effect of renal denervation on arterial pressure in rats with aortic nerve transection, 468
Effects of captopril and enalapril on regional vascular resistance and reactivity in spontaneously hypertensive rats, 312
Guidelines for the treatment of mild hypertension. Memorandum from a WHO/ISH meeting, 394
Increase in collateral arterial endothelial cell proliferation induced by captopril after renal artery stenosis in the rat, 307
Pressor responses to norepinephrine during captopril in renal prehypertensive rabbits, 159
Renal vasodilation by converting enzyme inhibition. Role of renal prostaglandins, 166
Synchronous changes in prorenin and renin secretion after captopril in patients with renal artery stenosis, 244
Synergistic effect of captopril with hydrochlorothiazide for the treatment of low-renin hypertensive black patients, 235

Coronary blood flow
Adenosine and metabolic regulation of coronary blood flow in dogs with renal hypertension, 943

Cost-benefit analysis
Clinical effectiveness and cost-effectiveness of monitoring blood pressure of hypertensive employees at work, 828

Cotransport
Sodium and potassium ion transport accelerations in erythrocytes of DOC, DOC-salt, two-kidney, one clip, and spontaneously hypertensive rats. Role of hypokalemia and cell volume, 642

Cotransport defect hypothesis
Na^+-K^+ cotransport defect hypothesis attributed to wrong author. Letter, 977

Counterregulation
Cardiovascular counterregulation during sympathetic inhibition in normal subjects and patients with mild hypertension, 873

Countertransport
Abnormal red blood cell ion transport and hypertension. The People's Gas Company study, 363
Lithium-sodium countertransport in erythrocytes of normal and hypertensive subjects. Relationship with age and plasma renin activity, 529

Creatinine clearance
Role of the renal nerves in the maintenance of DOCA-salt hypertension in the rat. Influence on the renal vasculature and sodium excretion, 427

Cremaster muscle
Effects of vasodilation on plasma distribution in SHR cremaster muscle microvessels, 927

Role of the renal nerves in the maintenance of DOCA-salt hypertension in the rat. Influence on the renal vasculature and sodium excretion, 427
Cultured smooth muscle cells
Studies of hypertension-induced vascular hypertrophy in cultured smooth muscle cells from spontaneously hypertensive rats, 887
Cushing's disease
The role of renin substrate in hypertension, 353
Cyclic AMP
Studies of the mechanisms underlying impairment of beta-adrenoceptor-mediated effects in human hypertension, 584

D

Dahl rat
Hypothalamic pressor responses and salt-induced hypertension in Dahl rats, 460
In vivo production of prostaglandin I_2 in Dahl salt-sensitive and salt-resistant rats, 701
Longitudinal study of the hindquarter vasculature during development in spontaneously hypertensive and Dahl salt-sensitive rats, 489
DAMME
Endogenous opioids and baroreflex control in humans, 535
Decarboxylase activity
Studies of hypertension-induced vascular hypertrophy in cultured smooth muscle cells from spontaneously hypertensive rats, 887
Defense reaction
Measurement of plasma norepinephrine concentrations in human primary hypertension. A word of caution on their applicability for assessing neurogenic contributions, 399
Deoxycorticosterone
Membrane mechanisms in arterial hypertension, 404
Relationship of 19-nor-deoxycorticosterone to other mineralocorticoids in low-renin hypertension, 385
Deoxycorticosterone-salt (DOCA-salt) hypertension
Circulatory pressure-volume relationship and cardiac output in DOCA-salt rats, 507
Membrane mechanisms in arterial hypertension, 404
Role of the renal nerves in the maintenance of DOCA-salt hypertension in the rat. Influence on the renal vasculature and sodium excretion, 427
Sodium and potassium ion transport accelerations in erythrocytes of DOC, DOC-salt, two-kidney, one clip, and spontaneously hypertensive rats. Role of hypokalemia and cell volume, 642
Deoxyribonucleic acid (DNA)
Biochemical and mechanical properties of resistance arteries from normotensive and hypertensive rats, 17
Depolarization
Structural and functional changes in cerebral arteries from spontaneously hypertensive rats, 292
Dextrose
Comparable effect of isotonic infusions on blood pressure in the anephric rat, 421
Diabetes
Synergistic effect of captopril with hydrochlorothiazide for the treatment of low-renin hypertensive black patients, 235
Diabetes, experimental
Insulin reverses hypertension and hypothalamic depression in streptozotocin diabetic rats, 34
Diet
Blood pressure response to dietary sodium restriction in normotensive adults, 790
Dietary potassium and the development of hypertension in two-kidney, one clip Goldblatt hypertensive rats, 521
Dietary sodium and potassium-induced transient changes in blood pressure and catecholamine excretion in the Sprague-Dawley rat, 336
Hemodynamic mechanisms of adaptation to chronic high sodium intake in normal humans, 814
Hypothalamic pressor responses and salt-induced hypertension in Dahl rats, 460
Impaired catecholamine inactivation. A prohypertensive stimulus after dietary linoleate deficiency in salt-loaded rats? 968
Influence of carboxyhemoglobin, gamma-glutamyl-transferase, body weight, and heart rate on blood pressure in middle-aged men, 560
Plasma norepinephrine and dietary sodium intake in normal subjects and patients with essential hypertension, 767
Role of dietary potassium in the treatment of hypertension, 864
Dissociation constants
Evidence that blood pressure reduction by serotonin antagonists is related to alpha receptor blockade in spontaneously hypertensive rats, 676
Diuretics
Dietary potassium and the development of hypertension in two-kidney, one clip Goldblatt hypertensive rats, 521
Effects of intrarenal infusion of calcium entry blockers in anesthetized dogs, 482
Effects of withdrawing diuretic therapy on blood pressure in mild hypertension, 539
Guidelines for the treatment of mild hypertension. Memorandum from a WHO/ISH meeting, 394
Inhibition of furosemide-induced increases in plasma renin activity by amiloride, 706
Role of dietary potassium in the treatment of hypertension, 864
Synergistic effect of captopril with hydrochlorothiazide for the treatment of low-renin hypertensive black patients, 235
Dobutamine
Adenosine and metabolic regulation of coronary blood flow in dogs with renal hypertension, 943
DOC, *see* Deoxycorticosterone
Dog, *see* Animal studies, dog
Domperidone
Activation of peripheral dopamine presynaptic receptors lowers blood pressure and heart rate in dogs, 226
Dopamine
Activation of peripheral dopamine presynaptic receptors lowers blood pressure and heart rate in dogs, 226
Dopaminergic control
Activation of peripheral dopamine presynaptic receptors lowers blood pressure and heart rate in dogs, 226
Dopaminergic control of prolactin and blood pressure. Letter, 155
Dose-effect relationships
Time course of development of the antihypertensive effect of propranolol, 852

E

Echocardiography
The cardiovascular responses to exercise in children across the blood pressure distribution. The Muscatine study, 71
Echocardiographic left ventricular hypertrophy as related to arterial pressure and plasma norepinephrine concentration in arterial hypertension. Reversal by atenolol treatment, 837
Hemodynamic mechanisms of adaptation to chronic high sodium intake in normal humans, 814
Editorial
A decade of progress in the management of hypertension, 808
A five-year progress report, 807
Measurement of plasma norepinephrine concentrations in human primary hypertension. A word of caution on their applicability for assessing neurogenic contributions, 399
Parting shots. Reflections of an editor and grammarian-by-default, 976
Efferent renal fibers
Effect of renal denervation on arterial pressure in rats with aortic nerve transection, 468
Elastin
Biochemical and mechanical properties of resistance arteries from normotensive and hypertensive rats, 17

Elderly
Baroreflex function in elderly hypertensives, 763
Electrolytes
Atrial natriuretic factor: reduced cardiac content in spontaneously hypertensive rats, 672
Childhood familial and racial differences in physiologic and biochemical factors related to hypertension, 56
Electrophoresis, two-dimensional
Plasma protein changes in primary hypertension in humans and rats, 128
Emotion
Sympathetic nerves and adrenal medulla: contributions to cardiovascular-conditioned emotional responses in spontaneously hypertensive rats, 728
Employees
Clinical effectiveness and cost-effectiveness of monitoring blood pressure of hypertensive employees at work, 828
Enalapril
Effects of captopril and enalapril on regional vascular resistance and reactivity in spontaneously hypertensive rats, 312
Endogenous opioids
Endogenous opioids and baroreflex control in humans, 535
Endothelial cell proliferation
Increase in collateral arterial endothelial cell proliferation induced by captopril after renal artery stenosis in the rat, 307
Endothelium
Role of endothelium in dilator responses of spontaneously hypertensive rat arteries, 881
Enkephalin
Endogenous opioids and baroreflex control in humans, 535
Opiate receptors and cardiovascular control in conscious SHR and WKY rats, 663
Environmental factors
Progressive hypertension in dogs by avoidance conditioning and saline infusion, 286
Sympathetic contribution to the cardiac response to stress in hypertension, 147
Epinephrine
Age-dependence of hypertensive-normotensive differences in plasma norepinephrine, 100
Cardiovascular hormonal effects of circulating norepinephrine, 787
Plasma catecholamines and essential hypertension. An analytical review, 86
Preeclampsia—a state of prostaglandin deficiency? Urinary prostaglandin excretion, the renin-aldosterone system, and circulating catecholamines in preeclampsia, 105
Relationship between plasma norepinephrine and sympathetic neural activity, 552
Erythrocytes
Altered turnover of polyphosphoinositides in the erythrocyte membrane of the spontaneously hypertensive rat, 409
Essential hypertension: improved differentiation by the temperature dependence of Li efflux in erythrocytes, 821
Lithium-sodium countertransport in erythrocytes of normal and hypertensive subjects. Relationship with age and plasma renin activity, 529
Sodium and potassium ion transport accelerations in erythrocytes of DOC, DOC-salt, two-kidney, one clip, and spontaneously hypertensive rats. Role of hypokalemia and cell volume, 642
Essential hypertension
Age-dependence of hypertensive-normotensive differences in plasma norepinephrine, 100
Effects of atenolol and hydrochlorothiazide on blood pressure and plasma catecholamines in essential hypertension, 591
Effects of subpressor doses of angiotensin II on renal hemodynamics in relation to blood pressure, 368
Elevated blood viscosity in patients with borderline essential hypertension, 757
Essential hypertension: improved differentiation by the temperature dependence of Li efflux in erythrocytes, 821
Measurement of plasma norepinephrine concentrations in human primary hypertension. A word of caution on their applicability for assessing neurogenic contributions, 399
Plasma catecholamines and essential hypertension. An analytical review, 86
Plasma norepinephrine and dietary sodium intake in normal subjects and patients with essential hypertension, 767
Plasma protein changes in primary hypertension in humans and rats, 128
Preeclampsia—a state of prostaglandin deficiency? Urinary prostaglandin excretion, the renin-aldosterone system, and circulating catecholamines in preeclampsia, 105
Reduced ratio of active-to-total urinary kallikrein in essential hypertension, 603
Similarity of idiopathic aldosteronism and essential hypertension. A statistical comparison, 116
Sympathetic contribution to the cardiac response to stress in hypertension, 147
Twenty-four-hour hemodynamic profile during treatment of essential hypertension by once-a-day nadolol, 573
Essential hypertension, early onset
Childhood familial and racial differences in physiologic and biochemical factors related to hypertension, 56
A model of intervention for prevention of early essential hypertension in the 1980s, 41
Estrogens
The role of renin substrate in hypertension, 353
Etiology
Abnormal red blood cell ion transport and hypertension. The People's Gas Company study, 363
Altered turnover of polyphosphoinositides in the erythrocyte membrane of the spontaneously hypertensive rat, 409
Effects of subpressor doses of angiotensin II on renal hemodynamics in relation to blood pressure, 368
Exercise
The cardiovascular responses to exercise in children across the blood pressure distribution. The Muscatine study, 71
Childhood familial and racial differences in physiologic and biochemical factors related to hypertension, 56
Sympathetic contribution to the cardiac response to stress in hypertension, 147
Systolic time intervals as possible predictors of pressure response to sustained beta-adrenergic blockade in arterial hypertension. A within-patient, placebo-controlled study, 140
Extracellular volume
Canine neonatally induced coarctation hypertension in the second year. Variably hyperresponsive plasma renin activity, 328

F

Familial factors
Childhood familial and racial differences in physiologic and biochemical factors related to hypertension, 56
Essential hypertension: improved differentiation by the temperature dependence of Li efflux in erythrocytes, 821
Fear
Sympathetic nerves and adrenal medulla: contributions to cardiovascular-conditioned emotional responses in spontaneously hypertensive rats, 728
Fibrinogen
Elevated blood viscosity in patients with borderline essential hypertension, 757
Finland hypertension study
North Karelia (Finland) Hypertension Detection Project. Five-year follow-up of hypertensive cohort, 564
FITC-dextran
Effects of vasodilation on plasma distribution in SHR cremaster muscle microvessels, 927
Forebrain
Forebrain contributions to one-kidney renal hypertension in the rabbit, 900
Functional changes
Structural and functional changes in cerebral arteries from spontaneously hypertensive rats, 292
Furosemide
The effect of aprotinin (a serine protease inhibitor) on renal function and renin release, 893

Inhibition of furosemide-induced increases in plasma renin activity by amiloride, 706
Sodium and potassium ion transport accelerations in erythrocytes of DOC, DOC-salt, two-kidney, one clip, and spontaneously hypertensive rats. Role of hypokalemia and cell volume, 642

G

Gamma-glutamyl-transferase
Influence of carboxyhemoglobin, gamma-glutamyl-transferase, body weight, and heart rate on blood pressure in middle-aged men, 560
Genetics
Childhood familial and racial differences in physiologic and biochemical factors related to hypertension, 56
Dissociation of genetic hyperactivity and hypertension in SHR, 211
Essential hypertension: improved differentiation by the temperature dependence of Li efflux in erythrocytes, 821
Hypoalgesia in genetically hypertensive rats (SHR) is absent in rats with experimental hypertension, 185
Hypothalamic pressor responses and salt-induced hypertension in Dahl rats, 460
In vivo production of prostaglandin I_2 in Dahl salt-sensitive and salt-resistant rats, 701
Longitudinal study of the hindquarter vasculature during development in spontaneously hypertensive and Dahl salt-sensitive rats, 489
A model of intervention for prevention of early essential hypertension in the 1980s, 41
Synergistic effect of captopril with hydrochlorothiazide for the treatment of low-renin hypertensive black patients, 235
Glandular kallikrein
Existence of prokallikrein in the kidney. Its biochemical properties compared to three active glandular kallikreins from the kidney, serum, and urine of the rat, 205
Role of glandular kallikrein in the activation process of human plasma inactive renin, 191
Glomerular filtration rate
The effect of aprotinin (a serine protease inhibitor) on renal function and renin release, 893
Kidney function and sodium handling in the pregnant spontaneously hypertensive rat, 498
Glomerular synthesis
Glomerular synthesis of prostaglandins and thromboxane in spontaneously hypertensive rats, 446
Glomerulonephritis
Elevated plasma catecholamines in hypertensives with primary glomerular diseases, 545
Intrarenal pressure and sodium excretion in hypertension of chronic glomerulonephritis in humans, 375
Goldblatt hypertension
Adrenergic neurotransmission in tail arteries from two-kidney, one clip, renal hypertensive rats, 298
Dietary potassium and the development of hypertension in two-kidney, one clip Goldblatt hypertensive rats, 521
Permeability of intestinal microvessels in chronic arterial hypertension, 722
Regional vascular capacitance in rabbit one-kidney, one clip hypertension, 712

H

Handgrip
Sympathetic contribution to the cardiac response to stress in hypertension, 147
Health care delivery
Clinical effectiveness and cost-effectiveness of monitoring blood pressure of hypertensive employees at work, 828
Heart content
Atrial natriuretic factor: reduced cardiac content in spontaneously hypertensive rats, 672
Heart failure
Efficacy of captopril in relieving congestive heart failure developing during management of hypertension. Case report, 390
Heart rate
Activation of peripheral dopamine presynaptic receptors lowers blood pressure and heart rate in dogs, 226
Baroreflex function in elderly hypertensives, 763
Baroreflex sensitivity modulates vasodepressor response to nitroprusside, 79
Cardiovascular and sympathetic responses to chronic arachidonate in SHR and WKY rats, 172
Chronic sucrose ingestion induces mild hypertension and tachycardia in rats, 218
Circulatory pressure-volume relationship and cardiac output in DOCA-salt rats, 507
Effects of angiotensin II on the cardiac responses to sympathetic nerve stimulation in dogs, 26
Hypothalamic pressor responses and salt-induced hypertension in Dahl rats, 460
Increased plasma norepinephrine accompanies persistent tachycardia after hydralazine, 257
Influence of carboxyhemoglobin, gamma-glutamyl-transferase, body weight, and heart rate on blood pressure in middle-aged men, 560
Involvement of the baroreceptor reflexes in the changes in blood pressure with sleep and mental arousal, 746
Opiate receptors and cardiovascular control in conscious SHR and WKY rats, 663
Progressive hypertension in dogs by avoidance conditioning and saline infusion, 286
Propranolol effects on hypertension and the arterial wall beyond the treatment period in turkeys, 442
Role of catecholamines and vasopressin in cardiovascular responses to bilateral dorsolateral transection of the medulla oblongata in the rat, 908
Twenty-four-hour hemodynamic profile during treatment of essential hypertension by once-a-day nadolol, 573
Hematocrit
Elevated blood viscosity in patients with borderline essential hypertension, 757
Hemodynamic mechanisms
Attenuation of the microcirculation in young patients with high-output borderline hypertension, 844
Hemodynamic mechanisms of adaptation to chronic high sodium intake in normal humans, 814
Hemodynamics, 24-hour profile
Twenty-four-hour hemodynamic profile during treatment of essential hypertension by once-a-day nadolol, 573
Heredity
Childhood familial and racial differences in physiologic and biochemical factors related to hypertension, 56
Essential hypertension: improved differentiation by the temperature dependence of Li efflux in erythrocytes, 821
A model of intervention for prevention of early essential hypertension in the 1980s, 41
High-pressure receptors
Role of cardiovascular receptors on the neural regulation of renin release in normal men, 779
Hindlimb vasculature
Longitudinal study of the hindquarter vasculature during development in spontaneously hypertensive and Dahl salt-sensitive rats, 489
Role of the renal nerves in the maintenance of DOCA-salt hypertension in the rat. Influence on the renal vasculature and sodium excretion, 427
Hormones
Atrial natriuretic factor: reduced cardiac content in spontaneously hypertensive rats, 672
Cardiovascular hormonal effects of circulating norepinephrine, 787
Humoral factor
Humoral factor in pressor hyperresponsiveness in renal prehypertensive rabbits, 453
Hydralazine
Increased plasma norepinephrine accompanies persistent tachycardia after hydralazine, 257

Hydrochlorothiazide
Effects of atenolol and hydrochlorothiazide on blood pressure and plasma catecholamines in essential hypertension, 591
Synergistic effect of captopril with hydrochlorothiazide for the treatment of low-renin hypertensive black patients, 235
Hyperactivity
Dissociation of genetic hyperactivity and hypertension in SHR, 211
Hypothalamic pressor responses and salt-induced hypertension in Dahl rats, 460
Hyperkalemia
Reversible renal failure due to captopril in a patient with transplant artery stenosis. Case report, 623
Hyperplasia
Propranolol effects on hypertension and the arterial wall beyond the treatment period in turkeys, 442
Hyperresponsiveness
Humoral factor in pressor hyperresponsiveness in renal prehypertensive rabbits, 453
Hypertension Detection and Follow-Up Program
A decade of progress in the management of hypertension, 808
Training and certification of blood pressure observers, 610
Hypertension, experimental
Adrenergic neurotransmission in tail arteries from two-kidney, one clip, renal hypertensive rats, 298
Baroreflex control of myocardial contractility in conscious normotensive and renal hypertensive rabbits, 916
Canine neonatally induced coarctation hypertension in the second year. Variably hyperresponsive plasma renin activity, 328
Chronic sucrose ingestion induces mild hypertension and tachycardia in rats, 218
Humoral factor in pressor hyperresponsiveness in renal prehypertensive rabbits, 453
Hypoalgesia in genetically hypertensive rats (SHR) is absent in rats with experimental hypertension, 185
Hypothalamic pressor responses and salt-induced hypertension in Dahl rats, 460
Insulin reverses hypertension and hypothalamic depression in streptozotocin diabetic rats, 34
Potassium infusion attenuates avoidance-saline hypertension in dogs, 415
Regional vascular capacitance in rabbit one-kidney, one clip hypertension, 712
***Hypertension* journal**
A five-year progress report, 807
Parting shots. Reflections of an editor and grammarian-by-default, 976
Hypertension therapy, history
A decade of progress in the management of hypertension, 808
Hypertrophy
Echocardiographic left ventricular hypertrophy as related to arterial pressure and plasma norepinephrine concentration in arterial hypertension. Reversal by atenolol treatment, 837
Studies of hypertension-induced vascular hypertrophy in cultured smooth muscle cells from spontaneously hypertensive rats, 887
Hyperviscosity
Elevated blood viscosity in patients with borderline essential hypertension, 757
Hypoalgesia
Hypoalgesia in genetically hypertensive rats (SHR) is absent in rats with experimental hypertension, 185
Hypokalemia
Asymptomatic normotensive primary aldosteronism. Case report, 240
Sodium and potassium ion transport accelerations in erythrocytes of DOC, DOC-salt, two-kidney, one clip, and spontaneously hypertensive rats. Role of hypokalemia and cell volume, 642
Hyponatremia
Reversible renal failure due to captopril in a patient with transplant artery stenosis. Case report, 623
Hypothalamus
Chronic sucrose ingestion induces mild hypertension and tachycardia in rats, 218
Enhanced NE uptake by isolated hypothalamic storage vesicles of hypertensive rats, 3
Forebrain contributions to one-kidney renal hypertension in the rabbit, 900
Hypothalamic pressor responses and salt-induced hypertension in Dahl rats, 460
Insulin reverses hypertension and hypothalamic depression in streptozotocin diabetic rats, 34
Hypothyroidism
Hypothyroidism as a cause of hypertension, 112

I

Idiopathic aldosteronism
Similarity of idiopathic aldosteronism and essential hypertension. A statistical comparison, 116
Iliac artery
Thallium uptake by canine iliac arteries, 436
Immunoaffinity column chromatography
Existence of prokallikrein in the kidney. Its biochemical properties compared to three active glandular kallikreins from the kidney, serum, and urine of the rat, 205
Inbreeding, dog
Canine neonatally induced coarctation hypertension in the second year. Variably hyperresponsive plasma renin activity, 328
Indicator dispersion
Effects of vasodilation on plasma distribution in SHR cremaster muscle microvessels, 927
Industrial medicine
Clinical effectiveness and cost-effectiveness of monitoring blood pressure of hypertensive employees at work, 828
Inhibitors
Plasma prorenin in humans and dogs. Species differences and further evidence of a systemic activation cascade, 277
Pressor responses to norepinephrine during captopril in renal prehypertensive rabbits, 159
Renal vasodilation by converting enzyme inhibition. Role of renal prostaglandins, 166
Synchronous changes in prorenin and renin secretion after captopril in patients with renal artery stenosis, 244
Synergistic effect of captopril with hydrochlorothiazide for the treatment of low-renin hypertensive black patients, 235
Insulin
Chronic sucrose ingestion induces mild hypertension and tachycardia in rats, 218
Insulin reverses hypertension and hypothalamic depression in streptozotocin diabetic rats, 34
International Society of Hypertension
Guidelines for the treatment of mild hypertension. Memorandum from a WHO/ISH meeting, 394
Intervention
A model of intervention for prevention of early essential hypertension in the 1980s, 41
North Karelia (Finland) Hypertension Detection Project. Five-year follow-up of hypertensive cohort, 564
Propranolol effects on hypertension and the arterial wall beyond the treatment period in turkeys, 442
Intestine
Intestinal microvascular adaptation during maturation of spontaneously hypertensive rats, 739
Intimal hyperplasia
Propranolol effects on hypertension and the arterial wall beyond the treatment period in turkeys, 442
Intrarenal pressure
Intrarenal pressure and sodium excretion in hypertension of chronic glomerulonephritis in humans, 375
Ion transport
Abnormal red blood cell ion transport and hypertension. The People's Gas Company study, 363
Membrane mechanisms in arterial hypertension, 404
Sodium and potassium ion transport accelerations in erythrocytes of DOC, DOC-salt, two-kidney, one clip, and spontaneously hypertensive rats. Role of hypokalemia and cell volume, 642
Isolated hypothalamic storage vesicle
Enhanced NE uptake by isolated hypothalamic storage vesicles of hypertensive rats, 3
Isometric exercise
The cardiovascular responses to exercise in children across the blood

pressure distribution. The Muscatine study, 71
Systolic time intervals as possible predictors of pressure response to sustained beta-adrenergic blockade in arterial hypertension. A within-patient, placebo-controlled study, 140
Isoproterenol
The effect of aprotinin (a serine protease inhibitor) on renal function and renin release, 893
Structural and functional changes in cerebral arteries from spontaneously hypertensive rats, 292
Isotonic infusion
Comparable effect of isotonic infusions on blood pressure in the anephric rat, 421

J

Joint National Committee on the Detection of High Blood Pressure
A decade of progress in the management of hypertension, 808

K

Kaliuresis
Inhibition of furosemide-induced increases in plasma renin activity by amiloride, 706
Kallikrein
Childhood familial and racial differences in physiologic and biochemical factors related to hypertension, 56
The effect of aprotinin (a serine protease inhibitor) on renal function and renin release, 893
Existence of prokallikrein in the kidney. Its biochemical properties compared to three active glandular kallikreins from the kidney, serum, and urine of the rat, 205
Reduced ratio of active-to-total urinary kallikrein in essential hypertension, 603
Role of glandular kallikrein in the activation process of human plasma inactive renin, 191
Synergistic effect of captopril with hydrochlorothiazide for the treatment of low-renin hypertensive black patients, 235
Kallikrein-kinin system
Inhibition of furosemide-induced increases in plasma renin activity by amiloride, 706
Ketanserin
Evidence that blood pressure reduction by serotonin antagonists is related to alpha receptor blockade in spontaneously hypertensive rats, 676
Kidney function
Adrenergic neurotransmission in tail arteries from two-kidney, one clip, renal hypertensive rats, 298
Arterial wall uptake of renal renin and blood pressure control, 629
Atrial natriuretic factor: reduced cardiac content in spontaneously hypertensive rats, 672
Captopril stimulation of differential renins in renovascular hypertension, 615
The effect of aprotinin (a serine protease inhibitor) on renal function and renin release, 893
Effects of intrarenal infusion of calcium entry blockers in anesthetized dogs, 482
Elevated plasma catecholamines in hypertensives with primary glomerular diseases, 545
Existence of prokallikrein in the kidney. Its biochemical properties compared to three active glandular kallikreins from the kidney, serum, and urine of the rat, 205
Forebrain contributions to one-kidney renal hypertension in the rabbit, 900
Increase in plasma renin in aggressive mice originates from kidneys, submaxillary and other salivary glands, and bites, 180
Kidney function and sodium handling in the pregnant spontaneously hypertensive rat, 498
Mechanisms in human renovascular hypertension, 597
Pressor responses to norepinephrine during captopril in renal prehypertensive rabbits, 159
Presynaptic α- and β-adrenoceptor stimulation and norepinephrine release in the spontaneously hypertensive rat, 198
Renal afferent arteriole in the spontaneously hypertensive rat, 8
Renal vasodilation by converting enzyme inhibition. Role of renal prostaglandins, 166
Responses of the stenosed and contralateral kidneys to [Sar^1, Thr^8] AII in human renovascular hypertension, 796
Reversible renal failure due to captopril in a patient with transplant artery stenosis. Case report, 623
Kidney, nonfiltering
Effects of intrarenal infusion of calcium entry blockers in anesthetized dogs, 482
Kidney transplant
Reversible renal failure due to captopril in a patient with transplant artery stenosis. Case report, 623
Kinin
The effect of aprotinin (a serine protease inhibitor) on renal function and renin release, 893
Kininogenase activity
Reduced ratio of active-to-total urinary kallikrein in essential hypertension, 603

L

Labetalol
Antihypertensive effectiveness of intravenous labetalol in accelerated hypertension, 579
Laboratory values
Effects of withdrawing diuretic therapy on blood pressure in mild hypertension, 539
Left ventricular filling
Sympathetic contribution to the cardiac response to stress in hypertension, 147
Left ventricular hypertrophy
Echocardiographic left ventricular hypertrophy as related to arterial pressure and plasma norepinephrine concentration in arterial hypertension. Reversal by atenolol treatment, 837
Letter to the editor
The age factor and salt-induced hypertension in the Brattleboro rat. Letter, 156
Blood pressure in obesity. Letter, 275
Dopaminergic control of prolactin and blood pressure. Letter, 155
How should human plasma prorenin be determined? Letter, 805
Na^+-K^+ cotransport defect hypothesis attributed to wrong author. Letter, 977
Linoleate
Impaired catecholamine inactivation. A prohypertensive stimulus after dietary linoleate deficiency in salt-loaded rats? 968
Lithium
Essential hypertension: improved differentiation by the temperature dependence of Li efflux in erythrocytes, 821
Lithium-sodium countertransport in erythrocytes of normal and hypertensive subjects. Relationship with age and plasma renin activity, 529
Littermate control
Canine neonatally induced coarctation hypertension in the second year. Variably hyperresponsive plasma renin activity, 328
Liver
The role of renin substrate in hypertension, 353
Locomotor activity
Dissociation of genetic hyperactivity and hypertension in SHR, 211
Longitudinal study
Longitudinal study of the hindquarter vasculature during development in spontaneously hypertensive and Dahl salt-sensitive rats, 489
Low-pressure receptors
Role of cardiovascular receptors on the neural regulation of renin release in normal men, 779
Low renin hypertension
Membrane mechanisms in arterial hypertension, 404
Relationship of 19-nor-deoxycorticosterone to other mineralocorticoids in low-renin hypertension, 385
Lymph flow
Permeability of intestinal microvessels in chronic arterial hypertension, 722

M

Mahalanobis distance
Similarity of idiopathic aldosteronism and essential hypertension. A statistical comparison, 116
Mannitol
Comparable effect of isotonic infusions on blood pressure in the anephric rat, 421
Mass spectrometry
In vivo production of prostaglandin I_2 in Dahl salt-sensitive and salt-resistant rats, 701
Maturation
Intestinal microvascular adaptation during maturation of spontaneously hypertensive rats, 739
Maximum rate of pressure increase (dp/dt max)
Propranolol effects on hypertension and the arterial wall beyond the treatment period in turkeys, 442
Mean transit time
Effects of vasodilation on plasma distribution in SHR cremaster muscle microvessels, 927
Measurement, blood pressure
Accuracy of auscultatory blood pressure measurements in hypertensive and obese subjects, 122
Continuous vs intermittent blood pressure measurements in estimating 24-hour average blood pressure, 264
Medulla oblongata
Chemical renal medullectomy. Effect on urinary prostaglandin E_2 and plasma renin in response to variations in sodium intake and in relation to blood pressure, 951
Role of catecholamines and vasopressin in cardiovascular responses to bilateral dorsolateral transection of the medulla oblongata in the rat, 908
Membrane potential
Altered turnover of polyphosphoinositides in the erythrocyte membrane of the spontaneously hypertensive rat, 409
Membrane mechanisms in arterial hypertension, 404
Mental arousal
Involvement of the baroreceptor reflexes in the changes in blood pressure with sleep and mental arousal, 746
Mepiprazole
Evidence that blood pressure reduction by serotonin antagonists is related to alpha receptor blockade in spontaneously hypertensive rats, 676
Mesenteric artery
Adrenergic neurotransmission in tail arteries from two-kidney, one clip, renal hypertensive rats, 298
Effects of captopril and enalapril on regional vascular resistance and reactivity in spontaneously hypertensive rats, 312
Metabolites
In vivo production of prostaglandin I_2 in Dahl salt-sensitive and salt-resistant rats, 701
Metenkephalin analog
Endogenous opioids and baroreflex control in humans, 535
Metoprolol
Acute effects of metoprolol on muscle sympathetic activity in hypertensive humans, 749
Systolic time intervals as possible predictors of pressure response to sustained beta-adrenergic blockade in arterial hypertension. A within-patient, placebo-controlled study, 140
Microcirculation
Absence of renin-like activity in rat aorta and microvessels, 635
Attenuation of the microcirculation in young patients with high-output borderline hypertension, 844
Norepinephrine-induced potentiation of arginine vasopressin reactivity in arterioles of the spontaneously hypertensive rat, 321
Microelectrode recording
Acute effects of metoprolol on muscle sympathetic activity in hypertensive humans, 749
Microiontophoresis
Influence of captopril treatment on angiotensin II receptors and angiotensinogen in the brain of spontaneously hypertensive rats, 935
Microvessels
Absence of renin-like activity in rat aorta and microvessels, 635
Effects of vasodilation on plasma distribution in SHR cremaster muscle microvessels, 927
Intestinal microvascular adaptation during maturation of spontaneously hypertensive rats, 739
Permeability of intestinal microvessels in chronic arterial hypertension, 722
Middle age
Influence of carboxyhemoglobin, gamma-glutamyl-transferase, body weight, and heart rate on blood pressure in middle-aged men, 560
Mild hypertension
Cardiovascular counterregulation during sympathetic inhibition in normal subjects and patients with mild hypertension, 873
Effects of withdrawing diuretic therapy on blood pressure in mild hypertension, 539
Guidelines for the treatment of mild hypertension. Memorandum from a WHO/ISH meeting, 394
Studies of the mechanisms underlying impairment of beta-adrenoceptor-mediated effects in human hypertension, 584
Mineralocorticoids
Relationship of 19-nor-deoxycorticosterone to other mineralocorticoids in low-renin hypertension, 385
Molar sodium/potassium ratio
Dietary potassium and the development of hypertension in two-kidney, one clip Goldblatt hypertensive rats, 521
Molecular weight
Role of glandular kallikrein in the activation process of human plasma inactive renin, 191
Morphometrics
Renal afferent arteriole in the spontaneously hypertensive rat, 8
Mosaic theory
A decade of progress in the management of hypertension, 808
Multicenter clinical trials
Training and certification of blood pressure observers, 610
Multivariate analysis
Influence of carboxyhemoglobin, gamma-glutamyl-transferase, body weight, and heart rate on blood pressure in middle-aged men, 560
Muscatine study
The cardiovascular responses to exercise in children across the blood pressure distribution. The Muscatine study, 71
Myocardial contractility
Baroreflex control of myocardial contractility in conscious normotensive and renal hypertensive rabbits, 916
Effects of angiotensin II on the cardiac responses to sympathetic nerve stimulation in dogs, 26
Myocardial metabolism
Adenosine and metabolic regulation of coronary blood flow in dogs with renal hypertension, 943
Myosin
Biochemical and mechanical properties of resistance arteries from normotensive and hypertensive rats, 17

N

Nadolol
Twenty-four-hour hemodynamic profile during treatment of essential hypertension by once-a-day nadolol, 573
Na,K-ATPase
Decrease in NA^+, K^+-ATPase activity and [^{3}H]ouabain binding sites in sarcolemma prepared from hearts of spontaneously hypertensive rats, 682
Naloxone
Endogenous opioids and baroreflex control in humans, 535
National High Blood Pressure Education Program
A decade of progress in the management of hypertension, 808
Natriuresis
Atrial natriuretic factor: reduced cardiac content in spontaneously hypertensive rats, 672
Effects of intrarenal infusion of calcium entry blockers in anesthetized dogs, 482

Inhibition of furosemide-induced increases in plasma renin activity by amiloride, 706
Role of dietary potassium in the treatment of hypertension, 864
Neonatal
Canine neonatally induced coarctation hypertension in the second year. Variably hyperresponsive plasma renin activity, 328
Nephrectomy, bilateral
Arterial wall uptake of renal renin and blood pressure control, 629
Neural regulation
Role of cardiovascular receptors on the neural regulation of renin release in normal men, 779
Neurogenic hypertension
Effect of renal denervation on arterial pressure in rats with aortic nerve transection, 468
Role of catecholamines and vasopressin in cardiovascular responses to bilateral dorsolateral transection of the medulla oblongata in the rat, 908
Neurons, aortic
Central resetting of baroreflex in the spontaneously hypertensive rat, 346
Effect of renal denervation on arterial pressure in rats with aortic nerve transection, 468
Nifedipine
Effects of intrarenal infusion of calcium entry blockers in anesthetized dogs, 482
Nitroprusside
Baroreflex function in elderly hypertensives, 763
Baroreflex sensitivity modulates vasodepressor response to nitroprusside, 79
Nociceptive response
Hypoalgesia in genetically hypertensive rats (SHR) is absent in rats with experimental hypertension, 185
Norepinephrine
Adrenergic neurotransmission in tail arteries from two-kidney, one clip, renal hypertensive rats, 298
Cardiovascular counterregulation during sympathetic inhibition in normal subjects and patients with mild hypertension, 873
Cardiovascular hormonal effects of circulating norepinephrine, 787
Echocardiographic left ventricular hypertrophy as related to arterial pressure and plasma norepinephrine concentration in arterial hypertension. Reversal by atenolol treatment, 837
Effect of renal denervation on arterial pressure in rats with aortic nerve transection, 468
Norepinephrine-induced potentiation of arginine vasopressin reactivity in arterioles of the spontaneously hypertensive rat, 321
Plasma norepinephrine and dietary sodium intake in normal subjects and patients with essential hypertension, 767
Relationship between plasma norepinephrine and sympathetic neural activity, 552
Role of the renal nerves in the maintenance of DOCA-salt hypertension in the rat. Influence on the renal vasculature and sodium excretion, 427
Norepinephrine infusion
Pressor responses to norepinephrine during captopril in renal prehypertensive rabbits, 159
Norepinephrine overflow
Measurement of plasma norepinephrine concentrations in human primary hypertension. A word of caution on their applicability for assessing neurogenic contributions, 399
Norepinephrine, plasma
Age-dependence of hypertensive-normotensive differences in plasma norepinephrine, 100
Baroreflex sensitivity modulates vasodepressor response to nitroprusside, 79
Increased plasma norepinephrine accompanies persistent tachycardia after hydralazine, 257
Measurement of plasma norepinephrine concentrations in human primary hypertension. A word of caution on their applicability for assessing neurogenic contributions, 399
Plasma catecholamines and essential hypertension. An analytical review, 86
Plasma norepinephrine and dietary sodium intake in normal subjects and patients with essential hypertension, 767
Preeclampsia—a state of prostaglandin deficiency? Urinary prostaglandin excretion, the renin-aldosterone system, and circulating catecholamines in preeclampsia, 105
Norepinephrine release
Presynaptic α- and β-adrenoceptor stimulation and norepinephrine release in the spontaneously hypertensive rat, 198
Norepinephrine uptake
Enhanced NE uptake by isolated hypothalamic storage vesicles of hypertensive rats, 3
North Karelia (Finland) Hypertension Detection Projection
North Karelia (Finland) Hypertension Detection Project. Five-year follow-up of hypertensive cohort, 564
Nucleosides
Adenosine and metabolic regulation of coronary blood flow in dogs with renal hypertension, 943

O

Obesity
Accuracy of auscultatory blood pressure measurements in hypertensive and obese subjects, 122
Blood pressure in obesity. Letter, 275
Influence of carboxyhemoglobin, gamma-glutamyl-transferase, body weight, and heart rate on blood pressure in middle-aged men, 560
Occupational health services
Clinical effectiveness and cost-effectiveness of monitoring blood pressure of hypertensive employees at work, 828
Offspring
Essential hypertension: improved differentiation by the temperature dependence of Li efflux in erythrocytes, 821
Opiate receptors
Opiate receptors and cardiovascular control in conscious SHR and WKY rats, 663
Opioids
Endogenous opioids and baroreflex control in humans, 535
Ornithine decarboxylase
Studies of hypertension-induced vascular hypertrophy in cultured smooth muscle cells from spontaneously hypertensive rats, 887
Osborne-Mendel rat
Role of catecholamines and vasopressin in cardiovascular responses to bilateral dorsolateral transection of the medulla oblongata in the rat, 908
Oslo study
A decade of progress in the management of hypertension, 808
Ouabain
Decrease in NA^+, K^+-ATPase activity and [^{3}H]ouabain binding sites in sarcolemma prepared from hearts of spontaneously hypertensive rats, 682
Thallium uptake by canine iliac arteries, 436
Outpatients
Simple portable device for sampling a whole day's urine and its application to hypertensive outpatients, 270
Oxytocin
Changes in paraventricular vasopressin and oxytocin during the development of spontaneous hypertension, 476

P

Pain
Hypoalgesia in genetically hypertensive rats (SHR) is absent in rats with experimental hypertension, 185
Pancreatic kallikrein
Role of glandular kallikrein in the activation process of human plasma inactive renin, 191
Papillary interstitial cells
Kidney function and sodium handling in the pregnant spontaneously hypertensive rat, 498

Paraventricular nucleus
Changes in paraventricular vasopressin and oxytocin during the development of spontaneous hypertension, 476
Pathophysiology
Adenosine and metabolic regulation of coronary blood flow in dogs with renal hypertension, 943
People's Gas Company study
Abnormal red blood cell ion transport and hypertension. The People's Gas Company study, 363
Pepstatin
Plasma prorenin in humans and dogs. Species differences and further evidence of a systemic activation cascade, 277
Perinephritis hypertension
Alpha adrenoceptors and autonomic mechanisms in perinephritis hypertension in the rabbit, 958
Permeability, microvessels
Permeability of intestinal microvessels in chronic arterial hypertension, 722
Peroneal nerve
Acute effects of metoprolol on muscle sympathetic activity in hypertensive humans, 749
Phenylpiperazines
Evidence that blood pressure reduction by serotonin antagonists is related to alpha receptor blockade in spontaneously hypertensive rats, 676
Phospholipids
Altered turnover of polyphosphoinositides in the erythrocyte membrane of the spontaneously hypertensive rat, 409
Physiologic factors
Childhood familial and racial differences in physiologic and biochemical factors related to hypertension, 56
Progressive hypertension in dogs by avoidance conditioning and saline infusion, 286
Piperazine
Evidence that blood pressure reduction by serotonin antagonists is related to alpha receptor blockade in spontaneously hypertensive rats, 676
Placebo therapy
Effects of withdrawing diuretic therapy on blood pressure in mild hypertension, 539
Plasma distribution
Effects of vasodilation on plasma distribution in SHR cremaster muscle microvessels, 927
Plasma norepinephrine, *see* Norepinephrine, plasma
Plasma proteins
Permeability of intestinal microvessels in chronic arterial hypertension, 722
Plasma renin activity
Absence of renin-like activity in rat aorta and microvessels, 635
Canine neonatally induced coarctation hypertension in the second year. Variably hyperresponsive plasma renin activity, 328
Captopril stimulation of differential renins in renovascular hypertension, 615
Chemical renal medullectomy. Effect on urinary prostaglandin E_2 and plasma renin in response to variations in sodium intake and in relation to blood pressure, 951
Elevated plasma catecholamines in hypertensives with primary glomerular diseases, 545
Inhibition of furosemide-induced increases in plasma renin activity by amiloride, 706
Kidney function and sodium handling in the pregnant spontaneously hypertensive rat, 498
Lithium-sodium countertransport in erythrocytes of normal and hypertensive subjects. Relationship with age and plasma renin activity, 529
Role of the renal nerves in the maintenance of DOCA-salt hypertension in the rat. Influence on the renal vasculature and sodium excretion, 427
Plasma volume
Kidney function and sodium handling in the pregnant spontaneously hypertensive rat, 498
Regional vascular capacitance in rabbit one-kidney, one clip hypertension, 712
Plethysmography
Attenuation of the microcirculation in young patients with high-output borderline hypertension, 844
Polyphosphoinositides
Altered turnover of polyphosphoinositides in the erythrocyte membrane of the spontaneously hypertensive rat, 409
Population survey
Abnormal red blood cell ion transport and hypertension. The People's Gas Company study, 363
The cardiovascular responses to exercise in children across the blood pressure distribution. The Muscatine study, 71
Clinical effectiveness and cost-effectiveness of monitoring blood pressure of hypertensive employees at work, 828
A decade of progress in the management of hypertension, 808
A model of intervention for prevention of early essential hypertension in the 1980s, 41
North Karelia (Finland) Hypertension Detection Project. Five-year follow-up of hypertensive cohort, 564
Training and certification of blood pressure observers, 610
Urinary sodium excretion and blood pressure in children: absence of a reproducible association, 135
Postsynaptic dopamine receptors
Activation of peripheral dopamine presynaptic receptors lowers blood pressure and heart rate in dogs, 226
Potassium
Blood pressure response to dietary sodium restriction in normotensive adults, 790
Dietary potassium and the development of hypertension in two-kidney, one clip Goldblatt hypertensive rats, 521
Dietary sodium and potassium-induced transient changes in blood pressure and catecholamine excretion in the Sprague-Dawley rat, 336
Inhibition of furosemide-induced increases in plasma renin activity by amiloride, 706
Potassium infusion attenuates avoidance-saline hypertension in dogs, 415
Role of dietary potassium in the treatment of hypertension, 864
Sodium and potassium ion transport accelerations in erythrocytes of DOC, DOC-salt, two-kidney, one clip, and spontaneously hypertensive rats. Role of hypokalemia and cell volume, 642
Thallium uptake by canine iliac arteries, 436
Precapillary arteriole
Role of the renal nerves in the maintenance of DOCA-salt hypertension in the rat. Influence on the renal vasculature and sodium excretion, 427
Preeclampsia
Preeclampsia—a state of prostaglandin deficiency? Urinary prostaglandin excretion, the renin-aldosterone system, and circulating catecholamines in preeclampsia, 105
Pregnancy
The conscious instrumented rabbit: a model for the study of mechanisms of blood pressure regulation during pregnancy, 514
Kidney function and sodium handling in the pregnant spontaneously hypertensive rat, 498
Preeclampsia—a state of prostaglandin deficiency? Urinary prostaglandin excretion, the renin-aldosterone system, and circulating catecholamines in preeclampsia, 105
The role of renin substrate in hypertension, 353
Prehypertensive animals
Humoral factor in pressor hyperresponsiveness in renal prehypertensive rabbits, 453
Pressor response, norepinephrine
Cardiovascular counterregulation during sympathetic inhibition in normal subjects and patients with mild hypertension, 873
Humoral factor in pressor hyperresponsiveness in renal prehypertensive rabbits, 453
Pressor responses to norepinephrine during captopril in renal prehypertensive rabbits, 159
Presynaptic receptors
Activation of peripheral dopamine presynaptic receptors lowers blood pressure and heart rate in dogs, 226
Presynaptic α- and β-adrenoceptor stimulation and norepinephrine release in the spontaneously hypertensive rat, 198
Prokallikrein
Existence of prokallikrein in the kidney. Its biochemical properties compared to three active glandular kallikreins from the kidney, serum, and urine of the rat, 205

Reduced ratio of active-to-total urinary kallikrein in essential hypertension, 603
Prolactin
The age factor and salt-induced hypertension in the Brattleboro rat. Letter, 156
Propranolol
Evaluation of plasma catecholamines in humans. Correlation of resting levels with cardiac responses to beta-blocking and sympatholytic drugs, 858
Propranolol effects on hypertension and the arterial wall beyond the treatment period in turkeys, 442
Sympathetic contribution to the cardiac response to stress in hypertension, 147
Time course of development of the antihypertensive effect of propranolol, 852
Propylbutyldopamine
Activation of peripheral dopamine presynaptic receptors lowers blood pressure and heart rate in dogs, 226
Prorenin
How should human plasma prorenin be determined? Letter, 805
Plasma prorenin in humans and dogs. Species differences and further evidence of a systemic activation cascade, 277
Synchronous changes in prorenin and renin secretion after captopril in patients with renal artery stenosis, 244
Prostaglandins
Chemical renal medullectomy. Effect on urinary prostaglandin E_2 and plasma renin in response to variations in sodium intake and in relation to blood pressure, 951
The conscious instrumented rabbit: a model for the study of mechanisms of blood pressure regulation during pregnancy, 514
Glomerular synthesis of prostaglandins and thromboxane in spontaneously hypertensive rats, 446
Impaired catecholamine inactivation. A prohypertensive stimulus after dietary linoleate deficiency in salt-loaded rats? 968
In vivo production of prostaglandin I_2 in Dahl salt-sensitive and salt-resistant rats, 701
Preeclampsia—a state of prostaglandin deficiency? Urinary prostaglandin excretion, the renin-aldosterone system, and circulating catecholamines in preeclampsia, 105
Renal vasodilation by converting enzyme inhibition. Role of renal prostaglandins, 166
Synergistic effect of captopril with hydrochlorothiazide for the treatment of low-renin hypertensive black patients, 235
Proteases, nonserine
Plasma prorenin in humans and dogs. Species differences and further evidence of a systemic activation cascade, 277
Proteases, serine
The effect of aprotinin (a serine protease inhibitor) on renal function and renin release, 893
Protein
Permeability of intestinal microvessels in chronic arterial hypertension, 722
Plasma protein changes in primary hypertension in humans and rats, 128
Public Health Study on Mild Hypertension
A decade of progress in the management of hypertension, 808
Pulmonary wedge pressure
Sympathetic contribution to the cardiac response to stress in hypertension, 147

Q

Quality control, BP measurement
Training and certification of blood pressure observers, 610

R

Rabbit, *see* Animal studies, rabbit
Race
Childhood familial and racial differences in physiologic and biochemical factors related to hypertension, 56
Synergistic effect of captopril with hydrochlorothiazide for the treatment of low-renin hypertensive black patients, 235
Rat bite
Increase in plasma renin in aggressive mice originates from kidneys, submaxillary and other salivary glands, and bites, 180
Rat breeding
Dissociation of genetic hyperactivity and hypertension in SHR, 211
Rat, *see* Animal studies, rat
Red blood cell aggregation
Elevated blood viscosity in patients with borderline essential hypertension, 757
Red blood cell ion transport
Abnormal red blood cell ion transport and hypertension. The People's Gas Company study, 363
Reflection coefficient
Permeability of intestinal microvessels in chronic arterial hypertension, 722
Renal afferent arterioles
Renal afferent arteriole in the spontaneously hypertensive rat, 8
Renal artery stenosis
Forebrain contributions to one-kidney renal hypertension in the rabbit, 900
Humoral factor in pressor hyperresponsiveness in renal prehypertensive rabbits, 453
Increase in collateral arterial endothelial cell proliferation induced by captopril after renal artery stenosis in the rat, 307
Pressor responses to norepinephrine during captopril in renal prehypertensive rabbits, 159
Responses of the stenosed and contralateral kidneys to [Sar^1, Thr^8] AII in human renovascular hypertension, 796
Reversible renal failure due to captopril in a patient with transplant artery stenosis. Case report, 623
Synchronous changes in prorenin and renin secretion after captopril in patients with renal artery stenosis, 244
Renal blood flow
Activation of peripheral dopamine presynaptic receptors lowers blood pressure and heart rate in dogs, 226
The effect of aprotinin (a serine protease inhibitor) on renal function and renin release, 893
Effects of subpressor doses of angiotensin II on renal hemodynamics in relation to blood pressure, 368
Forebrain contributions to one-kidney renal hypertension in the rabbit, 900
Kidney function and sodium handling in the pregnant spontaneously hypertensive rat, 498
Renal vasodilation by converting enzyme inhibition. Role of renal prostaglandins, 166
Renal failure
Reversible renal failure due to captopril in a patient with transplant artery stenosis. Case report, 623
Renal glomerulus
Glomerular synthesis of prostaglandins and thromboxane in spontaneously hypertensive rats, 446
Kidney function and sodium handling in the pregnant spontaneously hypertensive rat, 498
Renal hemodynamics
The effect of aprotinin (a serine protease inhibitor) on renal function and renin release, 893
Elevated plasma catecholamines in hypertensives with primary glomerular diseases, 545
Intrarenal pressure and sodium excretion in hypertension of chronic glomerulonephritis in humans, 375
Mechanisms in human renovascular hypertension, 597
Responses of the stenosed and contralateral kidneys to [Sar^1, Thr^8] AII in human renovascular hypertension, 796
Role of the renal nerves in the maintenance of DOCA-salt hypertension in the rat. Influence on the renal vasculature and sodium excretion, 427
Renal hypertension
Adenosine and metabolic regulation of coronary blood flow in dogs with renal hypertension, 943
Baroreflex control of myocardial contractility in conscious normotensive and renal hypertensive rabbits, 916
Captopril stimulation of differential renins in renovascular hypertension, 615

Forebrain contributions to one-kidney renal hypertension in the rabbit, 900
Mechanisms in human renovascular hypertension, 597
Reduced ratio of active-to-total urinary kallikrein in essential hypertension, 603
Responses of the stenosed and contralateral kidneys to [Sar¹, Thr⁸] AII in human renovascular hypertension, 796

Renal medullectomy
Chemical renal medullectomy. Effect on urinary prostaglandin E_2 and plasma renin in response to variations in sodium intake and in relation to blood pressure, 951

Renal nerves
Effect of renal denervation on arterial pressure in rats with aortic nerve transection, 468
Role of the renal nerves in the maintenance of DOCA-salt hypertension in the rat. Influence on the renal vasculature and sodium excretion, 427

Renal plasma flow
Kidney function and sodium handling in the pregnant spontaneously hypertensive rat, 498

Renal sodium excretion
Intrarenal pressure and sodium excretion in hypertension of chronic glomerulonephritis in humans, 375
Kidney function and sodium handling in the pregnant spontaneously hypertensive rat, 498

Renal vascular resistance
Effects of subpressor doses of angiotensin II on renal hemodynamics in relation to blood pressure, 368

Renal vasculature
Role of the renal nerves in the maintenance of DOCA-salt hypertension in the rat. Influence on the renal vasculature and sodium excretion, 427

Renal vasodilation
Activation of peripheral dopamine presynaptic receptors lowers blood pressure and heart rate in dogs, 226
Renal vasodilation by converting enzyme inhibition. Role of renal prostaglandins, 166

Renal vessels
Effects of captopril and enalapril on regional vascular resistance and reactivity in spontaneously hypertensive rats, 312

Renin
Absence of renin-like activity in rat aorta and microvessels, 635
Arterial wall uptake of renal renin and blood pressure control, 629
Asymptomatic normotensive primary aldosteronism. Case report, 240
Canine neonatally induced coarctation hypertension in the second year. Variably hyperresponsive plasma renin activity, 328
Captopril stimulation of differential renins in renovascular hypertension, 615
Cardiovascular counterregulation during sympathetic inhibition in normal subjects and patients with mild hypertension, 873
Cardiovascular hormonal effects of circulating norepinephrine, 787
Chemical renal medullectomy. Effect on urinary prostaglandin E_2 and plasma renin in response to variations in sodium intake and in relation to blood pressure, 951
Childhood familial and racial differences in physiologic and biochemical factors related to hypertension, 56
The conscious instrumented rabbit: a model for the study of mechanisms of blood pressure regulation during pregnancy, 514
Effects of intrarenal infusion of calcium entry blockers in anesthetized dogs, 482
Increase in plasma renin in aggressive mice originates from kidneys, submaxillary and other salivary glands, and bites, 180
Inhibition of furosemide-induced increases in plasma renin activity by amiloride, 706
Mechanisms in human renovascular hypertension, 597
Plasma prorenin in humans and dogs. Species differences and further evidence of a systemic activation cascade, 277
Preeclampsia—a state of prostaglandin deficiency? Urinary prostaglandin excretion, the renin-aldosterone system, and circulating catecholamines in preeclampsia, 105
Reduced ratio of active-to-total urinary kallikrein in essential hypertension, 603
Relationship of 19-nor-deoxycorticosterone to other mineralocorticoids in low-renin hypertension, 385
Role of cardiovascular receptors on the neural regulation of renin release in normal men, 779
Role of glandular kallikrein in the activation process of human plasma inactive renin, 191
Synchronous changes in prorenin and renin secretion after captopril in patients with renal artery stenosis, 244
Synergistic effect of captopril with hydrochlorothiazide for the treatment of low-renin hypertensive black patients, 235

Renin-aldosterone system
Attenuation of the development of spontaneous hypertension in rats by chronic central administration of captopril, 653
Preeclampsia—a state of prostaglandin deficiency? Urinary prostaglandin excretion, the renin-aldosterone system, and circulating catecholamines in preeclampsia, 105

Renin-angiotensin system
Attenuation of the development of spontaneous hypertension in rats by chronic central administration of captopril, 653
Dietary potassium and the development of hypertension in two-kidney, one clip Goldblatt hypertensive rats, 521
Influence of captopril treatment on angiotensin II receptors and angiotensinogen in the brain of spontaneously hypertensive rats, 935
Kidney function and sodium handling in the pregnant spontaneously hypertensive rat, 498
Reversible renal failure due to captopril in a patient with transplant artery stenosis. Case report, 623
Role of dietary potassium in the treatment of hypertension, 864

Renin, extrarenal
Increase in plasma renin in aggressive mice originates from kidneys, submaxillary and other salivary glands, and bites, 180

Renin, inactive
Role of glandular kallikrein in the activation process of human plasma inactive renin, 191

Renin release
Role of cardiovascular receptors on the neural regulation of renin release in normal men, 779

Renin substrate
The role of renin substrate in hypertension, 353

Respiration
Opiate receptors and cardiovascular control in conscious SHR and WKY rats, 663

Risk factors
Childhood familial and racial differences in physiologic and biochemical factors related to hypertension, 56
Influence of carboxyhemoglobin, gamma-glutamyl-transferase, body weight, and heart rate on blood pressure in middle-aged men, 560
A model of intervention for prevention of early essential hypertension in the 1980s, 41

S

Salbutamol
Presynaptic α- and β-adrenoceptor stimulation and norepinephrine release in the spontaneously hypertensive rat, 198

Saline infusion
Progressive hypertension in dogs by avoidance conditioning and saline infusion, 286

Salivary glands
Increase in plasma renin in aggressive mice originates from kidneys, submaxillary and other salivary glands, and bites, 180

Salt
The age factor and salt-induced hypertension in the Brattleboro rat. Letter, 156
Urinary sodium excretion and blood pressure in children: absence of a reproducible association, 135

Salt loading
Impaired catecholamine inactivation. A prohypertensive stimulus after dietary linoleate deficiency in salt-loaded rats? 968
Studies of the mechanisms underlying impairment of beta-adrenoceptor-mediated effects in human hypertension, 584

[Sar¹, Thr⁸] AII
Responses of the stenosed and contralateral kidneys to [Sar¹ Thr⁸] AII in human renovascular hypertension, 796

Saralasin
Arterial wall uptake of renal renin and blood pressure control, 629
Sarcolemma
Decrease in NA^+, K^+-ATPase activity and [^{3}H]ouabain binding sites in sarcolemma prepared from hearts of spontaneously hypertensive rats, 682
Scintigraphy
Asymptomatic normotensive primary aldosteronism. Case report, 240
Screening
A model of intervention for prevention of early essential hypertension in the 1980s, 41
Secondary hypertension
Essential hypertension: improved differentiation by the temperature dependence of Li efflux in erythrocytes, 821
Septal neurons
Influence of captopril treatment on angiotensin II receptors and angiotensinogen in the brain of spontaneously hypertensive rats, 935
Serine protease inhibitor
The effect of aprotinin (a serine protease inhibitor) on renal function and renin release, 893
Serotonin
Evidence that blood pressure reduction by serotonin antagonists is related to alpha receptor blockade in spontaneously hypertensive rats, 676
Structural and functional changes in cerebral arteries from spontaneously hypertensive rats, 292
Serum, rat
Existence of prokallikrein in the kidney. Its biochemical properties compared to three active glandular kallikreins from the kidney, serum, and urine of the rat, 205
Shear rate
Elevated blood viscosity in patients with borderline essential hypertension, 757
Side effects
Effects of withdrawing diuretic therapy on blood pressure in mild hypertension, 539
Skeletal muscles
Commentary, 402
Sleep
Involvement of the baroreceptor reflexes in the changes in blood pressure with sleep and mental arousal, 746
Twenty-four-hour hemodynamic profile during treatment of essential hypertension by once-a-day nadolol, 573
Smooth muscle
Acute effects of metoprolol on muscle sympathetic activity in hypertensive humans, 749
Adrenergic neurotransmission in tail arteries from two-kidney, one clip, renal hypertensive rats, 298
Biochemical and mechanical properties of resistance arteries from normotensive and hypertensive rats, 17
Membrane mechanisms in arterial hypertension, 404
Studies of hypertension-induced vascular hypertrophy in cultured smooth muscle cells from spontaneously hypertensive rats, 887
Thallium uptake by canine iliac arteries, 436
Sodium balance
Forebrain contributions to one-kidney renal hypertension in the rabbit, 900
Sodium depletion
Renal vasodilation by converting enzyme inhibition. Role of renal prostaglandins, 166
Sodium excretion
Intrarenal pressure and sodium excretion in hypertension of chronic glomerulonephritis in humans, 375
Kidney function and sodium handling in the pregnant spontaneously hypertensive rat, 498
Role of the renal nerves in the maintenance of DOCA-salt hypertension in the rat. Influence on the renal vasculature and sodium excretion, 427
Sodium infusion
Comparable effect of isotonic infusions on blood pressure in the anephric rat, 421
Sodium intake
Blood pressure response to dietary sodium restriction in normotensive adults, 790
Chemical renal medullectomy. Effect on urinary prostaglandin E_2 and plasma renin in response to variations in sodium intake and in relation to blood pressure, 951
Dietary potassium and the development of hypertension in two-kidney, one clip Goldblatt hypertensive rats, 521
Dietary sodium and potassium-induced transient changes in blood pressure and catecholamine excretion in the Sprague-Dawley rat, 336
Hemodynamic mechanisms of adaptation to chronic high sodium intake in normal humans, 814
Hypothalamic pressor responses and salt-induced hypertension in Dahl rats, 460
Kidney function and sodium handling in the pregnant spontaneously hypertensive rat, 498
Plasma norepinephrine and dietary sodium intake in normal subjects and patients with essential hypertension, 767
Potassium infusion attenuates avoidance-saline hypertension in dogs, 415
Progressive hypertension in dogs by avoidance conditioning and saline infusion, 286
Reduced ratio of active-to-total urinary kallikrein in essential hypertension, 603
Simple portable device for sampling a whole day's urine and its application to hypertensive outpatients, 270
Studies of the mechanisms underlying impairment of beta-adrenoceptor-mediated effects in human hypertension, 584
Sodium-lithium transport
Lithium-sodium countertransport in erythrocytes of normal and hypertensive subjects. Relationship with age and plasma renin activity, 529
Sodium metabolism
Abnormal red blood cell ion transport and hypertension. The People's Gas Company study, 363
In vivo production of prostaglandin I_2 in Dahl salt-sensitive and salt-resistant rats, 701
Sodium-potassium leak
Sodium and potassium ion transport accelerations in erythrocytes of DOC, DOC-salt, two-kidney, one clip, and spontaneously hypertensive rats. Role of hypokalemia and cell volume, 642
Sodium pump
Sodium and potassium ion transport accelerations in erythrocytes of DOC, DOC-salt, two-kidney, one clip, and spontaneously hypertensive rats. Role of hypokalemia and cell volume, 642
Thallium uptake by canine iliac arteries, 436
Sodium transport
Sodium and potassium ion transport accelerations in erythrocytes of DOC, DOC-salt, two-kidney, one clip, and spontaneously hypertensive rats. Role of hypokalemia and cell volume, 642
Soybean trypsin inhibitor
Existence of prokallikrein in the kidney. Its biochemical properties compared to three active glandular kallikreins from the kidney, serum, and urine of the rat, 205
Splanchnic nerve
Central resetting of baroreflex in the spontaneously hypertensive rat, 346
Splenic denervation
Role of the renal nerves in the maintenance of DOCA-salt hypertension in the rat. Influence on the renal vasculature and sodium excretion, 427
Spontaneously hypertensive rat
Absence of renin-like activity in rat aorta and microvessels, 635
Altered turnover of polyphosphoinositides in the erythrocyte membrane of the spontaneously hypertensive rat, 409
Altered vascular reactivity and baroreflex sensitivity induced by chronic central administration of captopril in the spontaneously hypertensive rat, 689
Atrial natriuretic factor: reduced cardiac content in spontaneously hypertensive rats, 672
Attenuation of the development of spontaneous hypertension in rats by chronic central administration of captopril, 653
Biochemical and mechanical properties of resistance arteries from normotensive and hypertensive rats, 17
Cardiovascular and sympathetic responses to chronic arachidonate in SHR and WKY rats, 172

Central resetting of baroreflex in the spontaneously hypertensive rat, 346
Changes in paraventricular vasopressin and oxytocin during the development of spontaneous hypertension, 476
Comparable effect of isotonic infusions on blood pressure in the anephric rat, 421
Decrease in NA^+, K^+-ATPase activity and [^{3}H]ouabain binding sites in sarcolemma prepared from hearts of spontaneously hypertensive rats, 682
Dissociation of genetic hyperactivity and hypertension in SHR, 211
Effects of captopril and enalapril on regional vascular resistance and reactivity in spontaneously hypertensive rats, 312
Effects of vasodilation on plasma distribution in SHR cremaster muscle microvessels, 927
Enhanced NE uptake by isolated hypothalamic storage vesicles of hypertensive rats, 3
Evidence that blood pressure reduction by serotonin antagonists is related to alpha receptor blockade in spontaneously hypertensive rats, 676
Glomerular synthesis of prostaglandins and thromboxane in spontaneously hypertensive rats, 446
Hypoalgesia in genetically hypertensive rats (SHR) is absent in rats with experimental hypertension, 185
Influence of captopril treatment on angiotensin II receptors and angiotensinogen in the brain of spontaneously hypertensive rats, 935
Intestinal microvascular adaptation during maturation of spontaneously hypertensive rats, 739
Kidney function and sodium handling in the pregnant spontaneously hypertensive rat, 498
Longitudinal study of the hindquarter vasculature during development in spontaneously hypertensive and Dahl salt-sensitive rats, 489
Membrane mechanisms in arterial hypertension, 404
Norepinephrine-induced potentiation of arginine vasopressin reactivity in arterioles of the spontaneously hypertensive rat, 321
Opiate receptors and cardiovascular control in conscious SHR and WKY rats, 663
Plasma protein changes in primary hypertension in humans and rats, 128
Presynaptic α- and β-adrenoceptor stimulation and norepinephrine release in the spontaneously hypertensive rat, 198
Relationship between plasma norepinephrine and sympathetic neural activity, 552
Renal afferent arteriole in the spontaneously hypertensive rat, 8
Role of endothelium in dilator responses of spontaneously hypertensive rat arteries, 881
Sodium and potassium ion transport accelerations in erythrocytes of DOC, DOC-salt, two-kidney, one clip, and spontaneously hypertensive rats. Role of hypokalemia and cell volume, 642
Structural and functional changes in cerebral arteries from spontaneously hypertensive rats, 292
Studies of hypertension-induced vascular hypertrophy in cultured smooth muscle cells from spontaneously hypertensive rats, 887
Sympathetic nerves and adrenal medulla: contributions to cardiovascular-conditioned emotional responses in spontaneously hypertensive rats, 728

Sprague-Dawley rat
Dietary sodium and potassium-induced transient changes in blood pressure and catecholamine excretion in the Sprague-Dawley rat, 336

Statistical analysis
Similarity of idiopathic aldosteronism and essential hypertension. A statistical comparison, 116

Streptozotocin-induced diabetes
Insulin reverses hypertension and hypothalamic depression in streptozotocin diabetic rats, 34

Stress
Hypothalamic pressor responses and salt-induced hypertension in Dahl rats, 460
Progressive hypertension in dogs by avoidance conditioning and saline infusion, 286
Sympathetic contribution to the cardiac response to stress in hypertension, 147

Structural changes
Longitudinal study of the hindquarter vasculature during development in spontaneously hypertensive and Dahl salt-sensitive rats, 489
Structural and functional changes in cerebral arteries from spontaneously hypertensive rats, 292

Submaxillary gland
Increase in plasma renin in aggressive mice originates from kidneys, submaxillary and other salivary glands, and bites, 180

Sucrose ingestion
Chronic sucrose ingestion induces mild hypertension and tachycardia in rats, 218

Sulpiride
Activation of peripheral dopamine presynaptic receptors lowers blood pressure and heart rate in dogs, 226

Sympathetic inhibition
Cardiovascular counterregulation during sympathetic inhibition in normal subjects and patients with mild hypertension, 873

Sympathetic nervous system
Acute effects of metoprolol on muscle sympathetic activity in hypertensive humans, 749
Alpha adrenoceptors and autonomic mechanisms in perinephritis hypertension in the rabbit, 958
Baroreflex control of myocardial contractility in conscious normotensive and renal hypertensive rabbits, 916
Cardiovascular and sympathetic responses to chronic arachidonate in SHR and WKY rats, 172
Cardiovascular counterregulation during sympathetic inhibition in normal subjects and patients with mild hypertension, 873
Chronic sucrose ingestion induces mild hypertension and tachycardia in rats, 218
Effects of angiotensin II on the cardiac responses to sympathetic nerve stimulation in dogs, 26
Effects of atenolol and hydrochlorothiazide on blood pressure and plasma catecholamines in essential hypertension, 591
Evaluation of plasma catecholamines in humans. Correlation of resting levels with cardiac responses to beta-blocking and sympatholytic drugs, 858
Hypothalamic pressor responses and salt-induced hypertension in Dahl rats, 460
Impaired catecholamine inactivation. A prohypertensive stimulus after dietary linoleate deficiency in salt-loaded rats? 968
Increased plasma norepinephrine accompanies persistent tachycardia after hydralazine, 257
Influence of yohimbine on blood pressure, autonomic reflexes, and plasma catecholamines in humans, 772
Measurement of plasma norepinephrine concentrations in human primary hypertension. A word of caution on their applicability for assessing neurogenic contributions, 399
Plasma catecholamines and essential hypertension. An analytical review, 86
Presynaptic α- and β-adrenoceptor stimulation and norepinephrine release in the spontaneously hypertensive rat, 198
Relationship between plasma norepinephrine and sympathetic neural activity, 552
Role of cardiovascular receptors on the neural regulation of renin release in normal men, 779
Role of the renal nerves in the maintenance of DOCA-salt hypertension in the rat. Influence on the renal vasculature and sodium excretion, 427
Sympathetic contribution to the cardiac response to stress in hypertension, 147
Sympathetic nerves and adrenal medulla: contributions to cardiovascular-conditioned emotional responses in spontaneously hypertensive rats, 728
Twenty-four-hour hemodynamic profile during treatment of essential hypertension by once-a-day nadolol, 573

Synaptic vesicles
Enhanced NE uptake by isolated hypothalamic storage vesicles of hypertensive rats, 3
Presynaptic α- and β-adrenoceptor stimulation and norepinephrine release in the spontaneously hypertensive rat, 198

Synergistic effect
Synergistic effect of captopril with hydrochlorothiazide for the treatment of low-renin hypertensive black patients, 235

Systolic time intervals
Evaluation of plasma catecholamines in humans. Correlation of rest-

ing levels with cardiac responses to beta-blocking and sympatholytic drugs, 858
Systolic time intervals as possible predictors of pressure response to sustained beta-adrenergic blockade in arterial hypertension. A within-patient, placebo-controlled study, 140

T

Tachycardia
Chronic sucrose ingestion induces mild hypertension and tachycardia in rats, 218
Increased plasma norepinephrine accompanies persistent tachycardia after hydralazine, 257
Tail arteries, rat
Adrenergic neurotransmission in tail arteries from two-kidney, one clip, renal hypertensive rats, 298
Temperature dependence
Essential hypertension: improved differentiation by the temperature dependence of Li efflux in erythrocytes, 821
Tetrahydro-deoxycorticosterone
Relationship of 19-nor-deoxycorticosterone to other mineralocorticoids in low-renin hypertension, 385
Thallium
Thallium uptake by canine iliac arteries, 436
Thromboxane
Glomerular synthesis of prostaglandins and thromboxane in spontaneously hypertensive rats, 446
Thymidine, tritiated
Increase in collateral arterial endothelial cell proliferation induced by captopril after renal artery stenosis in the rat, 307
Thyroid
Hypothyroidism as a cause of hypertension, 112
Thyroxine treatment
Hypothyroidism as a cause of hypertension, 112
Time course, medication
Time course of development of the antihypertensive effect of propranolol, 852
Tobacco
Influence of carboxyhemoglobin, gamma-glutamyl-transferase, body weight, and heart rate on blood pressure in middle-aged men, 560
Total peripheral resistance
Elevated blood viscosity in patients with borderline essential hypertension, 757
Tracking
A model of intervention for prevention of early essential hypertension in the 1980s, 41
Training
Training and certification of blood pressure observers, 610
Tramazoline
Presynaptic α- and β-adrenoceptor stimulation and norepinephrine release in the spontaneously hypertensive rat, 198
Transient changes in blood pressure
Dietary sodium and potassium-induced transient changes in blood pressure and catecholamine excretion in the Sprague-Dawley rat, 336
Transport systems
Abnormal red blood cell ion transport and hypertension. The People's Gas Company study, 363
Lithium-sodium countertransport in erythrocytes of normal and hypertensive subjects. Relationship with age and plasma renin activity, 529
Membrane mechanisms in arterial hypertension, 404
Sodium and potassium ion transport accelerations in erythrocytes of DOC, DOC-salt, two-kidney, one clip, and spontaneously hypertensive rats. Role of hypokalemia and cell volume, 642
Trazodone
Evidence that blood pressure reduction by serotonin antagonists is related to alpha receptor blockade in spontaneously hypertensive rats, 676
Trypsin activation
Plasma prorenin in humans and dogs. Species differences and further evidence of a systemic activation cascade, 277
Role of glandular kallikrein in the activation process of human plasma inactive renin, 191
Trypsin inhibition
Existence of prokallikrein in the kidney. Its biochemical properties compared to three active glandular kallikreins from the kidney, serum, and urine of the rat, 205
Turkey, *see* Animal studies, turkey

U

Urinary catecholamines
Dietary sodium and potassium-induced transient changes in blood pressure and catecholamine excretion in the Sprague-Dawley rat, 336
Urinary electrolytes
Childhood familial and racial differences in physiologic and biochemical factors related to hypertension, 56
Urinary-free 19-nor-deoxycorticosterone
Relationship of 19-nor-deoxycorticosterone to other mineralocorticoids in low-renin hypertension, 385
Urinary kallikrein
Existence of prokallikrein in the kidney. Its biochemical properties compared to three active glandular kallikreins from the kidney, serum, and urine of the rat, 205
Reduced ratio of active-to-total urinary kallikrein in essential hypertension, 603
Urinary sodium excretion
Plasma norepinephrine and dietary sodium intake in normal subjects and patients with essential hypertension, 767
Simple portable device for sampling a whole day's urine and its application to hypertensive outpatients, 270
Urinary sodium excretion and blood pressure in children: absence of a reproducible association, 135
Urine collection
Simple portable device for sampling a whole day's urine and its application to hypertensive outpatients, 270

V

Variability of blood pressure
Canine neonatally induced coarctation hypertension in the second year. Variably hyperresponsive plasma renin activity, 328
Continuous vs intermittent blood pressure measurements in estimating 24-hour average blood pressure, 264
Dietary sodium and potassium-induced transient changes in blood pressure and catecholamine excretion in the Sprague-Dawley rat, 336
Twenty-four-hour hemodynamic profile during treatment of essential hypertension by once-a-day nadolol, 573
Urinary sodium excretion and blood pressure in children: absence of a reproducible association, 135
Vascular capacitance
Regional vascular capacitance in rabbit one-kidney, one clip hypertension, 712
Vascular casts
Renal afferent arteriole in the spontaneously hypertensive rat, 8
Vascular compliance
Circulatory pressure-volume relationship and cardiac output in DOCA-salt rats, 507

Vascular hypertrophy
Studies of hypertension-induced vascular hypertrophy in cultured smooth muscle cells from spontaneously hypertensive rats, 887
Vascular reactivity
Altered vascular reactivity and baroreflex sensitivity induced by chronic central administration of captopril in the spontaneously hypertensive rat, 689
Arterial wall uptake of renal renin and blood pressure control, 629
Effects of captopril and enalapril on regional vascular resistance and reactivity in spontaneously hypertensive rats, 312
Effects of subpressor doses of angiotensin II on renal hemodynamics in relation to blood pressure, 368
Forebrain contributions to one-kidney renal hypertension in the rabbit, 900
Membrane mechanisms in arterial hypertension, 404
Norepinephrine-induced potentiation of arginine vasopressin reactivity in arterioles of the spontaneously hypertensive rat, 321
Vascular renin
Arterial wall uptake of renal renin and blood pressure control, 629
Vascular resistance
Effects of captopril and enalapril on regional vascular resistance and reactivity in spontaneously hypertensive rats, 312
Membrane mechanisms in arterial hypertension, 404
Vascular sensitivity
Adrenergic neurotransmission in tail arteries from two-kidney, one clip, renal hypertensive rats, 298
Vascular smooth muscle
Thallium uptake by canine iliac arteries, 436
Vascular structure
Longitudinal study of the hindquarter vasculature during development in spontaneously hypertensive and Dahl salt-sensitive rats, 489
Vasoconstriction
Presynaptic α- and β-adrenoceptor stimulation and norepinephrine release in the spontaneously hypertensive rat, 198
Vasodepressor response
Baroreflex sensitivity modulates vasodepressor response to nitroprusside, 79
Vasodilation
Activation of peripheral dopamine presynaptic receptors lowers blood pressure and heart rate in dogs, 226
Effects of vasodilation on plasma distribution in SHR cremaster muscle microvessels, 927
Efficacy of captopril in relieving congestive heart failure developing during management of hypertension. Case report, 390
Increased plasma norepinephrine accompanies persistent tachycardia after hydralazine, 257
Renal vasodilation by converting enzyme inhibition. Role of renal prostaglandins, 166
Role of endothelium in dilator responses of spontaneously hypertensive rat arteries, 881
Vasopressin
Attenuation of the development of spontaneous hypertension in rats by chronic central administration of captopril, 653
Changes in paraventricular vasopressin and oxytocin during the development of spontaneous hypertension, 476
Humoral factor in pressor hyperresponsiveness in renal prehypertensive rabbits, 453
Insulin reverses hypertension and hypothalamic depression in streptozotocin diabetic rats, 34
Norepinephrine-induced potentiation of arginine vasopressin reactivity in arterioles of the spontaneously hypertensive rat, 321
Opiate receptors and cardiovascular control in conscious SHR and WKY rats, 663
Role of catecholamines and vasopressin in cardiovascular responses to bilateral dorsolateral transection of the medulla oblongata in the rat, 908
Venogram
Asymptomatic normotensive primary aldosteronism. Case report, 240
Ventromedial hypothalamus
Chronic sucrose ingestion induces mild hypertension and tachycardia in rats, 218
Insulin reverses hypertension and hypothalamic depression in streptozotocin diabetic rats, 34
Venules
Effects of vasodilation on plasma distribution in SHR cremaster muscle microvessels, 927
Verapamil
Effects of intrarenal infusion of calcium entry blockers in anesthetized dogs, 482
Veterans Administration Study
A decade of progress in the management of hypertension, 808
Volume expansion
Circulatory pressure-volume relationship and cardiac output in DOCA-salt rats, 507
Comparable effect of isotonic infusions on blood pressure in the anephric rat, 421
Intrarenal pressure and sodium excretion in hypertension of chronic glomerulonephritis in humans, 375
Kidney function and sodium handling in the pregnant spontaneously hypertensive rat, 498
Regional vascular capacitance in rabbit one-kidney, one clip hypertension, 712

W

Wall
Propranolol effects on hypertension and the arterial wall beyond the treatment period in turkeys, 442
Role of the renal nerves in the maintenance of DOCA-salt hypertension in the rat. Influence on the renal vasculature and sodium excretion, 427
Structural and functional changes in cerebral arteries from spontaneously hypertensive rats, 292
Wall/lumen ratio
Role of the renal nerves in the maintenance of DOCA-salt hypertension in the rat. Influence on the renal vasculature and sodium excretion, 427
Wistar-Kyoto rat
Comparable effect of isotonic infusions on blood pressure in the anephric rat, 421
Dissociation of genetic hyperactivity and hypertension in SHR, 211
Influence of captopril treatment on angiotensin II receptors and angiotensinogen in the brain of spontaneously hypertensive rats, 935
Intestinal microvascular adaptation during maturation of spontaneously hypertensive rats, 739
Opiate receptors and cardiovascular control in conscious SHR and WKY rats, 663
Work-related factors
Clinical effectiveness and cost-effectiveness of monitoring blood pressure of hypertensive employees at work, 828
Sympathetic contribution to the cardiac response to stress in hypertension, 147
World Health Organization (WHO)
Guidelines for the treatment of mild hypertension. Memorandum from a WHO/ISH meeting, 394

Y

Yohimbine
Influence of yohimbine on blood pressure, autonomic reflexes, and plasma catecholamines in humans, 772
Young adults
Attenuation of the microcirculation in young patients with high-output borderline hypertension, 844

Index to Volume 5 Supplements

JANUARY-DECEMBER 1983

SUPPLEMENT I
BIOCHEMICAL AND NEUROENDOCRINE
ASPECTS OF HYPERTENSION

SUPPLEMENT II
CALCIUM ANTAGONISTS IN THE
TREATMENT OF HYPERTENSION

SUPPLEMENT III
RESPONSE TO ANTIHYPERTENSIVE
TREATMENT

SUPPLEMENT IV
HYPERTENSION DETECTION AND FOLLOW-UP PROGRAM.
BASELINE CHARACTERISTICS OF THE ENUMERATED,
SCREENED, AND HYPERTENSIVE PARTICIPANTS

SUPPLEMENT V
PROCEEDINGS OF THE FIFTH SCIENTIFIC MEETING OF
THE INTERAMERICAN SOCIETY OF HYPERTENSION

AUTHOR INDEX

A

Alderman MH, V-138
Almeida EF, V-85
Almeida FA, V-158
Anderson S, I-59
Andrén L, II-25
Arteaga E, V-115
Atlas SA, III-36
Aurell M, III-152
Ayobe MH, I-192

B

Banzet O, II-29
Barger AC, V-8
Barnes KL, V-94
Barry CR, V-53
Bartorelli A, II-85
Basso N, V-3, V-29
Bayley S, II-122
Bealer SL, I-89
Bellemann P, II-2
Ben-Ishay D, II-113
Bentivoglio M, III-157
Beretta-Piccoli C, II-57
Bertel O, I-70, II-97
Bianchetti MG, II-57
Biglieri EG, V-115
Birkenhäger WH, III-31
Blaufox MD, IV-190
Boehringer K, II-57
Bohr DF, V-105
Bolli P, I-70, II-97
Borhani NO, IV-44
Bossert F, II-2
Bossolan D, V-90
Bouthier JA, III-63
Boutier JA, V-57
Boyko W, V-163
Breckenridge A, III-85
Bridle PA, V-128
Brjörck S, III-152
Brody MJ, I-155
Brooks B, I-112, V-61
Brosnihan KB, I-139, V-128
Brunner HR, III-101
Bryant HJ, I-94
Buggy J, I-94
Buhler F, II-97
Bühler FR, I-70, III-94
Bumpus FM, I-27, V-22, V-101
Burton J, V-8
Byers LW, I-112, V-61

C

Caldwell RW, I-89
Callender JS, III-90
Campos J, V-110
Cannata MA, V-29
Cantin M, I-75
Carretero OA, I-101, V-153
Case DB, III-36
Castle CH, IV-160
Castro AL, V-85
Chandler P, I-107
Chatellier G, III-21
Claros NM, V-149
Clough DL, I-94
Cody RJ, I-129, III-36
Cole FE, I-81
Colin J-N, II-29
Contney SJ, I-64
Corea L, III-157
Corvol P, I-3, II-29, III-21
Coviello A, V-22, V-101
Cowley AW Jr, I-1
Curb JD, IV-1, IV-51, IV-160
Cutter G, IV-51, IV-92

D

Daugherty RM, IV-92
Daugherty SA, IV-1, IV-1, IV-51
Davis T, V-138
de la Riva I, V-38
de Paula UM, V-134
de Silva P, I-139
Debert Ribiero MB, V-144
Degoulet P, III-21
DeLeeuw PW, III-31
Desiderio DM Jr, I-112
Di Rao G, III-154
Díaz L, V-110
Dietz R, I-119
Dobbs RJ, II-122
Dollery CT, II-1, II-118
Dow AW, I-112
Doyle AE, II-103, III-3
Drayer JIM, I-41, III-108
Dreslinski GR, III-145
Dunn FG, III-71
Dustan HP, V-1, III-26
Dzau VJ, V-8

E

Egan B, I-184
Elijovich F, V-53
Ellison DH, I-59
Entwisle G, IV-1, IV-44, IV-190
Erne P, I-70, II-97

F

Faber JE, I-155
Farber M, IV-44
Fernández-Cruz A, V-149
Ferrario CM, I-139, V-73, V-94, V-128
Ferreira Filho SR, I-53
Ferrier C, II-57
Fiorentini C, II-85
Fitzsimmons E, IV-133
Folco G, I-107
Folkow B, I-112, V-61, III-58
Foote S, I-3
Fouad FM, III-43
Franco M, V-110
Frohlich ED, III-71
Fung K, V-163

G

Gabbai F, V-110
Ganten D, I-119
Ganten U, I-119
Garcia R, I-75
Garcia-Robles R, V-43
Garthoff B, II-34
Geboers J, II-52
Genest J, I-75, V-16
Gerber A, III-120
Ghanem J, II-113
Gifford RW Jr, III-17
Gomez-Sanchez CE, I-32
Gomez-Sanchez EP, I-32
Goodfriend TL, I-35
Goormastic M, V-128
Gosch F, IV-92
Göthberg G, I-112, V-61
Gould BA, II-91
Grady JR, I-59
Granata AR, V-80
Granerus G, III-152
Griener L, V-57
Grinspon D, V-29
Groel JT, III-145
Gross F, III-69
Guazzi MD, II-85
Guthe CC, V-105
Guthrie GP Jr, I-47

H

Haber E, V-8
Haddy FJ, I-94, V-66
Hageman GR, I-149
Hall EB, I-32
Hansson L, II-25
Harder DR, I-64, I-94
Harris AL, V-105
Harrist R, IV-133, IV-160, IV-190
Hawkins CM, IV-44
Henry JP, I-165
Herlitz H, III-152
Herrara-Acosta J, V-110
Heyden S, IV-92
Hochrein H, II-66
Hodsman GP, III-90
Homsi E, I-53
Hornung RS, II-91
Hotchkiss J, IV-133
Hulthén UL, I-70, II-97
Huot SJ, I-94
Hutcheson MJ, III-90
Hypertension Detection and Follow-Up Program Cooperative Study, IV-1

I

Iachello M, III-154
Ibsen H, I-184

J

Jenkins AC, III-145
Joh TH, V-80
Johnson JC, I-165
Julius S, I-184

K

Kater CE, V-115
Katholi RE, I-149
Kazda S, II-34
Kenyon CJ, I-35
Kesteloof H, II-52
Khairallah PA, I-175
Khosla MC, V-22, V-101
Kiowski W, I-70, II-97
Kirchberger M, V-53
Knorr A, II-34
Knox FG, V-43
Kobayashi K, II-45
Kobrin I, II-113
Kotchen TA, I-47
Krakoff LR, V-53
Kraus JF, IV-51
Krebs R, II-125
Krieger EM, V-122
Kubo K, II-109
Kumano K, I-175
Kurnjek ML, V-3

L

Lang RE, I-119
Langford HG, IV-133
Laragh JH, I-129, III-36
Largent RD, I-170
Latif SA, I-35
Ledingham JGG, III-114
Lehmann H-U, II-66
Leibel B, II-113
Levenson JA, V-57, III-63
Lever AF, III-90
Lewin A, IV-160
Lindsey CJ, V-134
Linfa G, V-110
Link L, II-57
Lioy F, V-163
Lombard JH, I-64
Lopes OU, V-85
Lund-Johansen P, III-49

M

MacGregor GA, III-79
Machado BH, V-122
MacPhee AA, I-81
Madhavan S, V-138
Magometschnigg D, II-80
Mancia G, III-5
Mangiarua E, V-3, V-29
Mann S, II-91
Marson O, V-90
Math L, II-52
Mavoungou D, V-163
Maxwell MH, IV-133
McCarron DA, I-59
McDermott M, I-35
McGiff JC, I-107
Menard J, III-21
Messerli FH, III-71
Meyer H, II-2
Michelini LC, V-94
Mies HW, II-66
Mordasini R, III-120
Moreland RS, V-105
Morera S, V-38
Morris DJ, I-35
Morton JJ, II-57
Moruzzi P, II-85
Motz W, II-39
Muirhead EE, I-112, V-61
Muller FB, II-97
Murphy MB, II-1, II-118
Murray RD, I-101
Muto H, II-109

N

Neill KC, IV-51
New MI, I-27
Nishimura H, V-22
Nowaczynski M, V-163
Nowaczynski W, V-163
Nussberger J, III-101
Nyberg G, III-152

O

Oberfield S, I-27
Oberman A, IV-190
Opdyke DF, V-22
Orö L, II-25
Ørstavik TB, I-101
Osterziel K, I-184
Otero ML, V-149
Ott CE, I-47

P

Paiva ACM, V-134
Pamnani MB, I-94
Panthier J-J, I-3
Park DH, V-80
Paya C, V-43
Payne GH, IV-133
Pedersen OL, II-74
Pedrinelli R, III-154
Pérez LL, V-149
Pinilla CF, V-149
Pisani R, III-154
Plouin P-F, III-21
Polese A, II-85
Polk BF, IV-1, IV-92
Preibisz JJ, I-129
Prineas RJ, IV-160
Proto MC, V-101
Purdy RE, I-41

Q

Quilley J, I-107

R

Rabito SF, I-101, V-153
Raemsch KD, II-18
Raftery EB, II-91
Ramos OL, I-53, V-48, V-90, V-158
Rapp JP, I-198
Rascher W, I-119
Reis DJ, V-80
Reisin E, III-71
Rettig R, I-119
Ribeiro AB, I-53, V-48, V-90, V-158
Ritz R, I-70
Robertson JIS, III-90
Robinson BF, II-122
Rodicio JL, V-43
Romero JC, V-43
Rosón MI, V-38
Rougeon F, I-3
Ruggiero DA, V-80
Ruilope L, V-43
Ruiz P, V-29
Ryman T, II-25

S

Safar ME, V-57, III-63
Said SI, I-17
Salgado HC, V-122
Salvetti A, III-154
Sampaio CAM, V-34
Sancho-Rof J, V-43
Santoro FM, V-38
Saragoça MA, I-53, V-90, V-158
Scapellato L, III-154
Schambelan M, V-115
Schiffrin EL, V-16
Schneider KA, IV-133
Schor N, V-48
Schwarzwalder SR, V-158
Scicli AG, I-101, V-153
Scriven AJI, II-118
Sealey JE, I-129
Sen S, I-27
Shiraishi K, II-109
Shulman N, IV-92
Simon AC, V-57, III-63
Singlas E, II-29
Sleight P, III-14
Smeby RR, I-139
Sommer J, II-18
Songu-Mize E, I-89
Speth RC, I-139, V-128
Spokas EG, I-107
Stamler J, IV-160
Stekiel WJ, I-64
Stella RCR, V-48, V-158
Stessman J, II-113
Stornello M, III-154
Strauer BE, II-39
Strong CG, V-43
Subramanian VB, II-91
Sugino N, II-109
Suzuki H, I-139
Suzuki T, II-109

T

Taburet A-M, II-29
Tadros SS, III-145
Tapia E, V-110
Taquini AC, V-3
Tarazi RC, I-192, II-45, III-1, III-43
Taugner R, I-119
Taylor JO, IV-1, IV-44
Thibault G, I-75
Thibonnier M, II-29
Thio B, V-105
Thomas G, II-34
Thomé FS, V-16
Thorén P, I-112, V-61
Timmermans PBMWM, II-8
Towart R, II-2
Trippodo NC, I-81
Tufik S, V-90
Tyroler HA, IV-92

U

Unger T, I-119
Upcavage RJ, I-32
Upsher ME, I-175

V

Vadenal R, V-85
Van Hoof R, II-52
van Meel JCA, II-8
van Zweiten PA, II-8
Vander AJ, I-165, I-184
Varaday P, IV-133
Verdecchia P, III-157
Veterans Administration Cooperative Study Group on Antihypertensive Agents, III-139
Voos A, V-48, V-158

W

Waeber B, III-101
Wahl M, V-34
Wassertheil-Smoller S, IV-51
Webb RC, I-165
Weber MA, I-41, III-108
Wehinger E, II-2
Weidmann P, II-57, III-120
Weinberger MH, III-132
Weksler BB, I-129
Welch WJ, I-47
Whalley ET, V-34
Whitlow PL, I-149
Wilkins G, V-163
Witt E, II-66
Woods WT, I-149

Y

Yabil Y, II-113

Z

Zanchetti A, III-1
Zimmerman BG, I-170
Zusman R, V-8
Zweifach BW, I-10

Index to Volume 5 Supplements

JANUARY-DECEMBER 1983

SUBJECT INDEX

A

Acetylsalicylic acid
Effects of cyclooxygenase inhibitors on plasma and urinary kallikrein, V-48
Acute antihypertensive therapy
Acute hypotensive response to nifedipine, II-80
Hemodynamic and reflex responses to acute and chronic antihypertensive therapy with the calcium entry blocker nifedipine, I-70
Management of hypertensive crises, III-114
Acute renal artery stenosis
Neural contribution to renal hypertension following acute renal artery stenosis in conscious rats, I-155
Acute renin-angiotensin system changes
Aldosterone-binding globulin-induced hypertension in the rat. A new experimental model, V-163
Adenoma
Studies of impaired aldosterone response to spironolactone-induced renin and potassium elevations in adenomatous but not hyperplastic primary aldosteronism, V-115
Adenosine
Hemodynamic and afferent renal nerve responses to intrarenal adenosine in the dog, I-149
Adenylate cyclase
Beta adrenergic receptor response coupling in hypertrophied hearts, I-175
Adrenal hyperplasia
Development and preliminary application of a new assay for aldosterone stimulating factor, I-27
Adrenal insufficiency
Maintenance of arterial pressure by vasopressin and angiotensin II after adrenalectomy, V-53
Mechanism of increased renin release in the adrenalectomized rat. Adrenal insufficiency and renin, I-47
Adrenal regeneration hypertension
Urinary free and serum 19-nor-deoxycorticosterone in adrenal regeneration hypertension, I-32
Adrenalectomy
Maintenance of arterial pressure by vasopressin and angiotensin II after adrenalectomy, V-53
Adrenergic system
Reflex-hemodynamic adjustments and baroreflex sensitivity during converting enzyme inhibition with MK-421 in normal humans, I-184
Afferent renal nerve
Hemodynamic and afferent renal nerve responses to intrarenal adenosine in the dog, I-149
Afferent resistance
Glomerular hemodynamics in persistent renovascular hypertension in the rat, V-110
Affinity chromotography
Development and preliminary application of a new assay for aldosterone stimulating factor, I-27
Age
Age and cardiovascular response adaptation. Determinants of an antihypertensive treatment concept primarily based on beta-blockers and calcium entry blockers, III-94
Factors influencing the hypotensive effects of calcium antagonists, II-97
Hypertension among female workers in São Paulo, Brazil. Predictors and joint effects, V-144
Hypertension detection and follow-up program. Baseline characteristics of the enumerated, screened, and hypertensive participants, IV-1
Methods for assessing blood pressure values in humans, III-5
Albumin
Baseline laboratory examination characteristics of the hypertensive participants, IV-133
Aldosterone
Aldosterone-binding globulin-induced hypertension in the rat. A new experimental model, V-163
Calcium and blood pressure regulation in normal and hypertensive subjects, II-57
The possible biological role of aldosterone metabolites, I-35
Studies of impaired aldosterone response to spironolactone-induced renin and potassium elevations in adenomatous but not hyperplastic primary aldosteronism, V-115
Aldosterone protein binding
Aldosterone-binding globulin-induced hypertension in the rat. A new experimental model, V-163
Aldosterone stimulating factor
Development and preliminary application of a new assay for aldosterone stimulating factor, I-27
Aldosteronism, primary adenomatous
Studies of impaired aldosterone response to spironolactone-induced renin and potassium elevations in adenomatous but not hyperplastic primary aldosteronism, V-115
Alkaline phosphatase
Baseline laboratory examination characteristics of the hypertensive participants, IV-133
Alpha adrenoceptors
Pharmacology of calcium entry blockers: interaction with vascular alpha-adrenoceptors, II-8
Relationship of alpha receptor types to hypotension and renal vasodilation caused by alpha blockers in conscious dogs, I-170
Renin system activity as a determinant of response to treatment in hypertension and heart failure, III-36
Alpha blockade
Pharmacology of calcium entry blockers: interaction with vascular alpha-adrenoceptors, II-8
Relationship of alpha receptor types to hypotension and renal vasodilation caused by alpha blockers in conscious dogs, I-170
Renin system activity as a determinant of response to treatment in hypertension and heart failure, III-36
Alpha-chloralose
Hemodynamic and afferent renal nerve responses to intrarenal adenosine in the dog, I-149
Alpha receptors
Relationship of alpha receptor types to hypotension and renal vasodilation caused by alpha blockers in conscious dogs, I-170
Ambulatory intraarterial monitoring
Nifedipine or verapamil as sole treatment of hypertension. An intraarterial study, II-91
Amiloride
Studies of impaired aldosterone response to spironolactone-induced renin and potassium elevations in adenomatous but not hyperplastic primary aldosteronism, V-115
Amino acid
Structure of the mouse submaxillary gland renin precursor and a model for renin processing. Arthur C. Corcoran Memorial Lecture, I-3
Amphibians
Effects of frog-skin angiotensin II in amphibians, V-101
Synthesis of nonmammalian angiotensins and their comparative pressor properties in dogfish shark, domestic chicken, and rat, V-22
Aneurysm, dissecting
Management of hypertensive crises, III-114

Angina pectoris
Baseline medical history characteristics of the hypertensive participants, IV-51
Angiotensin I
Aldosterone-binding globulin-induced hypertension in the rat. A new experimental model, V-163
Angiotensin-converting enzyme, bradykinin, angiotensin, and cerebral vessel reactivity, V-34
Protracted effect of converting-enzyme inhibition on the rat's response to intraarterial bradykinin, V-134
Synthesis of nonmammalian angiotensins and their comparative pressor properties in dogfish shark, domestic chicken, and rat, V-22
Angiotensin II
Alterations in plasma and cerebrospinal fluid norepinephrine and angiotensin II during the development of renal hypertension in conscious dogs, I-139
Angiotensin-converting enzyme, bradykinin, angiotensin, and cerebral vessel reactivity, V-34
Arginine vasopressin modulates the central action of angiotensin II in the dog, V-94
Calcium and blood pressure regulation in normal and hypertensive subjects, II-57
Does pharmacological profiling of a new drug in normotensive volunteers provide a useful guideline to antihypertensive therapy? III-101
Effects of anterior hypothalamic disconnection on the evolution of a Goldblatt renal hypertension. A dual response, V-85
Effects of frog-skin angiotensin II in amphibians, V-101
Further studies on the development of two-kidney, two clip Goldblatt hypertension in 6-hydroxydopamine-treated rats, V-3
Increased vascular sensitivity to angiotensin II in psychosocial hypertensive mice, I-165
Influence of an angiotensin converting-enzyme inhibitor on diuretic-induced metabolic effects in hypertension, III-132
Interaction of mineralocorticoids and pressor agents in vascular smooth muscle, I-41
Maintenance of arterial pressure by vasopressin and angiotensin II after adrenalectomy, V-53
Neural contribution to renal hypertension following acute renal artery stenosis in conscious rats, I-155
Neurogenic actions of angiotensin II, V-73
Reflex-hemodynamic adjustments and baroreflex sensitivity during converting enzyme inhibition with MK-421 in normal humans, I-184
Synthesis of nonmammalian angiotensins and their comparative pressor properties in dogfish shark, domestic chicken, and rat, V-22
Vascular angiotensin II receptors in renal and DOCA-salt hypertensive rats, V-16
Angiotensinogen
Angiotensinogen concentration in the cerebrospinal fluid in different experimental conditions in the rat, V-29
Animal studies, baboon
Partially purified human and rat atrial natriuretic factor, I-81
Animal studies, chicken
Synthesis of nonmammalian angiotensins and their comparative pressor properties in dogfish shark, domestic chicken, and rat, V-22
Animal studies, dog
Alterations in plasma and cerebrospinal fluid norepinephrine and angiotensin II during the development of renal hypertension in conscious dogs, I-139
Arginine vasopressin modulates the central action of angiotensin II in the dog, V-94
Basal levels of plasma epinephrine and norepinephrine in the dog, V-128
Hemodynamic and afferent renal nerve responses to intrarenal adenosine in the dog, I-149
Partially purified human and rat atrial natriuretic factor, I-81
Animal studies, frog
Effects of frog-skin angiotensin II in amphibians, V-101
Synthesis of nonmammalian angiotensins and their comparative pressor properties in dogfish shark, domestic chicken, and rat, V-22
Animal studies, guinea pig
Effects of cyclooxygenase inhibitors on plasma and urinary kallikrein, V-48
Animal studies, pig
Red blood cell sodium in the DOCA hypertensive pig, V-105
Animal studies, rabbit
Angiotensin-converting enzyme, bradykinin, angiotensin, and cerebral vessel reactivity, V-34
Endothelial mechanism in the vascular action of hydralazine, I-107
Interaction of mineralocorticoids and pressor agents in vascular smooth muscle, I-41
Partially purified human and rat atrial natriuretic factor, I-81
Animal studies, rat
Aldosterone-binding globulin-induced hypertension in the rat. A new experimental model, V-163
Aldosterone-binding globulin-induced hypertension in the rat. A new experimental model, V-163
Angiotensinogen concentration in the cerebrospinal fluid in different experimental conditions in the rat, V-29
Anteroventral third ventricle and renin-angiotensin system interaction in the two-kidney, one clip hypertensive rat, V-90
Atrial natriuretic factor. Characterization and partial purification, I-75
Beta adrenergic receptor response coupling in hypertrophied hearts, I-175
Beta-receptors and contractile reserve in left ventricular hypertrophy, I-192
Blood kinins after sympathetic nerve stimulation of the rat submandibular gland, I-101
Calcium balance and parathyroid hormone mediated vasodilation in the spontaneously hypertensive rat, I-59
Cardiovascular effects of antihypertensive polar and neutral renomedullary lipids, I-112
Development of a new strain of spontaneously hypertensive rats homozygous for hypothalamic diabetes insipidus, I-119
Effect of anteroventral third ventricle lesions on vascular sodium-pump activity in two-kidney Goldblatt hypertension, I-89
Effect of nitrendipine on coronary flow and ventricular hypertrophy in hypertension, II-45
Effects of anterior hypothalamic disconnection on the evolution of a Goldblatt renal hypertension. A dual response, V-85
Factors involved in the antihypertensive action of calcium antagonists, II-34
Further studies on the development of two-kidney, two clip Goldblatt hypertension in 6-hydroxydopamine-treated rats, V-3
Glomerular hemodynamics in persistent renovascular hypertension in the rat, V-110
Immunoreactive glandular kallikrein in plasma during alterations of urinary kallikrein excretion, V-153
Increased vascular sensitivity to angiotensin II in psychosocial hypertensive mice, I-165
Lesions of epinephrine neurons in the rostral ventrolateral medulla abolish the vasodepressor components of baroreflex and cardiopulmonary reflex, V-80
Maintenance of arterial pressure by vasopressin and angiotensin II after adrenalectomy, V-53
Mechanism of increased renin release in the adrenalectomized rat. Adrenal insufficiency and renin, I-47
The microcirculation in experimental hypertension. State-of-the-art review, I-10
Neural contribution to renal hypertension following acute renal artery stenosis in conscious rats, I-155
Nifedipine in the long-term management of hypertensive heart disease, II-39
A paradigm for identification of primary genetic causes of hypertension in rats, I-198
Partially purified human and rat atrial natriuretic factor, I-81
Prostacyclin (PGI_2) synthesis in the vascular wall of rats with bilateral renal artery stenosis, V-38
Protracted effect of converting-enzyme inhibition on the rat's response to intraarterial bradykinin, V-134
Response of venous membrane potentials to calcium blockade in spontaneous hypertension, I-64
Sodium-potassium pump activity in reduced renal-mass hypertension, I-94
Structure of the mouse submaxillary gland renin precursor and a model for renin processing. Arthur C. Corcoran Memorial Lecture, I-3

Synthesis of nonmammalian angiotensins and their comparative pressor properties in dogfish shark, domestic chicken, and rat, V-22
Urinary free and serum 19-nor-deoxycorticosterone in adrenal regeneration hypertension, I-32
Vascular angiotensin II receptors in renal and DOCA-salt hypertensive rats, V-16

Animal studies, shark
Synthesis of nonmammalian angiotensins and their comparative pressor properties in dogfish shark, domestic chicken, and rat, V-22

Animal studies, snake
Synthesis of nonmammalian angiotensins and their comparative pressor properties in dogfish shark, domestic chicken, and rat, V-22

Animal studies, toad
Effects of frog-skin angiotensin II in amphibians, V-101

Anopril
Does pharmacological profiling of a new drug in normotensive volunteers provide a useful guideline to antihypertensive therapy? III-101

Anteroventral third ventricle
Anteroventral third ventricle and renin-angiotensin system interaction in the two-kidney, one clip hypertensive rat, V-90
Effect of anteroventral third ventricle lesions on vascular sodium-pump activity in two-kidney Goldblatt hypertension, I-89
Sodium-potassium pump activity in reduced renal-mass hypertension, I-94

Antidiuretic hormone
Plasma and platelet vasopressin in essential hypertension and congestive heart failure, I-129

Antigens
Severe hypertension in the Spanish population. Association with specific HLA antigens, V-149

Antihypertensive hormone
Antihypertensive polar and neutral renopapillary lipids. Which is a hormone? V-61

Aorta
Baseline chest radiographic characteristics of the hypertensive participants, IV-190
Endothelial mechanism in the vascular action of hydralazine, I-107

Apical heart rate
Baseline physical examination characteristics of the hypertensive participants, IV-92

Apical pulse
Baseline physical examination characteristics of the hypertensive participants, IV-92

Area postrema
Arginine vasopressin modulates the central action of angiotensin II in the dog, V-94

Arginine vasopressin
Arginine vasopressin modulates the central action of angiotensin II in the dog, V-94
Development of a new strain of spontaneously hypertensive rats homozygous for hypothalamic diabetes insipidus, I-119
Plasma and platelet vasopressin in essential hypertension and congestive heart failure, I-129

Artemis computerized system
How much can blood pressure be lowered? III-21

Aspartate transaminase
Baseline laboratory examination characteristics of the hypertensive participants, IV-133

Assay methods
Development and preliminary application of a new assay for aldosterone stimulating factor, I-27

Atrial natriuretic factor
Atrial natriuretic factor. Characterization and partial purification, I-75
Partially purified human and rat atrial natriuretic factor, I-81

Autonomic nervous system
Arginine vasopressin modulates the central action of angiotensin II in the dog, V-94

Autoregulation, cerebral
Effect of reducing elevated blood pressure on cerebral circulation, III-17
Structural factors: the vascular wall. Consequences of treatment, III-58

B

Baboon, *see* Animal studies, baboon

Baroreceptor resetting
Tachycardic responses during development of renal hypertension, V-122

Baroreflex
Arginine vasopressin modulates the central action of angiotensin II in the dog, V-94
Lesions of epinephrine neurons in the rostral ventrolateral medulla abolish the vasodepressor components of baroreflex and cardiopulmonary reflex, V-80
Neurogenic actions of angiotensin II, V-73
Reflex-hemodynamic adjustments and baroreflex sensitivity during converting enzyme inhibition with MK-421 in normal humans, I-184
Tachycardic responses during development of renal hypertension, V-122

Beta-adrenergic receptors
Age and cardiovascular response adaptation. Determinants of an antihypertensive treatment concept primarily based on beta-blockers and calcium entry blockers, III-94
Beta adrenergic receptor response coupling in hypertrophied hearts, I-175
Beta-receptors and contractile reserve in left ventricular hypertrophy, I-192
Comparison of beta-adrenoceptor blockers and calcium antagonists in hypertension, II-103

Beta blockade
Adrenergic vasoconstriction as a cause of inadequate hypotensive response to beta-adrenergic blockade, III-31
Age and cardiovascular response adaptation. Determinants of an antihypertensive treatment concept primarily based on beta-blockers and calcium entry blockers, III-94
Beta adrenergic receptor response coupling in hypertrophied hearts, I-175
Beta-receptors and contractile reserve in left ventricular hypertrophy, I-192
Comparison of beta-adrenoceptor blockers and calcium antagonists in hypertension, II-103
Effectiveness of combined nifedipine and propranolol treatment in hypertension, II-113
Effects of antihypertensive therapy on serum lipoproteins, III-120
Hemodynamic response: decrease in cardiac output vs reduction in vascular resistance, III-49

Bilirubin
Baseline laboratory examination characteristics of the hypertensive participants, IV-133

Bioassay
Development and preliminary application of a new assay for aldosterone stimulating factor, I-27
Partially purified human and rat atrial natriuretic factor, I-81

Biologic role
The possible biological role of aldosterone metabolites, I-35

Bird studies
Synthesis of nonmammalian angiotensins and their comparative pressor properties in dogfish shark, domestic chicken, and rat, V-22

Blood-brain barrier
Neurogenic actions of angiotensin II, V-73

Blood cell
Red blood cell sodium in the DOCA hypertensive pig, V-105

Blood flow
Effect of nitrendipine on coronary flow and ventricular hypertrophy in hypertension, II-45
Effect of reducing elevated blood pressure on cerebral circulation, III-17
Systemic and arterial hemodynamic effects of nifedipine (20 mg) in mild-to-moderate hypertension, V-57

Blood pressure measurement
Methods for assessing blood pressure values in humans, III-5

Blood pressure regulation
Age and cardiovascular response adaptation. Determinants of an antihypertensive treatment concept primarily based on beta-blockers and calcium entry blockers, III-94

Calcium and blood pressure regulation in normal and hypertensive subjects, II-57
Calcium blockade in arterial hypertension. Review, II-74
Cardiac factors in response to antihypertensive treatment, III-43
Causes of inadequate response to antihypertensive drugs. Volume factors, III-26
Compliance of hypertensive patients with pharmacological treatment, III-85
Effect of reducing elevated blood pressure on cerebral circulation, III-17
Hemodynamic response: decrease in cardiac output vs reduction in vascular resistance, III-49
How much can blood pressure be lowered? III-21
Maintenance of arterial pressure by vasopressin and angiotensin II after adrenalectomy, V-53
Management of hypertensive crises, III-114
Neural contribution to renal hypertension following acute renal artery stenosis in conscious rats, I-155
Peripheral large arteries and the response to antihypertensive treatment, III-63
Pharmacokinetic studies of nifedipine tablet. Correlation with antihypertensive effects, II-29
Practical problems in hypertension management. Introductory remarks, III-69
Renin system activity as a determinant of response to treatment in hypertension and heart failure, III-36
Structural factors: the vascular wall. Consequences of treatment, III-58
When and how far should we lower blood pressure? III-14

Blood pressure response
Adrenergic vasoconstriction as a cause of inadequate hypotensive response to beta-adrenergic blockade, III-31
Age and cardiovascular response adaptation. Determinants of an antihypertensive treatment concept primarily based on beta-blockers and calcium entry blockers, III-94
Causes of inadequate response to antihypertensive drugs. Volume factors, III-26
Effect of reducing elevated blood pressure on cerebral circulation, III-17
Hemodynamic mechanism of blood pressure response to captopril in human malignant hypertension, I-53
Peripheral large arteries and the response to antihypertensive treatment, III-63
Renin system activity as a determinant of response to treatment in hypertension and heart failure, III-36
Response to placebo treatment in hypertension, III-3
When and how far should we lower blood pressure? III-14

Blood volume
Causes of inadequate response to antihypertensive drugs. Volume factors, III-26
Hemodynamic and reflex responses to acute and chronic antihypertensive therapy with the calcium entry blocker nifedipine, I-70

Body weight
Baseline physical examination characteristics of the hypertensive participants, IV-92

Borderline hypertension
Aldosterone-binding globulin-induced hypertension in the rat. A new experimental model, V-163
When and how far should we lower blood pressure? III-14

Bradykinin
Aldosterone-binding globulin-induced hypertension in the rat. A new experimental model, V-163
Angiotensin-converting enzyme, bradykinin, angiotensin, and cerebral vessel reactivity, V-34
Protracted effect of converting-enzyme inhibition on the rat's response to intraarterial bradykinin, V-134

Brain
Alterations in plasma and cerebrospinal fluid norepinephrine and angiotensin II during the development of renal hypertension in conscious dogs, I-139
Angiotensin-converting enzyme, bradykinin, angiotensin, and cerebral vessel reactivity, V-34
Angiotensinogen concentration in the cerebrospinal fluid in different experimental conditions in the rat, V-29
Anteroventral third ventricle and renin-angiotensin system interaction in the two-kidney, one clip hypertensive rat, V-90
Effect of reducing elevated blood pressure on cerebral circulation, III-17
Effects of anterior hypothalamic disconnection on the evolution of a Goldblatt renal hypertension. A dual response, V-85
Lesions of epinephrine neurons in the rostral ventrolateral medulla abolish the vasodepressor components of baroreflex and cardiopulmonary reflex, V-80
Neurogenic actions of angiotensin II, V-73

Brattleboro rat
Development of a new strain of spontaneously hypertensive rats homozygous for hypothalamic diabetes insipidus, I-119

Brazil population study
Hypertension among female workers in São Paulo, Brazil. Predictors and joint effects, V-144

Breast swelling
Baseline medical history characteristics of the hypertensive participants, IV-51

Bronchitis
Baseline medical history characteristics of the hypertensive participants, IV-51

Bruising
Baseline medical history characteristics of the hypertensive participants, IV-51

Bruit
Baseline physical examination characteristics of the hypertensive participants, IV-92

C

Calcium
Abnormalities of membrane transport in hypertension, V-66
Baseline laboratory examination characteristics of the hypertensive participants, IV-133
Calcium and blood pressure regulation in normal and hypertensive subjects, II-57
Epidemiological study of the relationship between calcium and blood pressure, II-52

Calcium antagonists
Adverse reactions with calcium antagonists, II-125
Age and cardiovascular response adaptation. Determinants of an antihypertensive treatment concept primarily based on beta-blockers and calcium entry blockers, III-94
Calcium antagonists in hypertension, II-1
Calcium blockade in arterial hypertension. Review, II-74
Chemistry of calcium antagonists, II-2
Comparison of beta-adrenoceptor blockers and calcium antagonists in hypertension, II-103
Effect of nitrendipine on coronary flow and ventricular hypertrophy in hypertension, II-45
Effectiveness of combined nifedipine and propranolol treatment in hypertension, II-113
Efficacy of nifedipine as a step 3 antihypertensive drug, II-118
Factors influencing the hypotensive effects of calcium antagonists, II-97
Factors involved in the antihypertensive action of calcium antagonists, II-34
Hemodynamic and humoral interactions between captopril and nifedipine, III-154
Hemodynamic and reflex responses to acute and chronic antihypertensive therapy with the calcium entry blocker nifedipine, I-70
Hemodynamic effects of calcium antagonists. Review, II-66
Long-term efficacy of calcium antagonists in resistant hypertension, II-122
Nifedipine or verapamil as sole treatment of hypertension. An intraarterial study, II-91
Pharmacokinetic and pharmacodynamic parameters in patients treated with nitrendipine, II-25
Pharmacology of calcium entry blockers: interaction with vascular alpha-adrenoceptors, II-8
Renin system activity as a determinant of response to treatment in hypertension and heart failure, III-36

Response of venous membrane potentials to calcium blockade in spontaneous hypertension, I-64
Systemic and arterial hemodynamic effects of nifedipine (20 mg) in mild-to-moderate hypertension, V-57
Treatment of hypertension in hemodialysis patients with nifedipine, II-109
Treatment of hypertension with calcium antagonists. Review, II-85

Calcium balance
Calcium balance and parathyroid hormone mediated vasodilation in the spontaneously hypertensive rat, I-59

Calcium blockade
Age and cardiovascular response adaptation. Determinants of an antihypertensive treatment concept primarily based on beta-blockers and calcium entry blockers, III-94
Calcium blockade in arterial hypertension. Review, II-74
Comparison of beta-adrenoceptor blockers and calcium antagonists in hypertension, II-103
Does pharmacological profiling of a new drug in normotensive volunteers provide a useful guideline to antihypertensive therapy? III-101
Effect of nitrendipine on coronary flow and ventricular hypertrophy in hypertension, II-45
Effectiveness of combined nifedipine and propranolol treatment in hypertension, II-113
Efficacy of nifedipine as a step 3 antihypertensive drug, II-118
Factors influencing the hypotensive effects of calcium antagonists, II-97
Factors involved in the antihypertensive action of calcium antagonists, II-34
Hemodynamic and reflex responses to acute and chronic antihypertensive therapy with the calcium entry blocker nifedipine, I-70
Long-term efficacy of calcium antagonists in resistant hypertension, II-122
Nifedipine or verapamil as sole treatment of hypertension. An intraarterial study, II-91
Pharmacokinetic and pharmacodynamic parameters in patients treated with nitrendipine, II-25
Pharmacology of calcium entry blockers: interaction with vascular alpha-adrenoceptors, II-8
Response of venous membrane potentials to calcium blockade in spontaneous hypertension, I-64
Treatment of hypertension in hemodialysis patients with nifedipine, II-109
Treatment of hypertension with calcium antagonists. Review, II-85

Calcium ions
Beta-receptors and contractile reserve in left ventricular hypertrophy, I-192

Calcium movements
Pharmacology of calcium entry blockers: interaction with vascular alpha-adrenoceptors, II-8

Cancer
Baseline medical history characteristics of the hypertensive participants, IV-51

Capillary permeability coefficient
Glomerular hemodynamics in persistent renovascular hypertension in the rat, V-110

Captopril
Angiotensinogen concentration in the cerebrospinal fluid in different experimental conditions in the rat, V-29
Blood kinins after sympathetic nerve stimulation of the rat submandibular gland, I-101
Does pharmacological profiling of a new drug in normotensive volunteers provide a useful guideline to antihypertensive therapy? III-101
Effect of captopril on renal hemodynamics in the treatment of resistant renal hypertension, III-152
Hemodynamic and humoral interactions between captopril and nifedipine, III-154
Hemodynamic mechanism of blood pressure response to captopril in human malignant hypertension, I-53
Hemodynamic response: decrease in cardiac output vs reduction in vascular resistance, III-49
Long-term antihypertensive therapy with captopril, III-145
Low-dose captopril for the treatment of mild to moderate hypertension, III-139
Low-dose captopril therapy in mild and moderate hypertension. Randomized comparison of twice daily vs three times daily doses, III-157
Monotherapy of essential hypertension with a converting-enzyme inhibitor, III-108
Mood changes during captopril therapy for hypertension. A double-blind pilot study, III-90

Cardiac decompensation
Cardiac factors in response to antihypertensive treatment, III-43

Cardiac enlargement
The problems of obesity and hypertension, III-71

Cardiac hypertrophy
Beta adrenergic receptor response coupling in hypertrophied hearts, I-175
Beta-receptors and contractile reserve in left ventricular hypertrophy, I-192

Cardiac index
Hemodynamic mechanism of blood pressure response to captopril in human malignant hypertension, I-53

Cardiac measurements
Baseline chest radiographic characteristics of the hypertensive participants, IV-190

Cardiac output
Adrenergic vasoconstriction as a cause of inadequate hypotensive response to beta-adrenergic blockade, III-31
Cardiac factors in response to antihypertensive treatment, III-43
Causes of inadequate response to antihypertensive drugs. Volume factors, III-26
Hemodynamic response: decrease in cardiac output vs reduction in vascular resistance, III-49

Cardiovascular disease
Reduction of cardiovascular disease events by worksite hypertension treatment, V-138

Cardiovascular response
Age and cardiovascular response adaptation. Determinants of an antihypertensive treatment concept primarily based on beta-blockers and calcium entry blockers, III-94
Lesions of epinephrine neurons in the rostral ventrolateral medulla abolish the vasodepressor components of baroreflex and cardiopulmonary reflex, V-80
Neurogenic actions of angiotensin II, V-73

Carotid bruit
Baseline physical examination characteristics of the hypertensive participants, IV-92

Carotid occlusion
Further studies on the development of two-kidney, two clip Goldblatt hypertension in 6-hydroxydopamine-treated rats, V-3

Carotid pulsations, diminished
Baseline physical examination characteristics of the hypertensive participants, IV-92

Catecholamines
Adrenergic vasoconstriction as a cause of inadequate hypotensive response to beta-adrenergic blockade, III-31
Alterations in plasma and cerebrospinal fluid norepinephrine and angiotensin II during the development of renal hypertension in conscious dogs, I-139
Basal levels of plasma epinephrine and norepinephrine in the dog, V-128
Hemodynamic and reflex responses to acute and chronic antihypertensive therapy with the calcium entry blocker nifedipine, I-70
Interaction of mineralocorticoids and pressor agents in vascular smooth muscle, I-41
Pharmacology of calcium entry blockers: interaction with vascular alpha-adrenoceptors, II-8

Central nervous system
Arginine vasopressin modulates the central action of angiotensin II in the dog, V-94
Effects of anterior hypothalamic disconnection on the evolution of a Goldblatt renal hypertension. A dual response, V-85
Lesions of epinephrine neurons in the rostral ventrolateral medulla abolish the vasodepressor components of baroreflex and cardiopulmonary reflex, V-80
Neurogenic actions of angiotensin II, V-73

Cerebral circulation
Effect of reducing elevated blood pressure on cerebral circulation, III-17

Cerebral vessel reactivity
Angiotensin-converting enzyme, bradykinin, angiotensin, and cerebral vessel reactivity, V-34
Cerebrospinal fluid
Alterations in plasma and cerebrospinal fluid norepinephrine and angiotensin II during the development of renal hypertension in conscious dogs, I-139
Angiotensinogen concentration in the cerebrospinal fluid in different experimental conditions in the rat, V-29
Neurogenic actions of angiotensin II, V-73
Chemical methodology
Baseline laboratory examination characteristics of the hypertensive participants, IV-133
Chemistry, calcium antagonists
Chemistry of calcium antagonists, II-2
Chest x-ray
Baseline chest radiographic characteristics of the hypertensive participants, IV-190
Chicken, *see* Animal studies, chicken
Chloride
Baseline laboratory examination characteristics of the hypertensive participants, IV-133
Mechanism of increased renin release in the adrenalectomized rat. Adrenal insufficiency and renin, I-47
Cholesterol
Baseline laboratory examination characteristics of the hypertensive participants, IV-133
Influence of an angiotensin converting-enzyme inhibitor on diuretic-induced metabolic effects in hypertension, III-132
Chromatography
Development and preliminary application of a new assay for aldosterone stimulating factor, I-27
Chronic antihypertensive therapy
Hemodynamic and reflex responses to acute and chronic antihypertensive therapy with the calcium entry blocker nifedipine, I-70
Long-term antihypertensive therapy with captopril, III-145
Cigarette smoking
Baseline medical history characteristics of the hypertensive participants, IV-51
Hypertension among female workers in São Paulo, Brazil. Predictors and joint effects, V-144
Hypertension detection and follow-up program. Baseline characteristics of the enumerated, screened, and hypertensive participants, IV-1
Cirrhosis
Baseline physical examination characteristics of the hypertensive participants, IV-92
Cohort study
Reduction of cardiovascular disease events by worksite hypertension treatment, V-138
Combination therapy
Effectiveness of combined nifedipine and propranolol treatment in hypertension, II-113
Efficacy of nifedipine as a step 3 antihypertensive drug, II-118
Long-term efficacy of calcium antagonists in resistant hypertension, II-122
Compliance
Compliance of hypertensive patients with pharmacological treatment, III-85
Low-dose captopril therapy in mild and moderate hypertension. Randomized comparison of twice daily vs three times daily doses, III-157
Pharmacokinetics and metabolism of nifedipine, II-18
Congestive heart failure
Plasma and platelet vasopressin in essential hypertension and congestive heart failure, I-129
Contractile reserve
Beta-receptors and contractile reserve in left ventricular hypertrophy, I-192
Converting-enzyme inhibition
Age and cardiovascular response adaptation. Determinants of an antihypertensive treatment concept primarily based on beta-blockers and calcium entry blockers, III-94
Aldosterone-binding globulin-induced hypertension in the rat. A new experimental model, V-163
Angiotensin-converting enzyme, bradykinin, angiotensin, and cerebral vessel reactivity, V-34
Blood kinins after sympathetic nerve stimulation of the rat submandibular gland, I-101
Does pharmacological profiling of a new drug in normotensive volunteers provide a useful guideline to antihypertensive therapy? III-101
Influence of an angiotensin converting-enzyme inhibitor on diuretic-induced metabolic effects in hypertension, III-132
Is renin a factor in the etiology of essential hypertension? V-8
Maintenance of arterial pressure by vasopressin and angiotensin II after adrenalectomy, V-53
Monotherapy of essential hypertension with a converting-enzyme inhibitor, III-108
Protracted effect of converting-enzyme inhibition on the rat's response to intraarterial bradykinin, V-134
Reflex-hemodynamic adjustments and baroreflex sensitivity during converting enzyme inhibition with MK-421 in normal humans, I-184
Renin system activity as a determinant of response to treatment in hypertension and heart failure, III-36
Corcoran, Arthur C., Memorial Lecture
Structure of the mouse submaxillary gland renin precursor and a model for renin processing. Arthur C. Corcoran Memorial Lecture, I-3
Coronary artery disease
Cardiac factors in response to antihypertensive treatment, III-43
Coronary blood flow
Effect of nitrendipine on coronary flow and ventricular hypertrophy in hypertension, II-45
Coronary reserve
Effect of nitrendipine on coronary flow and ventricular hypertrophy in hypertension, II-45
Creatinine
Baseline laboratory examination characteristics of the hypertensive participants, IV-133
Crises
Management of hypertensive crises, III-114
Cross-bred rat strain
Development of a new strain of spontaneously hypertensive rats homozygous for hypothalamic diabetes insipidus, I-119
Cuff method
Methods for assessing blood pressure values in humans, III-5
Cyclooxygenase inhibitors
Effects of cyclooxygenase inhibitors on plasma and urinary kallikrein, V-48

D

Dahl-S rat
Factors involved in the antihypertensive action of calcium antagonists, II-34
Defense reaction
Hemodynamic response: decrease in cardiac output vs reduction in vascular resistance, III-49
How much can blood pressure be lowered? III-21
When and how far should we lower blood pressure? III-14
Deoxycorticosterone acetate
Immunoreactive glandular kallikrein in plasma during alterations of urinary kallikrein excretion, V-153
Red blood cell sodium in the DOCA hypertensive pig, V-105
Urinary free and serum 19-nor-deoxycorticosterone in adrenal regeneration hypertension, I-32
Vascular angiotensin II receptors in renal and DOCA-salt hypertensive rats, V-16
Dexamethasone
Mechanism of increased renin release in the adrenalectomized rat. Adrenal insufficiency and renin, I-47
Diabetes insipidus
Development of a new strain of spontaneously hypertensive rats homozygous for hypothalamic diabetes insipidus, I-119

Effect of captopril on renal hemodynamics in the treatment of resistant renal hypertension, III-152
Hypertension detection and follow-up program. Baseline characteristics of the enumerated, screened, and hypertensive participants, IV-1

Diastolic blood pressure
Baseline chest radiographic characteristics of the hypertensive participants, IV-190
Baseline electrocardiographic characteristics of the hypertensive participants, IV-160
Baseline laboratory examination characteristics of the hypertensive participants, IV-133
Baseline medical history characteristics of the hypertensive participants, IV-51
Baseline physical examination characteristics of the hypertensive participants, IV-92
Hypertension detection and follow-up program. Baseline characteristics of the enumerated, screened, and hypertensive participants, IV-1
Summary of the baseline characteristics of the hypertensive participants, IV-44

Diet
Renin system activity as a determinant of response to treatment in hypertension and heart failure, III-36
Sodium and potassium intake and blood pressure, III-79

Dihydralazine
Hemodynamic effects of calcium antagonists. Review, II-66
Peripheral large arteries and the response to antihypertensive treatment, III-63

Dihydroalprenolol
Beta-receptors and contractile reserve in left ventricular hypertrophy, I-192

Dihydropyridines
Chemistry of calcium antagonists, II-2

Diltiazem
Adverse reactions with calcium antagonists, II-125
Response of venous membrane potentials to calcium blockade in spontaneous hypertension, I-64

Diuretics
Cardiac factors in response to antihypertensive treatment, III-43
Causes of inadequate response to antihypertensive drugs. Volume factors, III-26
Effects of antihypertensive therapy on serum lipoproteins, III-120
Hemodynamic response: decrease in cardiac output vs reduction in vascular resistance, III-49
Influence of an angiotensin converting-enzyme inhibitor on diuretic-induced metabolic effects in hypertension, III-132
Renin system activity as a determinant of response to treatment in hypertension and heart failure, III-36

DOCA-salt, *see* Deoxycorticosterone acetate

Doctor-patient relationship
Compliance of hypertensive patients with pharmacological treatment, III-85

Dog, *see* Animal studies, dog

Doppler pulsed system
Peripheral large arteries and the response to antihypertensive treatment, III-63
Systemic and arterial hemodynamic effects of nifedipine (20 mg) in mild-to-moderate hypertension, V-57

Dose response
Adverse reactions with calcium antagonists, II-125
Low-dose captopril for the treatment of mild to moderate hypertension, III-139
Low-dose captopril therapy in mild and moderate hypertension. Randomized comparison of twice daily vs three times daily doses, III-157
Partially purified human and rat atrial natriuretic factor, I-81

Double-blind pilot study
Mood changes during captopril therapy for hypertension. A double-blind pilot study, III-90

Dyspnea
Baseline medical history characteristics of the hypertensive participants, IV-51

E

Echocardiography
Comparison of beta-adrenoceptor blockers and calcium antagonists in hypertension, II-103

Edema
Baseline physical examination characteristics of the hypertensive participants, IV-92

Education level
Hypertension among female workers in São Paulo, Brazil. Predictors and joint effects, V-144
Hypertension detection and follow-up program. Baseline characteristics of the enumerated, screened, and hypertensive participants, IV-1

Elasmobranchs
Synthesis of nonmammalian angiotensins and their comparative pressor properties in dogfish shark, domestic chicken, and rat, V-22

Electrocardiography
Baseline electrocardiographic characteristics of the hypertensive participants, IV-160

Employment status
Hypertension detection and follow-up program. Baseline characteristics of the enumerated, screened, and hypertensive participants, IV-1

Encephalopathy
Management of hypertensive crises, III-114

Endothelium
Endothelial mechanism in the vascular action of hydralazine, I-107

Epidemiology
Epidemiological study of the relationship between calcium and blood pressure, II-52
Sodium and potassium intake and blood pressure, III-79

Epinephrine
Basal levels of plasma epinephrine and norepinephrine in the dog, V-128
Calcium and blood pressure regulation in normal and hypertensive subjects, II-57
Lesions of epinephrine neurons in the rostral ventrolateral medulla abolish the vasodepressor components of baroreflex and cardiopulmonary reflex, V-80

Essential hypertension
Aldosterone-binding globulin-induced hypertension in the rat. A new experimental model, V-163
Is renin a factor in the etiology of essential hypertension? V-8
Monotherapy of essential hypertension with a converting-enzyme inhibitor, III-108
Peripheral large arteries and the response to antihypertensive treatment, III-63
Pharmacokinetic and pharmacodynamic parameters in patients treated with nitrendipine, II-25
Plasma and platelet vasopressin in essential hypertension and congestive heart failure, I-129
Severe hypertension in the Spanish population. Association with specific HLA antigens, V-149
Systemic and arterial hemodynamic effects of nifedipine (20 mg) in mild-to-moderate hypertension, V-57

Etiology
Epidemiological study of the relationship between calcium and blood pressure, II-52
Further studies on the development of two-kidney, two clip Goldblatt hypertension in 6-hydroxydopamine-treated rats, V-3
The microcirculation in experimental hypertension. State-of-the-art review, I-10

Euphoria
Mood changes during captopril therapy for hypertension. A double-blind pilot study, III-90

Evolution
Synthesis of nonmammalian angiotensins and their comparative pressor properties in dogfish shark, domestic chicken, and rat, V-22

Exercise
Acute hypotensive response to nifedipine, II-80

F

Faintness
Baseline medical history characteristics of the hypertensive participants, IV-51
Familial hypertension
Baseline medical history characteristics of the hypertensive participants, IV-51
Fish studies
Effects of frog-skin angiotensin II in amphibians, V-101
Synthesis of nonmammalian angiotensins and their comparative pressor properties in dogfish shark, domestic chicken, and rat, V-22
Fluid retention
Cardiac factors in response to antihypertensive treatment, III-43
Causes of inadequate response to antihypertensive drugs. Volume factors, III-26
Forearm
Hemodynamic and reflex responses to acute and chronic antihypertensive therapy with the calcium entry blocker nifedipine, I-70
Frog, *see* Animal studies, frog
Funduscopic findings
Baseline physical examination characteristics of the hypertensive participants, IV-92
Furosemide
Effect of furosemide on renal function in the stenotic and contralateral kidneys of patients with renovascular hypertension, V-43
Partially purified human and rat atrial natriuretic factor, I-81

G

Gel filtration
Partially purified human and rat atrial natriuretic factor, I-81
Genetics
Abnormalities of membrane transport in hypertension, V-66
A paradigm for identification of primary genetic causes of hypertension in rats, I-198
Sodium and potassium intake and blood pressure, III-79
Glandular kallikrein
Immunoreactive glandular kallikrein in plasma during alterations of urinary kallikrein excretion, V-153
Glomerular filtration rate
Causes of inadequate response to antihypertensive drugs. Volume factors, III-26
Glomerular hemodynamics
Glomerular hemodynamics in persistent renovascular hypertension in the rat, V-110
Glucocorticoid deficiency
Mechanism of increased renin release in the adrenalectomized rat. Adrenal insufficiency and renin, I-47
Glucose
Baseline laboratory examination characteristics of the hypertensive participants, IV-133
Influence of an angiotensin converting-enzyme inhibitor on diuretic-induced metabolic effects in hypertension, III-132
Goldblatt rat
Anteroventral third ventricle and renin-angiotensin system interaction in the two-kidney, one clip hypertensive rat, V-90
Effect of anteroventral third ventricle lesions on vascular sodium-pump activity in two-kidney Goldblatt hypertension, I-89
Effects of anterior hypothalamic disconnection on the evolution of a Goldblatt renal hypertension. A dual response, V-85
Further studies on the development of two-kidney, two clip Goldblatt hypertension in 6-hydroxydopamine-treated rats, V-3
Glomerular hemodynamics in persistent renovascular hypertension in the rat, V-110
Immunoreactive glandular kallikrein in plasma during alterations of urinary kallikrein excretion, V-153
Protracted effect of converting-enzyme inhibition on the rat's response to intraarterial bradykinin, V-134
Goosefish
Effects of frog-skin angiotensin II in amphibians, V-101
Synthesis of nonmammalian angiotensins and their comparative pressor properties in dogfish shark, domestic chicken, and rat, V-22
Gout
Baseline medical history characteristics of the hypertensive participants, IV-51
Granules, atrial specific
Atrial natriuretic factor. Characterization and partial purification, I-75
Partially purified human and rat atrial natriuretic factor, I-81
Guinea pig, *see* Animal studies, guinea pig

H

Head tilt
Acute hypotensive response to nifedipine, II-80
Headache
Baseline medical history characteristics of the hypertensive participants, IV-51
Heart attack, family history of
Baseline medical history characteristics of the hypertensive participants, IV-51
Heart beat
Baseline electrocardiographic characteristics of the hypertensive participants, IV-160
Baseline medical history characteristics of the hypertensive participants, IV-51
Baseline physical examination characteristics of the hypertensive participants, IV-92
Heart disease
Nifedipine in the long-term management of hypertensive heart disease, II-39
Heart failure
Cardiac factors in response to antihypertensive treatment, III-43
Plasma and platelet vasopressin in essential hypertension and congestive heart failure, I-129
Renin system activity as a determinant of response to treatment in hypertension and heart failure, III-36
Heart murmur
Baseline physical examination characteristics of the hypertensive participants, IV-92
Heart rate
Basal levels of plasma epinephrine and norepinephrine in the dog, V-128
Baseline physical examination characteristics of the hypertensive participants, IV-92
Cardiac factors in response to antihypertensive treatment, III-43
Cardiovascular effects of antihypertensive polar and neutral renomedullary lipids, I-112
Hemodynamic mechanism of blood pressure response to captopril in human malignant hypertension, I-53
Tachycardic responses during development of renal hypertension, V-122
Heart size
Baseline chest radiographic characteristics of the hypertensive participants, IV-190
Heart sound
Baseline physical examination characteristics of the hypertensive participants, IV-92
Hemiplegia
Baseline physical examination characteristics of the hypertensive participants, IV-92
Hemodialysis
Treatment of hypertension in hemodialysis patients with nifedipine, II-109
Hemodynamic mechanisms
Aldosterone-binding globulin-induced hypertension in the rat. A new experimental model, V-163
Effect of captopril on renal hemodynamics in the treatment of resistant renal hypertension, III-152

Glomerular hemodynamics in persistent renovascular hypertension in the rat, V-110
Hemodynamic and humoral interactions between captopril and nifedipine, III-154
Hemodynamic mechanism of blood pressure response to captopril in human malignant hypertension, I-53
The problems of obesity and hypertension, III-71
Reflex-hemodynamic adjustments and baroreflex sensitivity during converting enzyme inhibition with MK-421 in normal humans, I-184
Structural factors: the vascular wall. Consequences of treatment, III-58

Hemodynamic response
Acute hypotensive response to nifedipine, II-80
Aldosterone-binding globulin-induced hypertension in the rat. A new experimental model, V-163
Glomerular hemodynamics in persistent renovascular hypertension in the rat, V-110
Hemodynamic and afferent renal nerve responses to intrarenal adenosine in the dog, I-149
Hemodynamic and reflex responses to acute and chronic antihypertensive therapy with the calcium entry blocker nifedipine, I-70
Hemodynamic effects of calcium antagonists. Review, II-66
Hemodynamic response: decrease in cardiac output vs reduction in vascular resistance, III-49
Systemic and arterial hemodynamic effects of nifedipine (20 mg) in mild-to-moderate hypertension, V-57

Hemodynamics, forearm
Hemodynamic and reflex responses to acute and chronic antihypertensive therapy with the calcium entry blocker nifedipine, I-70

Hepatomegaly
Baseline physical examination characteristics of the hypertensive participants, IV-92

Hexamethonium
Neural contribution to renal hypertension following acute renal artery stenosis in conscious rats, I-155

High-pressure liquid chromatography
Development and preliminary application of a new assay for aldosterone stimulating factor, I-27

Hindquarter vasculature
Increased vascular sensitivity to angiotensin II in psychosocial hypertensive mice, I-165

HLA-B antigens
Severe hypertension in the Spanish population. Association with specific HLA antigens, V-149

Hormones
Antihypertensive polar and neutral renopapillary lipids. Which is a hormone? V-61
Studies of impaired aldosterone response to spironolactone-induced renin and potassium elevations in adenomatous but not hyperplastic primary aldosteronism, V-115

Howard test
Effect of furosemide on renal function in the stenotic and contralateral kidneys of patients with renovascular hypertension, V-43

Humoral factors
Hemodynamic and humoral interactions between captopril and nifedipine, III-154

Hydralazine
Endothelial mechanism in the vascular action of hydralazine, I-107
Factors involved in the antihypertensive action of calcium antagonists, II-34

6-Hydroxydopamine
Angiotensinogen concentration in the cerebrospinal fluid in different experimental conditions in the rat, V-29
Further studies on the development of two-kidney, two clip Goldblatt hypertension in 6-hydroxydopamine-treated rats, V-3
Neural contribution to renal hypertension following acute renal artery stenosis in conscious rats, I-155

Hyperaldosteronism
Studies of impaired aldosterone response to spironolactone-induced renin and potassium elevations in adenomatous but not hyperplastic primary aldosteronism, V-115

Hypercholesterolemia
Influence of an angiotensin converting-enzyme inhibitor on diuretic-induced metabolic effects in hypertension, III-132

Hyperglycemia
Influence of an angiotensin converting-enzyme inhibitor on diuretic-induced metabolic effects in hypertension, III-132

Hypertension, acute
Management of hypertensive crises, III-114

Hypertension, adrenal regeneration
Urinary free and serum 19-nor-deoxycorticosterone in adrenal regeneration hypertension, I-32

Hypertension Detection and Follow-Up Program
Hypertension detection and follow-up program. Baseline characteristics of the enumerated, screened, and hypertensive participants, IV-1

Hypertension, DOCA-salt
Red blood cell sodium in the DOCA hypertensive pig, V-105
Vascular angiotensin II receptors in renal and DOCA-salt hypertensive rats, V-16

Hypertension, experimental
Aldosterone-binding globulin-induced hypertension in the rat. A new experimental model, V-163
Effect of anteroventral third ventricle lesions on vascular sodium-pump activity in two-kidney Goldblatt hypertension, I-89
The microcirculation in experimental hypertension. State-of-the-art review, I-10
Red blood cell sodium in the DOCA hypertensive pig, V-105
Vascular angiotensin II receptors in renal and DOCA-salt hypertensive rats, V-16

Hypertension, Goldblatt
Anteroventral third ventricle and renin-angiotensin system interaction in the two-kidney, one clip hypertensive rat, V-90
Effect of anteroventral third ventricle lesions on vascular sodium-pump activity in two-kidney Goldblatt hypertension, I-89
Effects of anterior hypothalamic disconnection on the evolution of a Goldblatt renal hypertension. A dual response, V-85
Further studies on the development of two-kidney, two clip Goldblatt hypertension in 6-hydroxydopamine-treated rats, V-3
Glomeruiar hemodynamics in persistent renovascular hypertension in the rat, V-110
Immunoreactive glandular kallikrein in plasma during alterations of urinary kallikrein excretion, V-153
Protracted effect of converting-enzyme inhibition on the rat's response to intraarterial bradykinin, V-134

Hypertension, low renin
Abnormalities of membrane transport in hypertension, V-66

Hypertension, malignant
Hemodynamic mechanism of blood pressure response to captopril in human malignant hypertension, I-53
Malignant hypertension: a syndrome accompanied by plasmatic diminution of low and high molecular weight kininogens, V-158

Hypertension, microvessel reactivity
The microcirculation in experimental hypertension. State-of-the-art review, I-10

Hypertension, moderate
Effectiveness of combined nifedipine and propranolol treatment in hypertension, II-113

Hypertension, renal
Aldosterone-binding globulin-induced hypertension in the rat. A new experimental model, V-163
Alterations in plasma and cerebrospinal fluid norepinephrine and angiotensin II during the development of renal hypertension in conscious dogs, I-139
Angiotensinogen concentration in the cerebrospinal fluid in different experimental conditions in the rat, V-29
Beta adrenergic receptor response coupling in hypertrophied hearts, I-175
Beta-receptors and contractile reserve in left ventricular hypertrophy, I-192
Effect of furosemide on renal function in the stenotic and contralateral kidneys of patients with renovascular hypertension, V-43
Effect of nitrendipine on coronary flow and ventricular hypertrophy in hypertension, II-45
Glomerular hemodynamics in persistent renovascular hypertension in the rat, V-110
Neural contribution to renal hypertension following acute renal artery stenosis in conscious rats, I-155

Sodium-potassium pump activity in reduced renal-mass hypertension. I-94
Tachycardic responses during development of renal hypertension. V-122
Vascular angiotensin II receptors in renal and DOCA-salt hypertensive rats. V-16
Hypertension, severe
Acute hypotensive response to nifedipine. II-80
Severe hypertension in the Spanish population. Association with specific HLA antigens. V-149
Treatment of hypertension with calcium antagonists. Review. II-85
Hypertrophy
Beta adrenergic receptor response coupling in hypertrophied hearts. I-175
Beta-receptors and contractile reserve in left ventricular hypertrophy. I-192
Effect of nitrendipine on coronary flow and ventricular hypertrophy in hypertension. II-45
Nifedipine in the long-term management of hypertensive heart disease. II-39
The problems of obesity and hypertension. III-71
Hyperuricemia
Influence of an angiotensin converting-enzyme inhibitor on diuretic-induced metabolic effects in hypertension. III-132
Hypokalemia
Influence of an angiotensin converting-enzyme inhibitor on diuretic-induced metabolic effects in hypertension. III-132
Red blood cell sodium in the DOCA hypertensive pig. V-105
Hypotension
Acute hypotensive response to nifedipine. II-80
Blood kinins after sympathetic nerve stimulation of the rat submandibular gland. I-101
Factors influencing the hypotensive effects of calcium antagonists. II-97
Relationship of alpha receptor types to hypotension and renal vasodilation caused by alpha blockers in conscious dogs. I-170
Vasoactive peptides. State-of-the-art review. I-17
Hypothalamus
Development of a new strain of spontaneously hypertensive rats homozygous for hypothalamic diabetes insipidus. I-119
Effects of anterior hypothalamic disconnection on the evolution of a Goldblatt renal hypertension. A dual response. V-85

I

Indomethacin
Effects of cyclooxygenase inhibitors on plasma and urinary kallikrein. V-48
Inotropic response
Beta-receptors and contractile reserve in left ventricular hypertrophy. I-192
Intermittent claudication
Baseline medical history characteristics of the hypertensive participants. IV-51
Intraarterial monitoring
Methods for assessing blood pressure values in humans. III-5
Nifedipine or verapamil as sole treatment of hypertension. An intraarterial study. II-91
Intravascular volume
The problems of obesity and hypertension. III-71
Isoproterenol
Beta-receptors and contractile reserve in left ventricular hypertrophy. I-192

J

Japanese goosefish
Effects of frog-skin angiotensin II in amphibians. V-101
Synthesis of nonmammalian angiotensins and their comparative pressor properties in dogfish shark, domestic chicken, and rat. V-22

K

Kallikrein
Blood kinins after sympathetic nerve stimulation of the rat submandibular gland. I-101
Effects of cyclooxygenase inhibitors on plasma and urinary kallikrein. V-48
Immunoreactive glandular kallikrein in plasma during alterations of urinary kallikrein excretion. V-153
Kallikrein-kinin system
Effects of cyclooxygenase inhibitors on plasma and urinary kallikrein. V-48
6-Keto prostaglandin
Effect of furosemide on renal function in the stenotic and contralateral kidneys of patients with renovascular hypertension. V-43
Kidney
Aldosterone-binding globulin-induced hypertension in the rat. A new experimental model. V-163
Effect of anteroventral third ventricle lesions on vascular sodium-pump activity in two-kidney Goldblatt hypertension. I-89
Effect of captopril on renal hemodynamics in the treatment of resistant renal hypertension. III-152
Effect of furosemide on renal function in the stenotic and contralateral kidneys of patients with renovascular hypertension. V-43
Glomerular hemodynamics in persistent renovascular hypertension in the rat. V-110
Hemodynamic and afferent renal nerve responses to intrarenal adenosine in the dog. I-149
Immunoreactive glandular kallikrein in plasma during alterations of urinary kallikrein excretion. V-153
The possible biological role of aldosterone metabolites. I-35
Sodium and potassium intake and blood pressure. III-79
Sodium-potassium pump activity in reduced renal-mass hypertension. I-94
Kidney disease
Baseline medical history characteristics of the hypertensive participants. IV-51
Kinens
Blood kinins after sympathetic nerve stimulation of the rat submandibular gland. I-101
Kininogens
Malignant hypertension: a syndrome accompanied by plasmatic diminution of low and high molecular weight kininogens. V-158

L

Labetalol
Hemodynamic response: decrease in cardiac output vs reduction in vascular resistance. III-49
Laboratory examination
Baseline physical examination characteristics of the hypertensive participants. IV-92
Lactate dehydrogenase
Baseline laboratory examination characteristics of the hypertensive participants. IV-133
Langendorff preparation
Beta-receptors and contractile reserve in left ventricular hypertrophy. I-192
Left ventricle
Beta-receptors and contractile reserve in left ventricular hypertrophy. I-192
Cardiac factors in response to antihypertensive treatment. III-43
Effect of nitrendipine on coronary flow and ventricular hypertrophy in hypertension. II-45
Nifedipine in the long-term management of hypertensive heart disease. II-39
Treatment of hypertension with calcium antagonists. Review. II-85
Lipids
Antihypertensive polar and neutral renopapillary lipids. Which is a hormone? V-61

Baseline laboratory examination characteristics of the hypertensive participants. IV-133
Effects of antihypertensive therapy on serum lipoproteins. III-120
Lipoproteins
Effects of antihypertensive therapy on serum lipoproteins. III-120
Long-term therapy
Long-term efficacy of calcium antagonists in resistant hypertension. II-122
Lung function
Comparison of beta-adrenoceptor blockers and calcium antagonists in hypertension. II-103

M

Mammals
Neurogenic actions of angiotensin II. V-73
Synthesis of nonmammalian angiotensins and their comparative pressor properties in dogfish shark, domestic chicken, and rat. V-22
Marital status
Hypertension detection and follow-up program. Baseline characteristics of the enumerated, screened, and hypertensive participants. IV-1
Mean arterial pressure
Baseline physical examination characteristics of the hypertensive participants. IV-92
Hemodynamic mechanism of blood pressure response to captopril in human malignant hypertension. I-53
Meclofenamate
Effects of cyclooxygenase inhibitors on plasma and urinary kallikrein. V-48
Medical history
Baseline medical history characteristics of the hypertensive participants. IV-51
Medication status
Hypertension detection and follow-up program. Baseline characteristics of the enumerated, screened, and hypertensive participants. IV-1
Medulla
Lesions of epinephrine neurons in the rostral ventrolateral medulla abolish the vasodepressor components of baroreflex and cardiopulmonary reflex. V-80
Membrane
Effects of frog-skin angiotensin II in amphibians. V-101
Response of venous membrane potentials to calcium blockade in spontaneous hypertension. I-64
Mesenteric artery
Vascular angiotensin II receptors in renal and DOCA-salt hypertensive rats. V-16
Metabolites
Influence of an angiotensin converting-enzyme inhibitor on diuretic-induced metabolic effects in hypertension. III-132
The possible biological role of aldosterone metabolites. I-35
Microcirculation
The microcirculation in experimental hypertension. State-of-the-art review. I-10
Micropressure
The microcirculation in experimental hypertension. State-of-the-art review. I-10
Microvascular resistance
The microcirculation in experimental hypertension. State-of-the-art review. I-10
Microvessel reactivity hypertension
The microcirculation in experimental hypertension. State-of-the-art review. I-10
Mild hypertension
Low-dose captopril for the treatment of mild to moderate hypertension. III-139
Low-dose captopril therapy in mild and moderate hypertension. Randomized comparison of twice daily vs three times daily doses. III-157
Systemic and arterial hemodynamic effects of nifedipine (20 mg) in mild-to-moderate hypertension. V-57
When and how far should we lower blood pressure? III-14
Mineralocorticoids
Interaction of mineralocorticoids and pressor agents in vascular smooth muscle. I-41
Studies of impaired aldosterone response to spironolactone-induced renin and potassium elevations in adenomatous but not hyperplastic primary aldosteronism. V-115
Urinary free and serum 19-nor-deoxycorticosterone in adrenal regeneration hypertension. I-32
Minoxidil
Factors involved in the antihypertensive action of calcium antagonists. II-34
MK-421
Reflex-hemodynamic adjustments and baroreflex sensitivity during converting enzyme inhibition with MK-421 in normal humans. I-184
MK-422
Protracted effect of converting-enzyme inhibition on the rat's response to intraarterial bradykinin. V-134
Molecular cloning
Structure of the mouse submaxillary gland renin precursor and a model for renin processing. Arthur C. Corcoran Memorial Lecture. I-3
Molecular weight
Malignant hypertension: a syndrome accompanied by plasmatic diminution of low and high molecular weight kininogens. V-158
Monitoring
Methods for assessing blood pressure values in humans. III-5
Nifedipine or verapamil as sole treatment of hypertension. An intraarterial study. II-91
Reduction of cardiovascular disease events by worksite hypertension treatment. V-138
Monotherapy
Effects of antihypertensive therapy on serum lipoproteins. III-120
Monotherapy of essential hypertension with a converting-enzyme inhibitor. III-108
Mood changes
Mood changes during captopril therapy for hypertension. A double-blind pilot study. III-90
Mortality
Reduction of cardiovascular disease events by worksite hypertension treatment. V-138
Myocardial anoxia
Cardiac factors in response to antihypertensive treatment. III-43
Myocardial contractility
Nifedipine in the long-term management of hypertensive heart disease. II-39
Myocardial infarction
Baseline medical history characteristics of the hypertensive participants. IV-51
Hypertension detection and follow-up program. Baseline characteristics of the enumerated, screened, and hypertensive participants. IV-1
Summary of the baseline characteristics of the hypertensive participants. IV-44

N

Natriuretic activity
Atrial natriuretic factor. Characterization and partial purification. I-75
Natriuretic hormone
Abnormalities of membrane transport in hypertension. V-66
Sodium and potassium intake and blood pressure. III-79
Neck vein distention
Baseline physical examination characteristics of the hypertensive participants. IV-92
Nephrectomy
Sodium-potassium pump activity in reduced renal-mass hypertension. I-94
Nephropathy
Effect of captopril on renal hemodynamics in the treatment of resistant renal hypertension. III-152

Neuroendocrine function
Arginine vasopressin modulates the central action of angiotensin II in the dog. V-94
Neurons
Arginine vasopressin modulates the central action of angiotensin II in the dog. V-94
Lesions of epinephrine neurons in the rostral ventrolateral medulla abolish the vasodepressor components of baroreflex and cardiopulmonary reflex. V-80
Neurogenic actions of angiotensin II. V-73
Neuropeptides
Arginine vasopressin modulates the central action of angiotensin II in the dog. V-94
Neurogenic actions of angiotensin II. V-73
Neutral renomedullary lipids
Cardiovascular effects of antihypertensive polar and neutral renomedullary lipids. I-112
Nifedipine
Acute hypotensive response to nifedipine. II-80
Adverse reactions with calcium antagonists. II-125
Calcium blockade in arterial hypertension. Review. II-74
Efficacy of nifedipine as a step 3 antihypertensive drug. II-118
Factors influencing the hypotensive effects of calcium antagonists. II-97
Factors involved in the antihypertensive action of calcium antagonists. II-34
Hemodynamic and humoral interactions between captopril and nifedipine. III-154
Hemodynamic and reflex responses to acute and chronic antihypertensive therapy with the calcium entry blocker nifedipine. I-70
Hemodynamic effects of calcium antagonists. Review. II-66
Hemodynamic response: decrease in cardiac output vs reduction in vascular resistance. III-49
Long-term efficacy of calcium antagonists in resistant hypertension. II-122
Nifedipine in the long-term management of hypertensive heart disease. II-39
Nifedipine or verapamil as sole treatment of hypertension. An intraarterial study. II-91
Pharmacokinetic studies of nifedipine tablet. Correlation with antihypertensive effects. II-29
Pharmacokinetics and metabolism of nifedipine. II-18
Response of venous membrane potentials to calcium blockade in spontaneous hypertension. I-64
Systemic and arterial hemodynamic effects of nifedipine (20 mg) in mild-to-moderate hypertension. V-57
Treatment of hypertension in hemodialysis patients with nifedipine. II-109
Treatment of hypertension with calcium antagonists. Review. II-85
Nitrendipine
Effect of nitrendipine on coronary flow and ventricular hypertrophy in hypertension. II-45
Factors involved in the antihypertensive action of calcium antagonists. II-34
Hemodynamic effects of calcium antagonists. Review. II-66
Pharmacokinetic and pharmacodynamic parameters in patients treated with nitrendipine. II-25
19-Nor-deoxycorticosterone
Urinary free and serum 19-nor-deoxycorticosterone in adrenal regeneration hypertension. I-32
Norepinephrine
Adrenergic vasoconstriction as a cause of inadequate hypotensive response to beta-adrenergic blockade. III-31
Alterations in plasma and cerebrospinal fluid norepinephrine and angiotensin II during the development of renal hypertension in conscious dogs. I-139
Basal levels of plasma epinephrine and norepinephrine in the dog. V-128
Calcium and blood pressure regulation in normal and hypertensive subjects. II-57
Further studies on the development of two-kidney, two clip Goldblatt hypertension in 6-hydroxydopamine-treated rats. V-3
Increased vascular sensitivity to angiotensin II in psychosocial hypertensive mice. I-165
Response of venous membrane potentials to calcium blockade in spontaneous hypertension. I-64
Nucleotide regulatory protein
Beta adrenergic receptor response coupling in hypertrophied hearts. I-175
Nucleotide sequence
Structure of the mouse submaxillary gland renin precursor and a model for renin processing. Arthur C. Corcoran Memorial Lecture. I-3

O

Obesity
Hypertension among female workers in São Paulo, Brazil. Predictors and joint effects. V-144
The problems of obesity and hypertension. III-71
Occupation
Hypertension among female workers in São Paulo, Brazil. Predictors and joint effects. V-144
Orthopnea
Baseline medical history characteristics of the hypertensive participants. IV-51
Ouabain-like factor
Red blood cell sodium in the DOCA hypertensive pig. V-105

P

Parathyroid hormone
Calcium balance and parathyroid hormone mediated vasodilation in the spontaneously hypertensive rat. I-59
Pepstatin
Is renin a factor in the etiology of essential hypertension? V-8
Peptide
Arginine vasopressin modulates the central action of angiotensin II in the dog. V-94
Neurogenic actions of angiotensin II. V-73
Vasoactive peptides. State-of-the-art review. I-17
Peptide inhibitors
Is renin a factor in the etiology of essential hypertension? V-8
Peripheral large arteries
Anteroventral third ventricle and renin-angiotensin system interaction in the two-kidney, one clip hypertensive rat. V-90
Peripheral large arteries and the response to antihypertensive treatment. III-63
Systemic and arterial hemodynamic effects of nifedipine (20 mg) in mild-to-moderate hypertension. V-57
Permeability
Abnormalities of membrane transport in hypertension. V-66
Glomerular hemodynamics in persistent renovascular hypertension in the rat. V-110
Pharmacodynamics, nitrendipine
Pharmacokinetic and pharmacodynamic parameters in patients treated with nitrendipine. II-25
Pharmacokinetics, nifedipine
Pharmacokinetic studies of nifedipine tablet. Correlation with antihypertensive effects. II-29
Pharmacokinetics and metabolism of nifedipine. II-18
Pharmacokinetics, nitrendipine
Pharmacokinetic and pharmacodynamic parameters in patients treated with nitrendipine. II-25
Pharmacological profiling
Does pharmacological profiling of a new drug in normotensive volunteers provide a useful guideline to antihypertensive therapy? III-101
Pharmacology, calcium antagonists
Chemistry of calcium antagonists. II-2
Pharmacokinetic and pharmacodynamic parameters in patients treated with nitrendipine. II-25
Pharmacokinetics and metabolism of nifedipine. II-18

Pharmacology of calcium entry blockers: interaction with vascular alpha-adrenoceptors, II-8
Pheochromocytoma
Treatment of hypertension with calcium antagonists. Review, II-85
Physical examination
Baseline physical examination characteristics of the hypertensive participants, IV-92
Physiological factors
The possible biological role of aldosterone metabolites, I-35
Pig, *see* Animal studies, pig
Pindolol
Comparison of beta-adrenoceptor blockers and calcium antagonists in hypertension, II-103
Placebo treatment
Response to placebo treatment in hypertension, III-3
Plasma levels
Pharmacokinetic and pharmacodynamic parameters in patients treated with nitrendipine, II-25
Pharmacokinetics and metabolism of nifedipine, II-18
Plasma renin activity
Angiotensinogen concentration in the cerebrospinal fluid in different experimental conditions in the rat, V-29
Calcium and blood pressure regulation in normal and hypertensive subjects, II-57
Hemodynamic and reflex responses to acute and chronic antihypertensive therapy with the calcium entry blocker nifedipine, I-70
Mechanism of increased renin release in the adrenalectomized rat. Adrenal insufficiency and renin, I-47
Plasma renin concentration
Mechanism of increased renin release in the adrenalectomized rat. Adrenal insufficiency and renin, I-47
Plasma volume
Hemodynamic mechanism of blood pressure response to captopril in human malignant hypertension, I-53
Pharmacokinetics and metabolism of nifedipine, II-18
Platelets
Plasma and platelet vasopressin in essential hypertension and congestive heart failure, I-129
Polar renomedullary lipids
Cardiovascular effects of antihypertensive polar and neutral renomedullary lipids, I-112
Polydipsia
Red blood cell sodium in the DOCA hypertensive pig, V-105
Population survey
Baseline chest radiographic characteristics of the hypertensive participants, IV-190
Baseline electrocardiographic characteristics of the hypertensive participants, IV-160
Baseline laboratory examination characteristics of the hypertensive participants, IV-133
Baseline medical history characteristics of the hypertensive participants, IV-51
Baseline physical examination characteristics of the hypertensive participants, IV-92
Hypertension among female workers in São Paulo, Brazil. Predictors and joint effects, V-144
Hypertension detection and follow-up program. Baseline characteristics of the enumerated, screened, and hypertensive participants, IV-1
Reduction of cardiovascular disease events by worksite hypertension treatment, V-138
Severe hypertension in the Spanish population. Association with specific HLA antigens, V-149
Summary of the baseline characteristics of the hypertensive participants, IV-44
Potassium
Abnormalities of membrane transport in hypertension, V-66
Baseline laboratory examination characteristics of the hypertensive participants, IV-133
The possible biological role of aldosterone metabolites, I-35
Sodium and potassium intake and blood pressure, III-79
Studies of impaired aldosterone response to spironolactone-induced renin and potassium elevations in adenomatous but not hyperplastic primary aldosteronism, V-115
Prazosin
Further studies on the development of two-kidney, two clip Goldblatt hypertension in 6-hydroxydopamine-treated rats, V-3
Hemodynamic response: decrease in cardiac output vs reduction in vascular resistance, III-49
Relationship of alpha receptor types to hypotension and renal vasodilation caused by alpha blockers in conscious dogs, I-170
Preprorenin
Structure of the mouse submaxillary gland renin precursor and a model for renin processing. Arthur C. Corcoran Memorial Lecture, I-3
Pressor mechanisms
Cardiac factors in response to antihypertensive treatment, III-43
Causes of inadequate response to antihypertensive drugs. Volume factors, III-26
Further studies on the development of two-kidney, two clip Goldblatt hypertension in 6-hydroxydopamine-treated rats, V-3
Interaction of mineralocorticoids and pressor agents in vascular smooth muscle, I-41
Propranolol
Adrenergic vasoconstriction as a cause of inadequate hypotensive response to beta-adrenergic blockade, III-31
Effectiveness of combined nifedipine and propranolol treatment in hypertension, II-113
Prorenin
Structure of the mouse submaxillary gland renin precursor and a model for renin processing. Arthur C. Corcoran Memorial Lecture, I-3
Prostacyclin
Endothelial mechanism in the vascular action of hydralazine, I-107
Prostaglandins
Effect of furosemide on renal function in the stenotic and contralateral kidneys of patients with renovascular hypertension, V-43
Effects of cyclooxygenase inhibitors on plasma and urinary kallikrein, V-48
Protein
Baseline laboratory examination characteristics of the hypertensive participants, IV-133
Beta adrenergic receptor response coupling in hypertrophied hearts, I-175
Pseudohypertension
When and how far should we lower blood pressure? III-14
Psychiatric assessment
Mood changes during captopril therapy for hypertension. A double-blind pilot study, III-90
Psychosocial factors
Increased vascular sensitivity to angiotensin II in psychosocial hypertensive mice, I-165
Pulmonary response
Lesions of epinephrine neurons in the rostral ventrolateral medulla abolish the vasodepressor components of baroreflex and cardiopulmonary reflex, V-80
Pulmonary wedge pressure
Hemodynamic mechanism of blood pressure response to captopril in human malignant hypertension, I-53
Pulse, peripheral
Baseline physical examination characteristics of the hypertensive participants, IV-92
Pulse pressure
Baseline physical examination characteristics of the hypertensive participants, IV-92
Pulse rate
Baseline physical examination characteristics of the hypertensive participants, IV-92

Q

Quantitation
Development and preliminary application of a new assay for aldosterone stimulating factor, I-27

Quetelet index
Baseline physical examination characteristics of the hypertensive participants, IV-92
Hypertension among female workers in São Paulo, Brazil. Predictors and joint effects, V-144

R

Rabbit, *see* Animal studies, rabbit
Race
Hypertension detection and follow-up program. Baseline characteristics of the enumerated, screened, and hypertensive participants, IV-1
Summary of the baseline characteristics of the hypertensive participants, IV-44
Radioligand binding
Chemistry of calcium antagonists, II-2
Râles
Baseline physical examination characteristics of the hypertensive participants, IV-92
Randomized group
Baseline laboratory examination characteristics of the hypertensive participants, IV-133
Baseline medical history characteristics of the hypertensive participants, IV-51
Rat, *see* Animal studies, rat
Red blood cell
Red blood cell sodium in the DOCA hypertensive pig, V-105
Referred case
Baseline medical history characteristics of the hypertensive participants, IV-51
Reflex response
Hemodynamic and reflex responses to acute and chronic antihypertensive therapy with the calcium entry blocker nifedipine, I-70
Reflex-hemodynamic adjustments and baroreflex sensitivity during converting enzyme inhibition with MK-421 in normal humans, I-184
Regional vascular resistance
Neural contribution to renal hypertension following acute renal artery stenosis in conscious rats, I-155
Renal artery adenosine administration
Hemodynamic and afferent renal nerve responses to intrarenal adenosine in the dog, I-149
Renal artery clips
Effect of anteroventral third ventricle lesions on vascular sodium-pump activity in two-kidney Goldblatt hypertension, I-89
Renal artery stenosis
Effect of furosemide on renal function in the stenotic and contralateral kidneys of patients with renovascular hypertension, V-43
Neural contribution to renal hypertension following acute renal artery stenosis in conscious rats, I-155
Renal blood flow
Causes of inadequate response to antihypertensive drugs. Volume factors, III-26
The problems of obesity and hypertension, III-71
Relationship of alpha receptor types to hypotension and renal vasodilation caused by alpha blockers in conscious dogs, I-170
Renal insufficiency
Effect of captopril on renal hemodynamics in the treatment of resistant renal hypertension, III-152
Renal mass hypertension
Sodium-potassium pump activity in reduced renal-mass hypertension, I-94
Renal papilla
Antihypertensive polar and neutral renopapillary lipids. Which is a hormone? V-61
Renal pelvic adenosine administration
Hemodynamic and afferent renal nerve responses to intrarenal adenosine in the dog, I-149
Renal plasma flow
Effect of captopril on renal hemodynamics in the treatment of resistant renal hypertension, III-152
Effect of furosemide on renal function in the stenotic and contralateral kidneys of patients with renovascular hypertension, V-43
Renal vasculature
Increased vascular sensitivity to angiotensin II in psychosocial hypertensive mice, I-165
Renal vasodilation
Relationship of alpha receptor types to hypotension and renal vasodilation caused by alpha blockers in conscious dogs, I-170
Renin
Abnormalities of membrane transport in hypertension, V-66
Anteroventral third ventricle and renin-angiotensin system interaction in the two-kidney, one clip hypertensive rat, V-90
Calcium and blood pressure regulation in normal and hypertensive subjects, II-57
Factors influencing the hypotensive effects of calcium antagonists, II-97
Is renin a factor in the etiology of essential hypertension? V-8
Mechanism of increased renin release in the adrenalectomized rat. Adrenal insufficiency and renin, I-47
The possible biological role of aldosterone metabolites, I-35
Renin system activity as a determinant of response to treatment in hypertension and heart failure, III-36
Structure of the mouse submaxillary gland renin precursor and a model for renin processing. Arthur C. Corcoran Memorial Lecture, I-3
Studies of impaired aldosterone response to spironolactone-induced renin and potassium elevations in adenomatous but not hyperplastic primary aldosteronism, V-115
Renin-angiotensin system
Alterations in plasma and cerebrospinal fluid norepinephrine and angiotensin II during the development of renal hypertension in conscious dogs, I-139
Anteroventral third ventricle and renin-angiotensin system interaction in the two-kidney, one clip hypertensive rat, V-90
Effect of captopril on renal hemodynamics in the treatment of resistant renal hypertension, III-152
Renin system activity as a determinant of response to treatment in hypertension and heart failure, III-36
Tachycardic responses during development of renal hypertension, V-122
Renomedullary interstitial cells
Antihypertensive polar and neutral renopapillary lipids. Which is a hormone? V-61
Cardiovascular effects of antihypertensive polar and neutral renomedullary lipids, I-112
Renomedullary lipids
Cardiovascular effects of antihypertensive polar and neutral renomedullary lipids, I-112
Renopapillary lipids
Antihypertensive polar and neutral renopapillary lipids. Which is a hormone? V-61
Renovascular hypertension
Aldosterone-binding globulin-induced hypertension in the rat. A new experimental model, V-163
Alterations in plasma and cerebrospinal fluid norepinephrine and angiotensin II during the development of renal hypertension in conscious dogs, I-139
Angiotensinogen concentration in the cerebrospinal fluid in different experimental conditions in the rat, V-29
Anteroventral third ventricle and renin-angiotensin system interaction in the two-kidney, one clip hypertensive rat, V-90
Beta adrenergic receptor response coupling in hypertrophied hearts, I-175
Beta-receptors and contractile reserve in left ventricular hypertrophy, I-192
Effect of furosemide on renal function in the stenotic and contralateral kidneys of patients with renovascular hypertension, V-43
Effect of nitrendipine on coronary flow and ventricular hypertrophy in hypertension, II-45
Glomerular hemodynamics in persistent renovascular hypertension in the rat, V-110
Tachycardic responses during development of renal hypertension, V-122
Vascular angiotensin II receptors in renal and DOCA-salt hypertensive rats, V-16

Resistant renal hypertension
Effect of captopril on renal hemodynamics in the treatment of resistant renal hypertension. III-152
Reversal of hypertension
Sodium-potassium pump activity in reduced renal-mass hypertension. I-94
Ribonucleic acid
Structure of the mouse submaxillary gland renin precursor and a model for renin processing. Arthur C. Corcoran Memorial Lecture. I-3
Risk factors
Effects of antihypertensive therapy on serum lipoproteins. III-120
Rose Questionnaire
Summary of the baseline characteristics of the hypertensive participants. IV-44
Rostral ventrolateral medulla
Lesions of epinephrine neurons in the rostral ventrolateral medulla abolish the vasodepressor components of baroreflex and cardiopulmonary reflex. V-80
Rubidium
Effect of anteroventral third ventricle lesions on vascular sodium-pump activity in two-kidney Goldblatt hypertension. I-89

S

S_3 gallop
Baseline physical examination characteristics of the hypertensive participants. IV-92
Salmon
Synthesis of nonmammalian angiotensins and their comparative pressor properties in dogfish shark, domestic chicken, and rat. V-22
Saralasin
Anteroventral third ventricle and renin-angiotensin system interaction in the two-kidney, one clip hypertensive rat. V-90
Scillaren
Beta-receptors and contractile reserve in left ventricular hypertrophy. I-192
Screening
How much can blood pressure be lowered? III-21
Hypertension detection and follow-up program. Baseline characteristics of the enumerated, screened, and hypertensive participants. IV-1
When and how far should we lower blood pressure? III-14
Serum
Baseline laboratory examination characteristics of the hypertensive participants. IV-133
Effects of antihypertensive therapy on serum lipoproteins. III-120
Epidemiological study of the relationship between calcium and blood pressure. II-52
Urinary free and serum 19-nor-deoxycorticosterone in adrenal regeneration hypertension. I-32
Sex
Hypertension detection and follow-up program. Baseline characteristics of the enumerated, screened, and hypertensive participants. IV-1
Summary of the baseline characteristics of the hypertensive participants. IV-44
Shark
Synthesis of nonmammalian angiotensins and their comparative pressor properties in dogfish shark, domestic chicken, and rat. V-22
Shock
Vasoactive peptides. State-of-the-art review. I-17
Side effects
Adverse reactions with calcium antagonists. II-125
Efficacy of nifedipine as a step 3 antihypertensive drug. II-118
Long-term antihypertensive therapy with captopril. III-145
Low-dose captopril for the treatment of mild to moderate hypertension. III-139
Response to placebo treatment in hypertension. III-3
Smooth muscle, vascular
Abnormalities of membrane transport in hypertension. V-66
Interaction of mineralocorticoids and pressor agents in vascular smooth muscle. I-41
Snake, *see* Animal studies, snake
Sociodemographic factors
Hypertension among female workers in São Paulo, Brazil. Predictors and joint effects. V-144
Sodium intake
Baseline laboratory examination characteristics of the hypertensive participants. IV-133
Immunoreactive glandular kallikrein in plasma during alterations of urinary kallikrein excretion. V-153
The possible biological role of aldosterone metabolites. I-35
Renin system activity as a determinant of response to treatment in hypertension and heart failure. III-36
Sodium and potassium intake and blood pressure. III-79
Sodium-potassium pump
Abnormalities of membrane transport in hypertension. V-66
Effect of anteroventral third ventricle lesions on vascular sodium-pump activity in two-kidney Goldblatt hypertension. I-89
Red blood cell sodium in the DOCA hypertensive pig. V-105
Sodium-potassium pump activity in reduced renal-mass hypertension. I-94
Sodium, red blood cell
Red blood cell sodium in the DOCA hypertensive pig. V-105
Sodium transport
Abnormalities of membrane transport in hypertension. V-66
Effect of anteroventral third ventricle lesions on vascular sodium-pump activity in two-kidney Goldblatt hypertension. I-89
Spanish hypertension study
Severe hypertension in the Spanish population. Association with specific HLA antigens. V-149
Spironolactone
Studies of impaired aldosterone response to spironolactone-induced renin and potassium elevations in adenomatous but not hyperplastic primary aldosteronism. V-115
Spontaneously hypertensive rat
Beta adrenergic receptor response coupling in hypertrophied hearts. I-175
Calcium balance and parathyroid hormone mediated vasodilation in the spontaneously hypertensive rat. I-59
Development of a new strain of spontaneously hypertensive rats homozygous for hypothalamic diabetes insipidus. I-119
The microcirculation in experimental hypertension. State-of-the-art review. I-10
Nifedipine in the long-term management of hypertensive heart disease. II-39
Response of venous membrane potentials to calcium blockade in spontaneous hypertension. I-64
Step 3 antihypertensive therapy
Efficacy of nifedipine as a step 3 antihypertensive drug. II-118
Stepped care
Baseline medical history characteristics of the hypertensive participants. IV-51
Stereo-isomerism
Chemistry of calcium antagonists. II-2
Stomach pain
Baseline medical history characteristics of the hypertensive participants. IV-51
Stools, tarry
Baseline medical history characteristics of the hypertensive participants. IV-51
Stress
Increased vascular sensitivity to angiotensin II in psychosocial hypertensive mice. I-165
Stroke
Baseline medical history characteristics of the hypertensive participants. IV-51
Management of hypertensive crises. III-114
Summary of the baseline characteristics of the hypertensive participants. IV-44
Structural factors
Hemodynamic effects of calcium antagonists. Review. II-66
Structural factors: the vascular wall. Consequences of treatment. III-58

Subarachnoid hemorrhage
Management of hypertensive crises, III-114
Submandibular gland
Blood kinins after sympathetic nerve stimulation of the rat submandibular gland, I-101
Submaxillary gland
Structure of the mouse submaxillary gland renin precursor and a model for renin processing. Arthur C. Corcoran Memorial Lecture, I-3
Sympathectomy
Angiotensinogen concentration in the cerebrospinal fluid in different experimental conditions in the rat, V-29
Further studies on the development of two-kidney, two clip Goldblatt hypertension in 6-hydroxydopamine-treated rats, V-3
Sodium-potassium pump activity in reduced renal-mass hypertension, I-94
Sympathetic nervous system
Alterations in plasma and cerebrospinal fluid norepinephrine and angiotensin II during the development of renal hypertension in conscious dogs, I-139
Angiotensinogen concentration in the cerebrospinal fluid in different experimental conditions in the rat, V-29
Basal levels of plasma epinephrine and norepinephrine in the dog, V-128
Blood kinins after sympathetic nerve stimulation of the rat submandibular gland, I-101
Cardiovascular effects of antihypertensive polar and neutral renomedullary lipids, I-112
Causes of inadequate response to antihypertensive drugs. Volume factors, III-26
Effects of antihypertensive therapy on serum lipoproteins, III-120
Further studies on the development of two-kidney, two clip Goldblatt hypertension in 6-hydroxydopamine-treated rats, V-3
Hemodynamic and afferent renal nerve responses to intrarenal adenosine in the dog, I-149
Lesions of epinephrine neurons in the rostral ventrolateral medulla abolish the vasodepressor components of baroreflex and cardiopulmonary reflex, V-80
Neural contribution to renal hypertension following acute renal artery stenosis in conscious rats, I-155
Neurogenic actions of angiotensin II, V-73
Relationship of alpha receptor types to hypotension and renal vasodilation caused by alpha blockers in conscious dogs, I-170
Sympatholytic drugs
Causes of inadequate response to antihypertensive drugs. Volume factors, III-26
Effects of antihypertensive therapy on serum lipoproteins, III-120
Systemic blood pressure
The microcirculation in experimental hypertension. State-of-the-art review, I-10
Systemic hemodynamics
Hemodynamic and reflex responses to acute and chronic antihypertensive therapy with the calcium entry blocker nifedipine, I-70
Systemic vascular resistance
Renin system activity as a determinant of response to treatment in hypertension and heart failure, III-36
Systolic blood pressure
Baseline chest radiographic characteristics of the hypertensive participants, IV-190
Baseline electrocardiographic characteristics of the hypertensive participants, IV-160
Baseline laboratory examination characteristics of the hypertensive participants, IV-133
Baseline medical history characteristics of the hypertensive participants, IV-51
Baseline physical examination characteristics of the hypertensive participants, IV-92
Hypertension detection and follow-up program. Baseline characteristics of the enumerated, screened, and hypertensive participants, IV-1
Summary of the baseline characteristics of the hypertensive participants, IV-44

T

Tachycardia
Summary of the baseline characteristics of the hypertensive participants, IV-44
Tachycardic responses during development of renal hypertension, V-122
Tail artery
Effect of anteroventral third ventricle lesions on vascular sodium-pump activity in two-kidney Goldblatt hypertension, I-89
Therapy
Acute hypotensive response to nifedipine, II-80
Adverse reactions with calcium antagonists, II-125
Age and cardiovascular response adaptation. Determinants of an antihypertensive treatment concept primarily based on beta-blockers and calcium entry blockers, III-94
Blood pressure response to treatment, III-1
Calcium and blood pressure regulation in normal and hypertensive subjects, II-57
Calcium antagonists in hypertension, II-1
Calcium blockade in arterial hypertension. Review, II-74
Cardiac factors in response to antihypertensive treatment, III-43
Causes of inadequate response to antihypertensive drugs. Volume factors, III-26
Chemistry of calcium antagonists, II-2
Comparison of beta-adrenoceptor blockers and calcium antagonists in hypertension, II-103
Compliance of hypertensive patients with pharmacological treatment, III-85
Does pharmacological profiling of a new drug in normotensive volunteers provide a useful guideline to antihypertensive therapy? III-101
Effect of nitrendipine on coronary flow and ventricular hypertrophy in hypertension, II-45
Effect of reducing elevated blood pressure on cerebral circulation, III-17
Effectiveness of combined nifedipine and propranolol treatment in hypertension, II-113
Effects of antihypertensive therapy on serum lipoproteins, III-120
Efficacy of nifedipine as a step 3 antihypertensive drug, II-118
Epidemiological study of the relationship between calcium and blood pressure, II-52
Factors influencing the hypotensive effects of calcium antagonists, II-97
Factors involved in the antihypertensive action of calcium antagonists, II-34
Hemodynamic effects of calcium antagonists. Review, II-66
Hemodynamic response: decrease in cardiac output vs reduction in vascular resistance, III-49
How much can blood pressure be lowered? III-21
Influence of an angiotensin converting-enzyme inhibitor on diuretic-induced metabolic effects in hypertension, III-132
Long-term antihypertensive therapy with captopril, III-145
Long-term efficacy of calcium antagonists in resistant hypertension, II-122
Low-dose captopril for the treatment of mild to moderate hypertension, III-139
Management of hypertensive crises, III-114
Methods for assessing blood pressure values in humans, III-5
Monotherapy of essential hypertension with a converting-enzyme inhibitor, III-108
Nifedipine in the long-term management of hypertensive heart disease, II-39
Nifedipine or verapamil as sole treatment of hypertension. An intraarterial study, II-91
Peripheral large arteries and the response to antihypertensive treatment, III-63
Pharmacokinetic and pharmacodynamic parameters in patients treated with nitrendipine, II-25
Pharmacokinetic studies of nifedipine tablet. Correlation with antihypertensive effects, II-29
Pharmacokinetics and metabolism of nifedipine, II-18
Pharmacology of calcium entry blockers: interaction with vascular alpha-adrenoceptors, II-8

Reduction of cardiovascular disease events by worksite hypertension treatment. V-138
Renin system activity as a determinant of response to treatment in hypertension and heart failure. III-36
Response to placebo treatment in hypertension. III-3
Structural factors: the vascular wall. Consequences of treatment. III-58
Summary of the baseline characteristics of the hypertensive participants. IV-44
Treatment of hypertension in hemodialysis patients with nifedipine. II-109
Treatment of hypertension with calcium antagonists. Review. II-85
When and how far should we lower blood pressure? III-14

Therapy, acute
Hemodynamic and reflex responses to acute and chronic antihypertensive therapy with the calcium entry blocker nifedipine. I-70

Therapy, chronic
Hemodynamic and reflex responses to acute and chronic antihypertensive therapy with the calcium entry blocker nifedipine. I-70

Third ventricle
Effect of anteroventral third ventricle lesions on vascular sodium-pump activity in two-kidney Goldblatt hypertension. I-89

Thrombocytopenia
Plasma and platelet vasopressin in essential hypertension and congestive heart failure. I-129

Thromboxane B_2
Effect of furosemide on renal function in the stenotic and contralateral kidneys of patients with renovascular hypertension. V-43

Toad, *see* Animal studies, toad

Tolerance
Long-term antihypertensive therapy with captopril. III-145

Total peripheral resistance
Cardiac factors in response to antihypertensive treatment. III-43
Causes of inadequate response to antihypertensive drugs. Volume factors. III-26
Hemodynamic mechanism of blood pressure response to captopril in human malignant hypertension. I-53
Hemodynamic response: decrease in cardiac output vs reduction in vascular resistance. III-49

Toxicity
Low-dose captopril for the treatment of mild to moderate hypertension. III-139

Transport inhibitor
Sodium and potassium intake and blood pressure. III-79

Tuberculosis
Baseline physical examination characteristics of the hypertensive participants. IV-92

Tubuloglomerular feedback sensitivity
Glomerular hemodynamics in persistent renovascular hypertension in the rat. V-110

Tyramine
Further studies on the development of two-kidney, two clip Goldblatt hypertension in 6-hydroxydopamine-treated rats. V-3

U

Ulcers
Baseline medical history characteristics of the hypertensive participants. IV-51

Unclipping
Aldosterone-binding globulin-induced hypertension in the rat. A new experimental model. V-163
Cardiovascular effects of antihypertensive polar and neutral renomedullary lipids. I-112

Urapidil
Relationship of alpha receptor types to hypotension and renal vasodilation caused by alpha blockers in conscious dogs. I-170

Urea nitrogen
Baseline laboratory examination characteristics of the hypertensive participants. IV-133

Uric acid
Influence of an angiotensin converting-enzyme inhibitor on diuretic-induced metabolic effects in hypertension. III-132

Urinary excretion
Baseline laboratory examination characteristics of the hypertensive participants. IV-133
Epidemiological study of the relationship between calcium and blood pressure. II-52
Urinary free and serum 19-nor-deoxycorticosterone in adrenal regeneration hypertension. I-32

V

Vagal stimulation
Lesions of epinephrine neurons in the rostral ventrolateral medulla abolish the vasodepressor components of baroreflex and cardiopulmonary reflex. V-80
Tachycardic responses during development of renal hypertension. V-122

Vagus nerve
Tachycardic responses during development of renal hypertension. V-122

Variability, blood pressure
Methods for assessing blood pressure values in humans. III-5
Response to placebo treatment in hypertension. III-3

Vascular changes
Effects of frog-skin angiotensin II in amphibians. V-101
Further studies on the development of two-kidney, two clip Goldblatt hypertension in 6-hydroxydopamine-treated rats. V-3

Vascular resistance
Cardiac factors in response to antihypertensive treatment. III-43
Hemodynamic response: decrease in cardiac output vs reduction in vascular resistance. III-49
Renin system activity as a determinant of response to treatment in hypertension and heart failure. III-36
Structural factors: the vascular wall. Consequences of treatment. III-58

Vascular smooth muscle
Interaction of mineralocorticoids and pressor agents in vascular smooth muscle. I-41

Vasoactive peptides
Vasoactive peptides. State-of-the-art review. I-17

Vasoconstriction
Adrenergic vasoconstriction as a cause of inadequate hypotensive response to beta-adrenergic blockade. III-31
Interaction of mineralocorticoids and pressor agents in vascular smooth muscle. I-41
Vasoactive peptides. State-of-the-art review. I-17

Vasodepressor
Lesions of epinephrine neurons in the rostral ventrolateral medulla abolish the vasodepressor components of baroreflex and cardiopulmonary reflex. V-80
Vasoactive peptides. State-of-the-art review. I-17

Vasodilation
Calcium balance and parathyroid hormone mediated vasodilation in the spontaneously hypertensive rat. I-59
Cardiac factors in response to antihypertensive treatment. III-43
Causes of inadequate response to antihypertensive drugs. Volume factors. III-26
Effects of antihypertensive therapy on serum lipoproteins. III-120
Endothelial mechanism in the vascular action of hydralazine. I-107
Hemodynamic and reflex responses to acute and chronic antihypertensive therapy with the calcium entry blocker nifedipine. I-70
Hemodynamic mechanism of blood pressure response to captopril in human malignant hypertension. I-53
Peripheral large arteries and the response to antihypertensive treatment. III-63
Treatment of hypertension with calcium antagonists. Review. II-85
Vasoactive peptides. State-of-the-art review. I-17

Vasopressin
Arginine vasopressin modulates the centrai action of angiotensin II in the dog, V-94
Development of a new strain of spontaneously hypertensive rats homozygous for hypothalamic diabetes insipidus, I-119
Maintenance of arterial pressure by vasopressin and angiotensin II after adrenalectomy, V-53
Plasma and platelet vasopressin in essential hypertension and congestive heart failure, I-129
Vasopressor
Vasoactive peptides. State-of-the-art review, I-17
Venodilation
Baseline physical examination characteristics of the hypertensive participants, IV-92
Causes of inadequate response to antihypertensive drugs. Volume factors, III-26
Venous potentials
Response of venous membrane potentials to calcium blockade in spontaneous hypertension, I-64
Ventricular conduction defects
Baseline electrocardiographic characteristics of the hypertensive participants, IV-160
Ventricular function
Nifedipine in the long-term management of hypertensive heart disease, II-39
The problems of obesity and hypertension, III-71
Ventricular unloading
Treatment of hypertension with calcium antagonists. Review, II-85
Verapamil
Adverse reactions with calcium antagonists, II-125
Calcium blockade in arterial hypertension. Review, II-74
Comparison of beta-adrenoceptor blockers and calcium antagonists in hypertension, II-103
Factors influencing the hypotensive effects of calcium antagonists, II-97
Hemodynamic effects of calcium antagonists. Review, II-66
Hemodynamic response: decrease in cardiac output vs reduction in vascular resistance, III-49
Long-term efficacy of calcium antagonists in resistant hypertension, II-122
Nifedipine or verapamil as sole treatment of hypertension. An intraarterial study, II-91
Response of venous membrane potentials to calcium blockade in spontaneous hypertension, I-64
Treatment of hypertension with calcium antagonists. Review, II-85
Veterans Administration Cooperative Study Group on Antihypertensive Agents
Low-dose captopril for the treatment of mild to moderate hypertension, III-139
Volume factors
Causes of inadequate response to antihypertensive drugs. Volume factors, III-26

W

Wall, vascular
Structural factors: the vascular wall. Consequences of treatment, III-58
Water deprivation
Angiotensinogen concentration in the cerebrospinal fluid in different experimental conditions in the rat, V-29
Wheezing
Baseline medical history characteristics of the hypertensive participants, IV-51
Women
Hypertension among female workers in São Paulo, Brazil. Predictors and joint effects, V-144
Workplace
Hypertension among female workers in São Paulo, Brazil. Predictors and joint effects, V-144
Reduction of cardiovascular disease events by worksite hypertension treatment, V-138